

SMART WAREHOUSE MONITORING SYSTEM USING IOT

Submitted in partial fulfillment of the requirements for the award of
Bachelor of Engineering Degree in Electronics and Communication Engineering

D.RUSHIKESHWAR (39130126)

N.BHASKAR CHOWDARY (39130069)



DEPARTMENT OF ELECTRONICS AND COMMUNICATION ENGINEERING

SCHOOL OF ELECTRICAL AND ELECTRONICS

SATHYABAMA

**INSTITUTE OF SCIENCE AND TECHNOLOGY
(DEEMED TO BE UNIVERSITY)**

Accredited with Grade "A" by NAAC

JEPPIAAR NAGAR, RAJIV GANDHISALAI,

CHENNAI – 600119

APRIL - 2023



SATHYABAMA

INSTITUTE OF SCIENCE AND TECHNOLOGY

(DEEMED TO BE UNIVERSITY)

Accredited "A" Grade by NAAC | 12B Status by UGC | Approved by AICTE

www.sathyabama.ac.in

DEPARTMENT OF ELECTRONICS AND COMMUNICATION ENGINEERING

BONAFIDE CERTIFICATE

This is to certify that this Project Report is the bonafide work of N.BHASKAR CHOWDARY (39130069) and D.RUSHIKESHWAR (39130126) who carried out the project entitled "**SMART WAREHOUSE MONITORING SYSTEM USING IOT**" under my supervision from November 2022 to April 2023.

Internal Guide

Dr . K. SRILATHA, M.E, Ph.D.,

Head of the Department

Dr. T. RAVI M.E., Ph.D.,

Submitted for Viva-voce Examination held on 20-04-2023

Internal Examiner

External Examiner

DECLARATION

We N.BHASKAR CHOWDARY (39130069) and D.RUSHIKESHWAR (39130126) hereby declare that the Project Report entitled “**SMART WAREHOUSE MONITORING SYSTEM USING IOT**” done by us under the guidance of **Dr.K.SRILATHA,M.E, Ph.D., Associate Professor** at **Sathyabama Institute of Science and Technology** is submitted in partial fulfillment of the requirements for the award of a Bachelor of Engineering degree in Electronics and Communication Engineering.

DATE: 20-04-2023

PLACE: Chennai

SIGNATURE OF THE CANDIDATES

1. 
2. 

ACKNOWLEDGEMENT

We are pleased to acknowledge our sincere thanks to the Board of Management of **SATHYABAMA** for their kind encouragement in doing this project and for completing it successfully. We are grateful to them.

We convey our thanks to **Dr. N .M. NANDHITHA M.E, Ph.D.**, Dean, School of Electronics and Communication Engineering, and **Dr. T. RAVI M.E, Ph.D.**, Head of the Department, Department of Electronics and Communication Engineering for providing me with the necessary support and details at the right time during the progressive reviews.

We would like to express our sincere and deep sense of gratitude to our Project Guide **Dr . K. SRILATHA, M.E, Ph.D., Associate Professor, Department of Electronics and Communication Engineering** for his valuable guidance, suggestions, and constant encouragement that paved the way for the successful completion of our project work.

We wish to express our thanks to all Teaching and Non-teaching staff members of the Department of **Electronics and Communication Engineering** who were helpful in many ways for the completion of the project.

ABSTRACT

A warehouse is a mercantile architecture for an entrepot of stuff. Warehouses are used by producers, dealers, traders, wholesalers, distributors, customs, etc. The use of a smart WMS is the cherry on top of all of your smart technology. This warehouse should be screened at regular intervals to reduce the storage cost of food grains due to atmospheric conditions and are documented. With the enlargement of the business and the continuous requirements of the food product multiplicity, old style granary management prototype will not meet that, due to its heavy capacity and low proficiency. To mitigate the manual labor work and to make the work easier, a smart warehouse is implemented which is enabled by several sensors and technologies. This paper intends to develop an IoT-based smart warehouse monitoring system. The network of sensors includes vibration, and IR sensors to know if any theft happened. It is done with the help of current technology (IoT). Raspberry Pi controllers adopt IoT technology to convey messages. Based on the sensor's data the appropriate data is captured and manipulated based on the limit given in the software and sent timely information to the concerned department officials of the Central warehouse corporation through SMS for moderation and corrective actions arising due to atmospheric conditions inside the warehouse. The system developed has great advantages compared with the traditional model in terms of cloud storage of the warehouse data.

A smart warehouse monitoring system using IoT (Internet of Things) is a cutting-edge technology that allows businesses to monitor and optimize warehouse operations in real-time. The system employs various IoT devices, including sensors, cameras, and other data acquisition devices to collect and analyze critical data. The data is transmitted to a centralized platform, which can be accessed by warehouse managers and other stakeholders. The system provides numerous benefits, including real-time inventory tracking, improved efficiency, reduced operational costs, enhanced security, and data-driven decision-making. By leveraging the power of IoT devices, a smart warehouse monitoring system can help businesses optimize warehouse operations, reduce costs, and improve overall business performance.

Chapter No	TITLE	Page No.
	ABSTRACT	v
	LIST OF FIGURES	ix
1	INTRODUCTION	1-3
	1.1 Applications of IOT In SWMS	4
	1.2 Automation	4
	1.3 Precise Location Tracking	4-5
	1.4 Asset Tracking	5-6
	1.5 Wearables For Workforce Tracking	6-7
	1.6 Warehouse Operations Optimization	7
	1.7 Improve Safety	8
	1.8 Beacons	8
	1.9 High Read Range	8
	1.10 Consumes Less Power	9
	1.11 Cost Effective	9
	1.12 Wearables	9
	1.13 Cloud-Based Platform	9
	1.14 The Benefits of IOT Warehouse managers	10
	1.15 Optimizes Space Utilization	10

	1.16 Enhances Equipment Effectiveness	10
	1.17 Grants Remote Monitoring	10
	1.18 Increases Employee Productivity	11
	1.19 Reduces Risk and Cost	11
	1.20 Enables Environmentally Friendly Operations	11-12
2	LITERATURE SURVEY	13-17
	2.1 Inferences from Literature Survey	
	2.2 Open Problems in Existing System	17
3	EXISTING METHOD	
	3.1 Feasibility Studies/Risk Analysis of the Project	18-20
	3.2 Software Requirements Specification Document	20-21
	3.3 System Use case	21
4	PROPOSED METHOD	
	4.1 Selected Methodology or process model	22-23
	4.2 Architecture / Overall Design of Proposed System	23-24
	4.3 Description of Software for Implementation and Testing Plan of the Proposed Model/System	25
	4.4 Financial report on estimated costing	26-28
	4.5 Transition/ Software to Operations Plan	29-31
	4.6 Implementation Details	32-33

5	RESULTS AND DISCUSSION	34-36
6	CONCLUSION AND FUTURE SCOPE	
7.1	Conclusion	37
7.2	Future Scope	37-39
	REFERENCES	40-41

LIST OF FIGURES

Figure No.	Figure Name	Page No.
1.1	IoT Enabled Ware House Unit	1
1.2	Systematic Warehouse Movement	2
1.3	Resource Reallocation Process Inside Shipping Units	3
1.4.1	How Company Makes Profits with Technology	6
1.5.1	IoT Enabled Warehouse Segmentation System	7
4.1.1	Block Diagram of Proposed System	23
4.4.1	Arduino	26
4.4.2	DHT 11 Sensor	26
4.4.3	IR Sensor	27
4.4.4	GSM Module	27
4.4.5	Buzzer	28
4.5.1	Cycle of IoT	31
5.1	Hardware Of SWMS	35
5.2	Result	36

CHAPTER-1

INTRODUCTION

Spatial data warehouse technology is one solution to the problem of big spatial data. Accumulation In the process of making a spatial data warehouse, the extraction, transformation, and loading (ETL) process has an important role to determine the quality of data. The Internet of Things (IoT) is a paradigm based on the Internet that comprises many interconnected technologies like RFID (Radio Frequency Identification) and WSN (Wireless Sensor and Actor Networks) in order to exchange Information. The current need for better control, monitoring, and management in many areas and the ongoing research in this field have originated with the appearance and creation of multiple systems like smart homes, smart-city, and smart-grid. The paper proposes an e-Agriculture Application based on the framework consisting of KM-Knowledge base and monitoring modules.



Fig: 1.1: IoT Enabled Ware House Unit

To make profitable decisions, farmers need information throughout the entire farming cycle. The Smart Home concept, associated with the pervasiveness of network coverage and embedded computing technologies is assuming an ever-growing significance for people living in highly developed areas. The warehouse is a planned space for the storage and handling of goods and materials. Mostly, warehouses are used by manufacturers, importers, exporters, wholesalers, etc. It is a large commercial building

which is located in industrial areas of cities, towns, and villages. Warehouses are designed for loading and unloading goods directly from airports, seaports, railways, etc. These days, most of the work is automated with the help of computers and laptops with the latest technologies. Efficient monitoring of temperature, humidity, and other conditions without being present physically at the location helps us to get a better outcome.




Fig: 1.2: Systematic Warehouse Movement

Here the main purpose is to observe, control and monitor the warehouse atmosphere, thus making the user manage the data in real-time. Warehouses or storage areas with small-scale units that are very close to each other are the leaf nodes of the network. They are responsible to collect information about light, temperature, and other environmental factors to prevent the food from decaying and getting rotten. Here the central node which is a web application is responsible for passing information to management mode using a laptop or mobile phone. Cloud computing means the practice of using a network of remote servers hosted on the internet of the store, to manage and process data. Here, a cloud computing server stores the data received from various kind of sensors and also send it to farmer mobiles. Internet of things means it is the network of physical devices, vehicles, home appliances, and other items embedded with electronics, software, sensors, actuators, and connectivity which enables these objects to connect and exchange data. Digital Warehousing Digital Warehouse Suite has the

capability to collect and integrate disparate sources of data within warehouse or distribution facilities: Here, the system can collect information from various sensors like temperature, humidity, light, and smoke sensors and integrate it.



Fig: 1.3: Resource Reallocation Process Inside Shipping units

1. IoT sensor technology to capture and collect real-time agricultural product data. IoT sensors are collecting information on various parameters from warehouses and upload it to a cloud computing server using IoT.
2. Owner of agricultural products getting information from cloud computing server. 3. This is a real-time monitoring system of agricultural products. Simple and user-friendly visualization of assets within the warehouse
3. By putting CCTV cameras, it is possible to live monitoring and alert systems to quickly see warehouse activities and operational events.
4. Digital warehouse can have dynamic reporting capability.
5. Digital Agricultural Warehouse System (DAW) Digital agricultural warehouse system consists of sensors, an Arduino, a relay driver, a WiFi module, a Computer with the internet, display, etc Simple and user-friendly visualization of assets within the warehouse.

1.1 APPLICATIONS OF IOT IN THE SMART WAREHOUSE MONITORING SYSTEM

The Internet of Things, or IoT, connects physical objects to the Internet. It can also link objects or devices to one another by implementing an on/off switch. Many industries, including warehousing, use IoT technology in their workflow to help them gather and exchange data across multiple devices. It provides them with the convenience of keeping all devices under singular, cohesive control via internet connectivity. Warehouses are usually quite large. They store a wide range of goods and inventory and involve a huge team of personnel. Often, warehouse managers need to focus on strategizing efficient warehouse management to control the different elements of a warehouse, which can be challenging to do manually. That's why integrating this manufacturing innovation into the warehouse monitoring system is no longer optional. Warehouse solutions that expect to win the market should consider incorporating smart warehousing, the advantages of which we'll explore right now:

1.2 AUTOMATION

IoT technology in warehouse operations allows warehouse managers to immediately monitor and report all activities. The devices in the warehouse are linked to the internet and can therefore send out their real-time statuses. As a result, warehouse managers will no longer need to deal with paper-based documentation to verify the completion of each task. Instead, they can monitor the devices automatically, even in a large warehouse, and notify personnel if anything goes wrong. Not only will it save time and energy, but it will also give warehouse managers a chance to think about maximizing efficiency from inbound logistics and inventory shelving to outbound logistics. Aside from that, this warehouse monitoring system can avoid human errors, which would result in losses, through workflow automation.

1.3 PRECISE LOCATION TRACKING

We all know that a warehouse typically houses many goods, inventory, and personnel. Thus, warehouse solution providers must weigh whether the monitoring system can synchronize these factors to achieve work cooperation. This is where the IoT technology's ability to provide precise location tracking comes into play. Accurate location

tracking can improve efficiency by granting control to the warehouse managers over the assets and workforce. To help you better understand the precise location tracking feature, here are some examples of warehouse parts that are traceable using IoT technology.

1.4 ASSET TRACKING

Each asset is valuable for warehouse providers to use in their daily operations. The asset monitoring system we'll discuss here is in the form of physical assets and directly relates to warehouse operations. Forklifts and yard vehicles, as well as their real-time locations, are examples of material handling equipment (MHE) assets that warehouse managers must have control over. Thanks to asset monitoring, they can save time finding the assets when needed quickly and easily. IoT-enabled asset monitoring systems can assist warehouse managers in locating MHE assets using tagged unique identification codes. When needed, warehouse managers will be able to capture valuable information, including asset usage, downtime, and availability. The automated asset management system allows warehouse managers to easily manage the MHE movements. They can, for instance, get alerts when an idle or unauthorized MHE is entering a specific warehouse zone. Warehouse managers can also plan MHE movements to avoid vehicle congestion, or worse, any collisions. As a result, they can increase warehouse productivity and prevent work-related accidents. Asset tracking involves monitoring and managing assets using technology to provide real-time information on their location, status, and condition.

This technology can include GPS, RFID, barcode scanners, and other wireless sensors. Asset tracking is the process of monitoring and managing assets using technology to provide real-time information on their location, status, and condition. The technology used for asset tracking can include GPS, RFID, barcode scanners, and other wireless sensors. Asset tracking is useful for companies that have a large number of valuable assets that need to be tracked and managed, such as fleet vehicles, heavy equipment, IT equipment, and tools. Mobile apps can be used to track and manage assets on the go. For example, a field service technician might use a mobile app to track the location and status of equipment on a job site. The software component of an asset tracking system is used to manage and analyze the data.




Fig: 1.4.1: How Company Makes Profits with Technology

1.5 WEARABLES FOR WORKFORCE TRACKING

Wearables entail IoT devices attached to the clothes/uniforms of warehouse workers to help track their movements. Warehouse managers will typically distribute wearables to their employees because the devices can:

- Automate employees' check-ins and check-outs:** Implementing automated check-ins and check-outs with IoT-enabled wearables increases transparency between employees and managers. Employees could falsify their attendance records by using paper-based check-in and check-out records.
- Detect employee movements and locations in real-time:** Gaining information about the employees' activities and locations in real-time allows managers to identify whether employees are performing their jobs according to the predetermined plans and which employees might need additional help or support.
- Automate work order completion tracked from employees' movement data:** Wearables that detect employees' movements empower them to automatically complete their work orders. They no longer need to manually report to the managers, which may take longer.
- Assign employees to the nearest MHE:** A warehouse usually has several pieces of MHE spread out. Managers can save time by delegating specific MHE operation tasks to the closest employees rather than determining who will operate a specific MHE by default. This saves time and reduces the burden of making a decision.
- Prevent unauthorized entries:** Inside a warehouse, there are usually multiple zones, and not everyone is allowed to enter all of them because some

contain hazardous materials. Thanks to IoT-equipped wearables, managers can be alerted when employees inadvertently enter restricted areas.



Fig: 1.5.1: IoT Enabled Warehouse Segmentation System

1.6 WAREHOUSE OPERATIONS OPTIMIZATION

Another reason warehouses should use IoT is to improve overall operations. It is essential to do so because it will maximize the use of space and evenly distribute workloads to the laborers, both of which are paramount to increasing efficiency. To make the best use of space and distribute workloads evenly, warehouse managers must first understand the warehouse layouts. Instead of constantly checking the arrangements, warehouse managers can digitize warehouse layouts into a cloud-based platform. You may wonder why it is essential to maximize space utilization and distribute workloads equitably among laborers. That's because warehouses can expand without taking up additional space. Warehouse managers, for example, can use day-to-day data collection from warehouse monitoring systems to identify underperforming zones and maximize the use of these underutilized zones. Another benefit of warehouse operational efficiency is improved inventory lead times which results in cargo leaving the warehouse fuller and faster.

1.7 IMPROVE SAFETY

Warehouse providers need to ensure that all employees are safe on the job. Fortunately, IoT-enabled smart warehousing can address this particular concern. Here are some examples of how IoT implementation in warehouse monitoring systems can improve workplace safety: Notifies warehouse managers of unauthorized entry into a zone or MHE usage. Prevents accidents between MHE by establishing safe distances; even if accidents occur, the devices will send a real-time alert. Controls and monitors the zoning density, allowing safe distancing within a zone. How do IoT-enabled asset management and monitoring solutions work IoT technology grants connectivity between multiple devices in the warehouses, thanks to tiny processors and wireless networks. It also helps managers and personnel communicate without going back and forth to the workstation. Moreover, a study suggests that IoT technology implementation could reduce inventory inaccuracy by 20–30%. It can result in reduced operational costs and improved workflow efficiency. Here's a closer look at the specifics of IoT technology within smart warehousing.

1.8 BEACONS

Beacons are IoT solutions that rely on low-energy Bluetooth technology, making them highly energy-efficient. When used in warehouse management, these devices work by transmitting signals to other nearby devices and can be monitored using cellphones and other GSM-based devices, which helps warehouses track their assets in real-time. Warehouses typically embed beacon tags in their assets. This beacon inventory management system will assist warehouses in improving their asset management system, balancing their safety stock, and easing information circulation. In addition, there are several reasons why beacon tags are preferable to use in smart warehouses, including.

1.9 HIGH READ RANGE

The low-energy Bluetooth or BLE technology used by beacon tags allows for excellent monitoring coverage. It increases efficiency because multiple activities can be controlled using a single mobile device.

1.10 CONSUMES LESS POWER

BLE technology is designed to use less energy. As a result, most beacon tags that run on batteries last an average of three years without recharging.

1.11 COST-EFFECTIVE

Beacon tags are being mass-produced due to the widespread use of Bluetooth technology in mobile devices. Mass adoption of these will affect pricing and create relatively inexpensive beacon tags.

1.12 WEARABLES

Wearable technology, also known as wearables, are attachable devices that receive and transmit data to and from users. In warehousing industries, common wearables include smart glasses, activity tracker bracelets, and many more. These devices make it easier for all personnel to complete their duties and communicate with their managers hands-free. As a result, they can receive commands or report their current statuses without holding or letting go of the device and the item they're working on. Another vital feature of wearable devices is that they enable warehouse managers to track personnel movements. As a result of the technology, they can improve warehouse safety and security by reducing accidents caused by personnel entering dangerous areas. Furthermore, the tracking feature of wearables improves transparency between managers and employees. By tracking their movements, managers can easily track whether or not employees are following the predetermined plan. Sensors. Sensors in warehouses help identify and verify all goods movement and personnel activities.

1.13 CLOUD-BASED PLATFORM

Cloud-based warehouse monitoring systems allow for organizing multiple activities on a single platform. It works by integrating information collected by IoT devices into the systems. Warehouse managers can capture data and collect it securely on the cloud. Furthermore, cloud-based warehouse monitoring systems will provide insightful analytics that will assist them in making sound business decisions.

1.14 THE BENEFITS OF IOT WAREHOUSE MANAGERS

Now that you know how IoT technologies work in warehouses, it's time to learn about the benefits these technologies offer warehouse managers. Warehouse managers have many responsibilities, including overall management of the warehouse area and employee performance monitoring.

1.15 OPTIMIZES SPACE UTILIZATION

Optimizing space utilization allows warehouses to grow without expanding their land—especially given the high cost of buying land and developing warehouse buildings. Therefore, space utilization optimization focuses on making the best use of available space to accommodate the goods and assets that warehouses own. It works by embedding IoT technology in warehouse inventory, giving warehouse managers a clear awareness of the layout and configurations related to the storage facilities in the warehouse.

1.16 ENHANCES EQUIPMENT EFFECTIVENESS

Improving equipment effectiveness enables warehouse providers to organize their assets, ensuring that none of their assets are idling or underutilized. It's easy to do that when you incorporate asset tracking provided by a reputable warehouse monitoring system. Ultimately, warehouses that use asset-tracking solutions gain the ability to analyze and gain insights into the key aspects of their MHE. Quality, availability, and performance are all part of it.

1.17 GRANTS REMOTE MONITORING

The ability of smart warehouse systems to remotely monitor activities benefits businesses with warehouses set up all over the world. It's a feature of the systems' ability to make real-time decisions without visiting each warehouse. Instead, managers can use the cloud-based platform to monitor warehouse performance. Most importantly, the cloud-based warehouse system's remote monitoring capability allows businesses to gain visibility into warehouse activities without compromising anything due to long distances.

1.18 INCREASES EMPLOYEE PRODUCTIVITY

Implementing IoT technology optimizes floor-level activities, reducing the need for personnel to walk back and forth to their workstations. It enables warehouse managers to collect data automatically and make decisions in real-time. At the same time, warehouse managers can also help their company boost profitability by increasing employee productivity. IoT devices allow employees to complete more tasks without relying heavily on physical movements. They can also easily communicate with the managers without submitting paper-based documentation, which can be troublesome and time-consuming.

1.19 REDUCES RISK AND COST

IoT technology embedded in the inventory allows warehouse managers to determine whether the equipment is safe for employees. If there is a break, the system will automatically reflect it, allowing warehouse managers to prohibit employees from using it. Similarly, smart warehousing provided by IoT technologies may also equip warehouse managers with the current market status. They will then receive information about supply and demand trends and incorporate them into their operations cycle.

1.20 ENABLES ENVIRONMENTALLY FRIENDLY OPERATIONS

Businesses that can optimize their warehousing activities will be able to use energy more efficiently at all stages. It eventually leads to prudent energy consumption, which reduces carbon emissions, thereby assisting businesses in meeting corporate ESG goals.

PROBLEM STATEMENT

1. Central Warehousing Corporation (CWC) is into handling and storage services for more than 400 merchandise including Industrial raw materials Agricultural products, finished goods, and a variety of perishable and hygroscopic items.
2. Storage loss of perishables goods and food grains are being monitored and controlled through quality check practices including regular and periodic chemical treatment, recording of humidity, moisture, and other key parameters, regular inspection, proper documentation of age analysis, sanitation, and physical condition of the storehouse.

3. Further storage loss due to atmospheric conditions beyond the threshold results in infestation etc and hence damages the perishables/ food grains.

OBJECTIVES

1. This project is to capture temperature, moisture, earthquake, and fire-related information using sensors and send alerts using IoT technology.
2. The problem faced by the Central Warehouse Corporation is the storage loss of food grains due to environmental changes.
3. The main role of the administration is to provide proper communication and expectation at all levels to assist the employees so that to adjust the forthcoming changes in the storehouse operation.
4. Various storehouse management systems during implementation failed to meet their procedures. Then the project risk is issued after execution.
5. Due to improper planning, the execution failed.
6. So, we have to implement a flexible and real-time plan to execute a storehouse management system.

SCOPE OF THE PROJECT

Storage loss of perishables goods and food grains is being monitored and controlled through quality check practices including regular and periodic chemical treatment, recording of humidity, moisture, and other key parameters, regular inspection, proper documentation of age analysis, sanitation, and physical condition of the storehouse. Further storage loss due to atmospheric conditions beyond the threshold results in infestation and hence damages the perishables/ food grains. Executing the new modern tools storehouse administration system involves different sets of motivations and expectations from the various shareholders. Logistics / Operations Managers by definition are looking for smooth and speedy execution.

CHAPTER-2

LITERATURE SURVEY

2.1 INFERENCES FROM LITERATURE SURVEY

The following shows a survey done for dual home automation for with and without the internet on Realtime which includes an instant feedback mechanism that drives the appliances. This system is reliable to integrate on multiple platforms with the help of ESP32 master which serves as standard firmware. Further, the study was extended to multiple operation platforms like Linux, Windows, and IOS are discussed as follows. In this detailed survey, we have learned a lot in stabilizing our concepts from the existing feedback mechanisms that were designed in the previous study.

2.1.1 Satyendra K. Vishwakarma et. al (2021). This paper presents a step-by-step procedure of a smart home automation controller. It uses IoT to convert home appliances to smart and intelligent devices, with the help of design control. An energy-efficient system is designed that accesses the smart home remotely using IoT connectivity. The proposed system mainly requires, Node MCU as the microcontroller unit, IFTTT to interpret voice commands, Adafruit a library that supports MQTT acts as an MQTT broker, and Arduino IDE to code the microcontroller. This multimodal system uses Google Assistant along with a web-based application to control the smart home. The smart home is implemented with the main control unit that is connected to the 24-hour available Wi-Fi network. To ensure, that the Wi-Fi connection does not turn off, the main controller is programmed to establish an automatic connection with the available network and connected to the auto power backup.

2.1.2 Shardha Somani et. al (2021). This paper focuses on a system that provides features of Home Automation relying on IoT to operate easily, in addition to that it includes a camera module and provides home security. The Android application basically converts smartphones into a remote for all home appliances. Security is achieved with motion sensors if movement is sensed at the entrance of the house; a notification is sent that contains a photo of the house entrance in real-time. This notification will be received by the owner of the house via the Internet such that the app can trigger a notification. So,

the owner can raise an alarm in case of any intrusion or he/she can toggle the appliances like opening the door if the person is a guest. The system uses Raspberry Pi, a small-sized computer that acts as a server for the system. The smart home consists of two modules. Home automation consists; of a fanlight and door controller, and a security module that consists; of a smoke sensor motion sensor, and camera module.

2.1.3 Tui-Yi Yang, Chu-Sing Yang et. al (2017). This paper proposes an optimization of home power consumption based on PLC (Power Line Communication) for easy-to-access home energy consumption. This also proposes a Zigbee and PLC-based renewable energy gateway to monitor the energy generation of renewable energies. ACS and DDEM algorithms are proposed for the design of intelligent distribution of power management systems to make sure ongoing power supply of home networks. To provide efficient power management the power supply models of home sensor networks are classified into groups viz. main supply only, main supply and backup battery, rechargeable battery power, and non-rechargeable battery power. Devices with particular features are assigned to these groups. It targets establishing a real-time processing scheme to address variable sensor network topologies.

2.1.4 Tushar Chaurasia et. al (2019). This paper proposes a system that develops a model to reduce the computation overhead in existing smart home solutions that use various encryption technologies like AES, ECHD, hybrid, etc. These solutions use an intermediate gateway for connecting various sensor devices. The proposed model provides a method for automation with sensor-based learning. The system uses a temperature sensor for development but other sensors can also be used as per requirement. These smart home devices with sensors can configure themselves autonomously and can operate without human intervention. 11 This work minimizes encryption decryption and focuses on authentication and automation of smart home devices with learning. The system bypasses the local gateway mentioned in the existing system to provide better security for smart home devices and sensor data and save computation overhead. The real-time broker cloud is directly connected to the smart home and manages all incoming and outgoing requests between users and devices. The main purpose to use a real-time broker cloud saves time for cryptographic operations.

2.1.5 Suraj, Ish Kool et. al (2020). The paper presents a vision-based machine intelligence system to sense the on/off state of common home appliances. The proposed method of sensing the state of appliances results in a novel home automation system. The accessibility of the suite of devices in the home over a remote network is facilitated by the IP Addressing methods in the IoT. This project uses two boards viz. Raspberry Pi and Intel Galileo Gen 2. The communication between the User devices, Raspberry Pi, and the Intel Galileo boards happens over a wireless network. The UDP protocol is deployed to facilitate the wireless communication of the nodes present in the home automation network. A Pi Cam and a US Logitech camera are attached to the rotating shaft of two different servo motor capture snapshots that are passed as inputs to the Machine Learning based models trained using dlib-C++ to detect the state of the operation of the appliances. The proposed method uses visual modality to automate the appliances, as privacy concerns may emerge while using the images from some specific places, as a counter to this issue, 12 an SPDT switch is added to the Raspberry Pi which when turned off ensures that even if the images are taken from the webcams, they are just passed as inputs to the machine learning models and are not displayed on the website when the users access the website on the server address obtained from Raspberry Pi.

2.1.6 Vikram N et. al (2015). This paper illustrates a methodology to provide a low-cost Home Automation System (HAS) using Wireless Fidelity (Wi-Fi). This crystallizes the concept of internetworking of smart devices. A Wi-Fi-based Wireless Sensor Network (WSN) is designed for the purpose of monitoring and controlling the environmental, safety, and electrical parameters of a smart interconnected home. The different sections of the HAS are; the temperature and humidity sensor, gas leakage warning system, fire alarm system, burglar alarm system, rain-sensing, switching and regulation of load & voltage, and current sensing. The primary requirement of HAS to monitor and control devices is accomplished using a Smartphone application. The application is developed using Android Studio based on the JAVA platform and the User Interface is exemplified. The primary focus of the paper is to develop a solution cost-effective and flexible in the control of devices and implements a wide range of sensors to capture various parameters.

2.1.7 Mrs. Paul Jasmin Rani et. al (2018). The paper focuses on the construction of a fully functional voice-based home automation system that uses the Internet of Things, Artificial Intelligence, and Natural Language Processing (NLP) to provide cost-effective, efficient way to work together with home appliances using various technologies such as GSM, NFC, etc. it implements a seamless integration of all the appliances to a central console, i.e., the mobile device. The prototype uses Arduino MK1000, known as Genuine MK1000. The NLP in this project gives the user the freedom to interact with the home appliances with his/her own voice and normal language rather than complicated computer commands. The appliances are connected to the mobile device through an Arduino Board that establishes the concept of the Internet of Things. The Arduino Boards are interfaced with the appliances and programmed in such a way that they respond to mobile inputs.

2.1.8 Jonathan J. Hull et. al (2014). A new method for augmenting paper documents with electronic information is described that does not modify the format of the paper document in any way. Applicable to both commercially printed documents as well as documents that are output from PC's, the technique we call Paper-Based Augmented Reality substantially improves the utility of paper. We describe the recognition technology that makes this possible as well as several applications. An implementation on a camera phone is discussed that lets users retrieve data and access links from paper documents to electronic data. Recognition is performed at 4 frames per second on a Treo 700w and support is provided for several user applications, including "clickable paper" – printed web pages whose appearance is unchanged but that can be navigated with a camera phone.

2.1.9 Mikko Kyto et. al (2018). Head and eye movement can be leveraged to improve the user's interaction repertoire for wearable displays. Head movements are deliberate and accurate and provide the current state-of-the-art pointing technique. Eye gaze can potentially be faster and more ergonomic but suffers from low accuracy due to calibration errors and the drift of wearable eye-tracking sensors. This work investigates precise, multimodal selection techniques using head motion and eye gaze. A comparison of speed and pointing accuracy reveals the relative merits of each method, including the achievable target size for robust selection. We demonstrate and discuss example applications for 15

augmented realities, including compact menus with deep structure, and a proof-of-concept method for online correction of calibration drift.

2.1.10 Subramani Roy Choudri et. al (2021). As human life is heading toward a busy schedule it becomes necessary to automate our home appliances. Human error is something that cannot be completely erased. With the busy schedule in hand, there is defiantly a possibility of missing something that may be trivial to us but can result in a catastrophe. For these reasons, Our Project home automation can increase efficiency, security, and reliability. AR has recently evolved for the automation of various electrical appliances by popping virtual objects into the real world.

Pros: Target Image can be linked to the Virtual World

Cons: Target Image can be linked-to automation with an augmented environment but in the case of wet hands, this linking process will not produce tokens to respective servers.

2.2 OPEN PROBLEMS IN THE EXISTING SYSTEM

There are several open problems in existing smart warehouse monitoring systems that could benefit from further research and development. Here are a few examples:

1. **Security:** As with any internet-connected device, security is a significant concern for home automation in IoT. Hackers can exploit vulnerabilities in the system, gain unauthorized access to home automation devices, and cause significant damage.
2. **Interoperability:** Home automation devices are manufactured by different companies and use different communication protocols, making it challenging to integrate them into a single system. This can result in compatibility issues, making it challenging for homeowners to control and monitor their home automation devices effectively.
3. **Cost:** Home automation in IoT devices can be expensive, and the cost can quickly add up if homeowners want to automate multiple functions in their homes. This can be a barrier for some homeowners who want to adopt this technology.
4. **Complexity:** Home automation in IoT systems can be complex to set up and configure, requiring technical expertise and knowledge. This can be a challenge for homeowners who are not tech-savvy.
5. These are some of the problems in our current system.

CHAPTER-3

EXISTING METHOD

3.1 FEASIBILITY STUDIES/RISK ANALYSIS OF THE PROJECT

Risk analysis is the process of identifying, assessing, and prioritizing risks to an organization or project. It is an important part of risk management, which is designed to minimize the negative impact of risks on business operations.

The risk analysis process typically involves the following steps:

1. Identification of Risks: This involves identifying potential risks that may impact the organization or project.
2. Risk Assessment: This step involves assessing the likelihood and potential impact of each identified risk.
3. Risk Prioritization: This step involves prioritizing risks based on their likelihood and potential impact, and identifying the most critical risks that require immediate attention.
4. Risk Mitigation: This step involves developing and implementing mitigation strategies to reduce the likelihood and impact of identified risks.
5. Risk Monitoring: This step involves monitoring and reviewing the effectiveness of risk mitigation strategies, and updating the risk analysis and management plan as necessary.

Feasibility studies and risk analysis are essential components of any project, including the smart warehouse monitoring system using IoT technology. A feasibility study assesses the technical, economic, and operational viability of the project, while risk analysis identifies potential risks and develops strategies to mitigate them. The following is a brief overview of the feasibility study and risk analysis for the proposed system:

FEASIBILITY STUDY

1. Technical Feasibility: The technical feasibility of the project involves an assessment of whether the proposed system can be implemented using existing technology and infrastructure. In this case, the system is feasible from a technical perspective, as the

required hardware and software components are readily available and can be easily integrated.

2. **Economic Feasibility:** Economic feasibility involves an assessment of the financial viability of the project. This includes an analysis of the costs associated with the development, implementation, and maintenance of the system, as well as the potential benefits in terms of increased efficiency, reduced costs, and improved customer satisfaction. In this case, the economic feasibility of the project is favorable, as the system is expected to result in significant cost savings and improved warehouse operations.
3. **Operational Feasibility:** Operational feasibility involves an assessment of whether the proposed system can be effectively integrated into existing warehouse operations and processes. This includes an analysis of the impact of the system on existing workflows and the ability of the organization to adapt to the new system. In this case, the operational feasibility of the system is also favorable, as the system is designed to be scalable and adaptable to different warehouse configurations, and can be customized to meet specific needs.

RISK ANALYSIS

1. **Technical Risks:** Technical risks include issues such as hardware failure, software bugs, and data loss. To mitigate these risks, the system will be designed to include redundancy and fail-safe mechanisms, and regular backups will be performed to ensure that data is not lost.
2. **Operational Risks:** Operational risks include issues such as employee resistance to change, inadequate training, and lack of user adoption. To mitigate these risks, the system will be designed to be user-friendly and intuitive, with comprehensive training and support provided to warehouse staff.
3. **Security Risks:** Security risks include issues such as data breaches and unauthorized access. To mitigate these risks, the system will be designed to include robust security measures, such as encrypted data transmission and secure user authentication.

In conclusion, the feasibility study and risk analysis for the smart warehouse monitoring system using IoT technology suggest that the project is technically feasible, economically

viable, and operationally feasible, with potential benefits in terms of increased efficiency, reduced costs, and improved warehouse operations. With appropriate risk mitigation strategies in place, the system can be implemented with a high degree of confidence in its success.

3.2 SOFTWARE REQUIREMENTS SPECIFICATION DOCUMENT

Software requirements are a description of what a software system or application should do. They represent the needs and expectations of the stakeholders, including users, customers, and business owners, and serve as a basis for software design, development, and testing.

1. **Functional Requirements:** These describe what the software should do, including the features and capabilities that are required.
2. **Non-Functional Requirements:** These describe the qualities or characteristics of the software, such as performance, reliability, usability, and security.
3. **Business Requirements:** These describe the business goals and objectives that the software should support, such as increasing revenue, improving customer satisfaction, or reducing costs.
4. **Technical Requirements:** These describe the hardware and software environment in which the software will operate, including operating systems, databases, and programming languages.
5. **Constraints:** These describe any limitations or restrictions on the development or use of the software, such as legal or regulatory requirements.
6. **General Description:** The general description section provides a high-level description of the software, including its intended users, system architecture, and major components.
7. **Functional Requirements:** The functional requirements section outlines the specific features and functionality that the software must provide to the end-user. This section should include a detailed description of each feature, including any relevant use cases or scenarios, inputs, outputs, and expected results.

8. Non-functional Requirements: The non-functional requirements section outlines the quality attributes that the software must possess, such as performance, scalability, reliability, security, and usability.
9. System Models: This section includes any models or diagrams that help to illustrate the system architecture or design, such as use case diagrams, sequence diagrams, or flowcharts.
10. User Interface Requirements: The user interface requirements section outlines the design and functionality of the software user interface, including any specific layout, graphics, or interactive features.

3.3 SYSTEM USE CASE

Here are some potential use cases of a smart warehouse monitoring system using IoT:

1. Real-time inventory tracking: By using sensors to track inventory levels, warehouse managers can receive real-time updates on the location and quantity of items in the warehouse. This can help them optimize warehouse layouts and reduce inventory carrying costs.
2. Temperature and humidity control: IoT sensors can be used to monitor temperature and humidity levels in the warehouse. This can help warehouse managers ensure that products are stored in optimal conditions, reducing the risk of spoilage and damage.
3. Predictive maintenance: IoT sensors can be used to monitor equipment and machinery in the warehouse. By collecting data on usage and performance, the system can provide insights into when maintenance is needed. This can help prevent equipment breakdowns and reduce downtime.
4. Order fulfillment optimization: By tracking the movement of goods within the warehouse, the system can identify bottlenecks in the fulfillment process. This can help warehouse managers optimize workflows, reducing order processing time and improving customer satisfaction.

CHAPTER-4

PROPOSED METHOD

4.1 SELECTED METHODOLOGY OR PROCESS MODEL

The proposed model, the raspberry pi zero model controller adopts IoT to convey the messages. The effective open-source language Python is used for programming. This is a very lucrative product for future use. The daring thing is to capture the ambient changes inside the warehouse. The DTH11 checks for moisture content. IR SENSOR for theft. The SW420 examines the trembling of the earth. The blaze can also be spotted using LDR and infrared. It also has an SD slot which stores a limited range of each sensor. The controller checks at regular intervals when the range exceeds it giving an alert. We can also monitor this by connecting with HDMI. Also, we use the HTML port for scrutinizing the whole process. Sensors would be placed throughout the warehouse to monitor a range of variables, including temperature, humidity, motion, and inventory levels. These sensors would collect data in real time and transmit it to a central hub or gateway for processing. The gateway would serve as a central point for collecting and processing data from the sensors.

It would communicate with the sensors and transmit the data to the cloud for further analysis. The cloud platform would be where the data collected by the sensors is stored and analyzed. The platform would use various tools and algorithms to generate insights into warehouse performance, including inventory levels, order fulfillment rates, and employee productivity. Analytics tools would be used to extract meaningful insights from the data collected by the sensors. These insights could include predictive maintenance alerts, inventory optimization recommendations, and more. The system could be set up to send alerts and notifications to warehouse managers when certain parameters fall outside of acceptable ranges. This would allow managers to take corrective action before problems escalate. The system is designed to be user-friendly and easy to use, with a web-based interface that allows authorized users to access real-time data and reports from anywhere, using any device with an internet connection.




Fig: 4.1.1: Block Diagram of Proposed System

4.2 ARCHITECTURE / OVERALL DESIGN OF THE PROPOSED SYSTEM

The architecture and overall design of a proposed smart warehouse monitoring system using IoT will depend on the specific requirements of the warehouse and the available resources. However, a typical architecture for such a system can be divided into the following layers:

1. **Device layer:** The device layer consists of a variety of IoT devices, including sensors, cameras, RFID readers, and other connected devices. These devices are deployed throughout the warehouse to monitor various parameters such as temperature, humidity, lighting, air quality, motion, and sound. The devices may communicate with each other and with the central monitoring system using a variety of protocols, including Wi-Fi, Bluetooth, Zigbee, and LoRaWAN.

2. **Network layer:** The network layer is responsible for connecting the IoT devices to the central monitoring system. The network layer may include access points, routers, switches, and other networking equipment. The network should be designed to ensure reliable and secure communication between the devices and the central monitoring system, and may include firewalls, VPNs, and other security measures to protect against unauthorized access.
3. **Data collection layer:** The data collection layer is responsible for collecting the data from the IoT devices and sending it to the cloud-based platform for analysis and processing. This layer may include data aggregation, filtering, and normalization functions to ensure that the data is consistent and accurate. The data collection layer may also include edge computing capabilities to enable real-time processing and analysis of the data at the device level.
4. **Cloud-based platform:** The cloud-based platform provides the infrastructure for processing and analyzing the data collected from the warehouse environment. Cloud platforms like Amazon Web Services (AWS) and Microsoft Azure provide various services for IoT data processing, including data ingestion, storage, analytics, and visualization. The platform should be designed to scale to handle large volumes of data and to provide real-time insights into the warehouse's operations.
5. **Analytics and visualization layer:** The analytics and visualization layer provides real-time insights into the warehouse's operations and helps identify areas for improvement. The data collected by the IoT devices can be analyzed and visualized using various tools, such as dashboards, reports, and alerts. The analytics and visualization layer may include machine learning algorithms to enable predictive analytics and anomaly detection.
6. **User interface layer:** The user interface layer provides a user-friendly interface for warehouse operators and management to access and interact with the system. The user interface can be designed to provide real-time monitoring of various parameters, such as inventory levels, equipment status, and security alerts.

4.3 DESCRIPTION OF SOFTWARE FOR IMPLEMENTATION AND TESTING PLAN OF THE PROPOSED MODEL/SYSTEM

The software for implementing and testing the proposed smart warehouse monitoring system using IoT technology could include the following components:

1. **Sensor integration:** The software would need to integrate with various sensors and other IoT devices to collect data on temperature, humidity, inventory levels, and other relevant parameters.
2. **Data storage and analysis:** The collected data would need to be stored in a database or cloud platform, and software would need to be developed to analyze and process the data to generate insights and actionable information.
3. **Visualization and reporting:** The software would need to provide a user-friendly interface that allows warehouse managers to view and interact with the data in real time. This could include dashboards, graphs, and charts that provide a visual representation of the data.
4. **Automation:** The software could include features to automate various warehouse processes, such as inventory management, order fulfillment, and environmental control.

In terms of testing the software, the following plan could be implemented:

1. **Unit testing:** Each individual component of the software could be tested in isolation to ensure that it functions as expected.
2. **Integration testing:** The different components of the software could be integrated and tested together to ensure that they work together seamlessly.
3. **System testing:** The entire smart warehouse monitoring system could be tested as a whole to ensure that it meets the requirements and performs as expected.
4. **User acceptance testing:** Warehouse managers and other end-users could be involved in testing the system to ensure that it meets their needs and is easy to use.

Overall, a thorough testing plan would help ensure that the software for implementing the proposed smart warehouse monitoring system using IoT technology is reliable, efficient, and meets the needs of warehouse managers and other stakeholders.

4.4 FINANCIAL REPORT ON ESTIMATED COSTING

1. Arduino UNO: Rs. 900




Fig: 4.4.1: Arduino

2. DHT11 sensor module: Rs. 150




Figure 4.4.2- DHT11 Sensor

3. IR Sensor Module: Rs. 150



Figure 4.4.3- IR Sensor

4. GSM module: Rs. 800



Fig: 4.4.4: GSM Module

5. Buzzer: Rs 55



Fig: 4.4.5: Buzzer

1. Hardware costs: This section outlines the costs associated with purchasing and installing the necessary sensors, devices, and other hardware required for the system.
2. Software costs: This section outlines the costs associated with purchasing and configuring the software required for data collection, storage, analysis, and reporting.
3. Implementation costs: This section outlines the costs associated with the implementation of the system, such as consulting fees, installation costs, and training expenses.
4. Maintenance and support costs: This section outlines the ongoing costs associated with maintaining and supporting the system, including software updates, hardware replacements, and technical support.
5. Return on Investment (ROI): This section outlines the expected benefits of the smart warehouse monitoring system, such as increased productivity, reduced downtime, and improved inventory management, and compares them with the estimated costs of implementation.

4.5 TRANSITION/ SOFTWARE TO OPERATIONS PLAN

The transition from software development to operations involves several steps to ensure a smooth and successful deployment of the system. Here are some key elements of a transition/software to operations plan:

1. Define the Scope: The first step in developing a transition plan is to define the scope of the project. This includes identifying the specific functionalities of the smart warehouse monitoring system, the hardware and software components required, and the stakeholders who will be involved in the project.
2. Conduct a readiness assessment: Evaluate the readiness of the system for deployment, including testing, security, performance, and scalability.
3. Develop an operations plan: Develop a plan for ongoing maintenance and support, including system monitoring, issue tracking, and reporting.
4. Establish a support team: Establish a support team responsible for monitoring the system, responding to issues, and providing customer support.
5. Define service level agreements (SLAs): Define SLAs that outline the expected level of service and response times for the support team.
6. Develop training materials: Develop training materials and provide training to the support team and end-users to ensure a smooth transition to operations.
7. Define change management procedures: Define procedures for managing changes to the system, including testing and deployment.
8. Establish a communication plan: Establish a communication plan to keep stakeholders informed about the transition and ongoing operations.
9. Conduct a pilot deployment: Conduct a pilot deployment of the system to validate the operations plan and identify any issues before a full-scale deployment.
10. Implement the system: Once the readiness assessment is complete and the operations plan is finalized, implement the system in a production environment.
11. Monitor and optimize: Continuously monitor and optimize the system to ensure it meets performance, scalability, and security requirements, and respond to any issues that arise.

12. Plan for scalability: Plan for future growth by ensuring that the system can scale to accommodate increasing demands.
13. Continuously Improve: As the system is being used, it is important to continuously improve and optimize it. This includes incorporating feedback from users, identifying and addressing issues as they arise, and integrating new technologies and processes as they become available.
14. Monitor and Evaluate Performance: After the system has been deployed, it is essential to monitor and evaluate its performance regularly. This includes tracking KPIs, conducting regular system maintenance, and identifying opportunities for improvement.
15. Assess Current Systems and Processes: The third step is to assess the current systems and processes in the warehouse to identify any areas that can be improved by the smart warehouse monitoring system. This includes identifying any existing hardware and software that can be integrated with the new system, as well as any potential risks or challenges that may arise during implementation.
16. Perform system integration testing: System integration testing involves testing the entire system to ensure that all components work together seamlessly. This testing should be performed after UAT and should involve testing the system under real-world conditions.
17. Develop an Operations and Maintenance (O&M) plan: The O&M plan should be developed early in the project and should be updated regularly to reflect changes to the system and the environment.
18. Conduct User Acceptance Testing (UAT): UAT should be conducted after the system has been developed, but before it is deployed to the production environment. UAT should be conducted in collaboration with the end-users to identify any issues or defects before the system is deployed. The UAT process should include:
 - Test plan development: Develop a comprehensive test plan that outlines the tests that will be conducted, who will conduct them, and how the results will be recorded.
 - Test execution: Execute the test plan, recording the results of each test and identifying any issues or defects that are uncovered.
 - Issue resolution: Address any issues or defects that are identified during testing.




Fig: 4.5.1: Cycle of IoT

By following these steps, you can ensure a successful transition from software development to operations for your smart warehouse monitoring system.

4.6 IMPLEMENTATION DETAILS

The implementation of a smart warehouse monitoring system involves several steps, including:

1. **Hardware and software setup:** Install the necessary hardware, such as sensors, cameras, and data connectivity infrastructure, and configure the software to collect and analyze data from these sources.
2. **Integration with existing systems:** Integrate the monitoring system with existing warehouse management systems, such as inventory management and order processing, to ensure seamless operation and data sharing.
3. **Testing:** Conduct thorough testing of the system to ensure that it meets the operational requirements and is functioning properly. This includes both functional and performance testing.
4. **Data collection and analysis:** Collect data from sensors and cameras, and analyze this data to provide insights into warehouse operations. This includes using machine learning algorithms to identify patterns and trends in the data.

5. User training: Provide training to the warehouse management team, IT staff, and end-users to ensure that they understand how to use the system effectively.
6. Maintenance and support: Develop procedures for ongoing maintenance and support of the system, including regular updates and bug fixes. This may involve a dedicated support team or vendor support.
7. Continuous improvement: Continuously monitor and evaluate the system to identify areas for improvement, such as the addition of new sensors or software features, to ensure that the system is meeting the evolving needs of the warehouse.
8. Define the scope of the system: The first step in implementing a smart warehouse monitoring system is to define the scope of the system. This may include defining the areas of the warehouse that will be monitored, the types of IoT devices that will be used, and the data that will be collected.
9. Select IoT devices: The selection of IoT devices will depend on the specific needs of the warehouse. Common IoT devices used in a smart warehouse monitoring system include sensors, RFID tags, autonomous robots, and wearable devices for employees.
10. Develop a data architecture: The data architecture is the structure and organization of the data collected by the IoT devices. This may involve selecting a cloud-based or local data storage platform, as well as designing a data schema to ensure that the data is organized and accessible.
11. Develop analytics and visualization tools: Analytics and visualization tools are used to analyze and interpret the data collected by IoT devices. This may involve developing custom software or using existing software solutions.

Overall, the implementation of a smart warehouse monitoring system requires careful planning, technical expertise, and ongoing attention to ensure its success. With proper implementation and maintenance, installation and integration of IoT devices, pilot testing, and ongoing maintenance and monitoring, a smart warehouse monitoring system can provide significant benefits to warehouse operations, improving efficiency, safety, and profitability.

ADVANTAGES OF THE PROPOSED SYSTEM

The proposed smart warehouse monitoring system using IoT offers several advantages compared to traditional warehouse management systems. Here are some of the main advantages:

1. **Real-time visibility:** The system provides real-time visibility into warehouse operations, allowing managers to monitor inventory levels, equipment performance, and employee productivity in real time. This enables quick decision-making and enables managers to address problems before they become major issues.
2. **Improved inventory management:** The system enables accurate tracking of inventory levels using RFID tags and sensors, allowing managers to optimize inventory levels and reduce waste. This can also help to prevent stockouts and overstocking.
3. **Increased efficiency:** The system can automate several warehouse tasks, such as inventory management and transportation, reducing the need for manual labor and increasing efficiency. This can also help to reduce labor costs.
4. **Improved safety:** The system can monitor environmental conditions, such as temperature and humidity, to ensure that the warehouse is safe for employees and inventory. The system can also monitor the movement of employees and equipment to ensure that they are operating safely.
5. **Predictive maintenance:** The system can monitor equipment performance in real-time, enabling predictive maintenance to be performed before equipment fails. This can reduce downtime and repair costs.
6. **Scalability:** The system can be easily scaled to accommodate growing business needs, allowing the warehouse to expand without the need for significant infrastructure investments.
7. **Improved accuracy:** The system can capture accurate data about inventory levels, location, and movement, reducing the likelihood of errors and mismanagement of inventory.

Overall, the proposed smart warehouse monitoring system using IoT offers several advantages that can improve warehouse operations, increase efficiency, and reduce costs.

CHAPTER-5

RESULTS AND DISCUSSION

One of the main benefits of a smart warehouse monitoring system using IoT is that it can provide real-time data and insights into various aspects of warehouse operations, such as inventory levels, temperature, humidity, security, and more. This can help warehouse managers make informed decisions and optimize their operations for maximum efficiency. For example, by monitoring inventory levels in real-time, managers can reorder stock before it runs out, reducing the risk of stockouts and increasing customer satisfaction.

1. **Improved efficiency:** By monitoring environmental conditions and tracking inventory levels in real time, warehouse managers can optimize their operations and reduce waste. This can result in faster order fulfillment and reduced operating costs.
2. **Enhanced safety:** With IoT sensors and real-time alerts, warehouse managers can quickly detect potential safety hazards, such as leaks, spills, or equipment malfunctions. This can help prevent accidents and injuries in the warehouse.
3. **Better inventory management:** By tracking inventory levels in real-time and using predictive analytics, warehouse managers can optimize their stock levels and reduce the risk of stockouts or overstocking.
4. **Increased productivity:** With real-time monitoring and alerts, warehouse managers can quickly identify and resolve issues that could slow down their operations. This can help increase productivity and reduce downtime.
5. **Improved customer satisfaction:** By optimizing their operations and reducing delivery times, warehouse managers can improve customer satisfaction and loyalty.

Another benefit is that the use of machine learning algorithms can help identify patterns and trends in the data, which can lead to more accurate forecasting and better decision-making. For instance, machine learning algorithms can help predict future demand for specific products, allowing managers to adjust inventory levels accordingly and reduce waste.

However, implementing a smart warehouse monitoring system using IoT can also pose some challenges, such as data security and privacy concerns. Since these systems involve the collection and transmission of sensitive data, there is a risk of data breaches or cyber-attacks. Thus, it is important to ensure that appropriate security measures are in place to protect against such risks.




Fig: 5.1: Hardware Of SWMS

Another challenge is the potential complexity of the system. With so many interconnected sensors and devices, it can be difficult to manage and maintain the system. Thus, it is essential to have a robust infrastructure and skilled personnel to ensure that the system functions smoothly and efficiently.

In summary, a smart warehouse monitoring system using IoT has the potential to provide significant benefits for warehouse operations, such as improved efficiency, better inventory management, increased security, and reduced operational costs. However, it also poses some challenges that need to be addressed to ensure its successful implementation and operation.




Fig: 5.2: Result

A smart warehouse monitoring system using IoT has the potential to significantly improve warehouse operations by increasing efficiency, safety, and accuracy while reducing costs. However, it is important to consider the cost and complexity of implementing such a system, as well as any potential privacy or security concerns that may arise from collecting and storing large amounts of data.

The use of predictive analytics can also help managers to make informed decisions and optimize warehouse operations. By analyzing the data collected by the system, managers can identify trends, anticipate issues, and make data-driven decisions.

Overall, a smart warehouse monitoring system using IoT has the potential to improve warehouse efficiency, reduce costs, increase safety, and improve overall performance. However, it is important to consider the cost and complexity of implementing such a system, as well as any potential privacy or security concerns that may arise from collecting and storing large amounts of data.

CHAPTER-6

CONCLUSION AND FUTURE SCOPE

7.1 CONCLUSION

By execution and implementation of the existing technology, the inventory management for the next-generation smart storehouse management is proposed with IoT-enabled sensor technology. The feature of this method or model is that it has more advanced technology with enormous features. Which is incorporated into the system itself. Hence this proposed system will reduce the gap between customer satisfaction and also with commercial business. Hopefully, this will help the main shareholders to formalize & formulate the standard principles of next-level smart storehouse inventory management. This project will rely on current and advanced technology and propose a user-friendly advanced and convenient solution for the customer. This system will provide end-to-end management in a smarter and also in an innovative manner. So, we can say it is a future-ready real-time tracking system with cloud computing and the support of the administration. In conclusion, a smart warehouse monitoring system using IoT technology can provide numerous benefits to businesses by improving operational efficiency, reducing costs, and optimizing inventory management. By leveraging IoT sensors, data analytics, and automation, warehouse managers can gain real-time insights into various aspects of warehouse operations, identify bottlenecks and inefficiencies, and proactively address issues before they turn into major problems. With the increasing adoption of IoT technology across industries, implementing a smart warehouse monitoring system can help businesses stay competitive and meet the evolving needs of their customers.

7.2 FUTURE SCOPE

Python language is a high-level and highly interpreted programming language. It was founded and created by Guido van Rossum and was first released in the year 1991, It has a philosophy of design that has readability of the code, with significant whitespace. It enables and provides clear coding knowledge on both large and small scales. The main features of Python are automatic memory management and a dynamic type system. It supports object-oriented, including imperative, multiple programming paradigms,

procedural, and functional, and also has a very large library with comprehensive functions. Many operation systems are interpreting the Python programming language. The future scope of a smart warehouse monitoring system using IoT technology is significant, as it is expected to continue to evolve and improve over time. Some potential areas of development and expansion include:

1. **Artificial Intelligence and Machine Learning:** The integration of AI and machine learning can further enhance the capabilities of a smart warehouse monitoring system. By analyzing large amounts of data and learning from past patterns, the system can make more accurate predictions, automate decision-making processes, and optimize operations.
2. **Autonomous Mobile Robots:** The use of autonomous mobile robots (AMRs) can further automate warehouse operations, such as material handling, picking, and transportation. These robots can be equipped with sensors and connected to the monitoring system to provide real-time updates on their location and status.
3. **Blockchain:** The integration of blockchain technology can help improve the transparency and security of warehouse operations. By creating a tamper-proof record of all transactions and activities, blockchain can help prevent fraud and improve supply chain traceability.
4. **Augmented Reality and Virtual Reality:** The use of augmented reality and virtual reality can help improve warehouse staff training, safety, and efficiency. For example, AR and VR can be used to provide real-time information on inventory levels and locations, guide staff through picking processes, and simulate dangerous situations for safety training.
5. **Edge Computing:** With the increasing adoption of IoT devices in warehouses, there is a need for real-time data processing and analysis. Edge computing can help address this challenge by enabling data processing and analytics at the edge of the network, closer to the IoT devices.
6. **Real-Time Data:** With the advancements in IoT and data analytics, it is possible to have real-time data on inventory levels, equipment performance, and warehouse conditions. This data can be used to make immediate decisions and improve warehouse operations

7. **Predictive Maintenance:** Predictive maintenance using machine learning and AI algorithms can identify potential equipment failures before they happen, reducing downtime and maintenance costs.
8. **Autonomous Operations:** With the help of robotics and automation, it is possible to have autonomous operations in the warehouse. This can include autonomous vehicles, drones, and robots that can handle routine tasks and optimize warehouse operations.
9. **Cloud Computing:** Cloud computing is becoming increasingly popular, and it can be used to store and process large amounts of data collected from IoT devices. This will enable real-time monitoring, analysis, and decision-making, regardless of location.
10. **Improved Supply Chain Management:** By integrating IoT devices and analytics tools, it is possible to improve supply chain management. Warehouse operators can monitor the entire supply chain, from the supplier to the end customer, in real-time, identifying areas for improvement and optimization.
11. **Increased Safety:** With the help of IoT devices and analytics, it is possible to increase safety in the warehouse. For example, sensors can monitor the temperature and humidity levels, reducing the risk of fire, and alert workers to potential hazards, reducing the risk of accidents.
12. **Customization:** Customization can be achieved with the help of IoT devices and analytics. Warehouse operators can analyze customer data and make decisions based on their preferences, improving customer satisfaction and loyalty.
13. **Voice-Enabled Technology:** Voice-enabled technology can be integrated with the smart warehouse monitoring system to provide employees with hands-free communication and instructions. This will improve the overall efficiency of warehouse operations.

Overall, the future scope of a smart warehouse monitoring system using IoT is promising, and there are numerous opportunities for innovation and improvement. By integrating emerging technologies and advanced analytics tools, warehouse operators can optimize their operations, reduce costs, and improve efficiency and customer satisfaction.

REFERENCES

- [1] A. Cortés, C. Urdiales, R. Annicchiarico, C. Barrué, A.B. Martinez, C. Caltagirone: Assistive Wheelchair Navigation: A Cognitive View, Studies in Computational Intelligence: Advanced Computational Intelligence Paradigms in Healthcare – 1, Vol. 48, 2007, pp. 165 – 187.
- [2] B. Landi: Update on Tetraplegia, Journal of Hand Surgery, Vol. 28, No. 3, June 2003, pp. 196 – 204.
- [3] C.I. Katevas, N.M. Sgouros, S.G. Tzafestas, G. Papakonstantinou, P. Beattie, J.M. Bishop, P. Tsanakas, D. Koutsouris: The Autonomous Mobile Robot SENARIO: A Sensor Aided Intelligent Navigation System for Powered Wheelchairs, IEEE Robotics and Automation Magazine, Vol. 4, No. 4, Dec. 1997, pp. 60 – 70.
- [4] D. Bourhis, O. Horn, O. Habert, A. Pruski: An Autonomous Vehicle for People with Motor Disabilities, IEEE Robotics and Automation Magazine, Vol. 8, No. 1, March 2001, pp. 20 – 28.
- [5] E. Lankenau, T. Rofer: A Versatile and Safe Mobility Assistant, IEEE Robotics and Automation Magazine, Vol. 8, No. 1, March 2001, pp. 29 – 37.
- [6] F. Mazo: An Integral System for Assisted Mobility (Automated Wheelchair), IEEE Robotics and Automation Magazine, Vol. 8, No. 1, March 2001, pp. 46 – 56.
- [7] G.A. Yanco: Wheellesley: A Robotic Wheelchair System: Indoor Navigation and User Interface, Lecture Notes in Artificial Intelligence, Vol. 1458, Assistive Technology and Artificial Intelligence, Applications in Robotics, User Interfaces and Natural Language Processing, Berlin, Springer, Germany, 1998, pp. 256 – 268.
- [8] H. Kuo, H.H.W. Chen: Human-oriented Design of Autonomous Navigation Assisted Robotic Wheelchair for Indoor Environments, IEEE International Conference on Mechatronics, Budapest, Hungary, 03 – 05 July 2006, pp. 230 – 235.
- [9] I.L. Jaffe: A Case Study: The Ultrasonic Head Controlled Wheelchair and Interface, OnCenter: Technology Transfer News, Vol. 1, No. 2, 1990.

- [10] J.M. Detriche, B. Lesigne: Robotic system MASTER, European Conference on the Advancements of Rehabilitation Technology, Maastricht, Pays-Bas, Holland, 05 – 08 Nov. 1990, pp. 12 – 15.
- [11] K.C. Simpson, S.P. Levine: Voice Control of a Powered Wheelchair, IEEE Transactions on Neural Systems and Rehabilitation Engineering, Vol. 10, No. 2, June 2002, pp. 122 – 125.
- [12] L. Pino, P. Amoud, E. Brangier: A More Efficient Man Machine Interface: Fusion of the Interacting Telethesis and Smart Wheelchair Projects, 2nd International Conference on Knowledge-based Intelligent Electronic System, Adelaide, Australia, 21 – 23 April 1998, pp. 41 – 45.
- [13] Manohar, N., & Gowda, K. J. (2020, July). Image Processing System based Identification and Classification of Leaf Disease: A Case Study on Paddy Leaf. In 2020 International Conference on Electronics and Sustainable Communication Systems (ICESC) (pp. 451-457). IEEE.
- [14] N. Mukhopadhyay, A., Xavier, B., Sreekumar, S., & Suraj, M. (2018, September). Real-Time ECG Monitoring over Multi-Tiered Telemedicine Environment using Firebase. In 2018 International Conference on Advances in Computing, Communications, and Informatics (ICACCI) (pp. 631-637). IEEE.
- [15] Oawali, D. S., Taware Jyoti, D., Shital, K., & Priyanka, K. (2019). IoT Based Food Management and Environmental Change in Cattle Shelter. INTERNATIONAL JOURNAL, 4(2).
- [16] Pradford, K. J., Dahal, P., Van Asbrouck, J., Kunusoth, K., Bello, P., Thompson, J., & Wu, F. (2018). The dry chain: Reducing postharvest losses and improving food safety in humid climates. Trends in Food Science & Technology, 71, 84-93.
- [17] Plik, A., Yanik, D. K., Istanbulu, Y., Guzelsoy, N. A., Yavuz, A., & Gogus, F. (2019). Strategies to reduce post-harvest losses for fruits and vegetables. Strategies, 5(3), 29-39.