

HEMOSCANX: ENHANCING BLOOD GROUP DETECTION THROUGH IMAGE PROCESSING AND DEEP LEARNING

Submitted in partial fulfillment of the requirements for the award of Bachelor of
Engineering Degree in Electronics and Communication Engineering

by

D.VENKATA KISHORE (40130037)

D.VAMSI KRISHNA (40130036)



**DEPARTMENT OF ELECTRONICS AND COMMUNICATION ENGINEERING
SCHOOL OF ELECTRICAL AND ELECTRONICS**

SATHYABAMA

**INSTITUTE OF SCIENCE AND TECHNOLOGY
(DEEMED TO BE UNIVERSITY)**

CATEGORY - 1 UNIVERSITY BY UGC

**Accredited with Grade "A++" by NAAC | 12B Status by UGC | Approved by AICTE
JEPPIAAR NAGAR, RAJIV GANDHI SALAI, CHENNAI - 600 119**

APRIL - 2024



SATHYABAMA

INSTITUTE OF SCIENCE AND TECHNOLOGY
(DEEMED TO BE UNIVERSITY)

Accredited "A++" Grade by NAAC | 12B Status by UGC | Approved by AICTE

www.sathyabama.ac.in

DEPARTMENT OF ELECTRONICS AND COMMUNICATION ENGINEERING

BONAFIDE CERTIFICATE

This is to certify that this Project Report is the bonafide work of D.VAMSI KRISHNA (40130036), D.VENKATA KISHORE (40130037) who carried out the project entitled "HemoScanX: Enhancing Blood Group Detection through Image Processing and Deep Learning" under our supervision from October 2023 to April 2024.



Internal Guide

Dr.A.ARANGANATHAN M.Tech., Ph.D.,
Associate Professor



Head of the Department

Dr. T. RAVI M.E., Ph.D.
Professor & Head

Submitted for Viva voce Examination held on 18/04/2024

Internal Examiner

External Examiner

DECLARATION

We, D.VAMSI KRISHNA,D.VENKATA KISHORE hereby declare that the Project Report entitled “**HemoScanX: Enhancing Blood Group Detection through Image Processing and Deep Learning**” done by us under the guidance of Dr.A.ARANGANATHAN M.Tech., Ph.D., Dept. of Electronics and Communication Engineering, SATHYABAMA INSTITUTE OF SCIENCE AND TECHNOLOGY, CHENNAI, is submitted in partial fulfillment of the requirements for the award of Bachelor of Engineering degree in Electronics and Communication Engineering.

DATE: 18/04/2024

PLACE: Chennai

SIGNATURE OF THE CANDIDATES

1. D.Vamsi Krishna
2. D.V.Kishore

ACKNOWLEDGEMENT

We are pleased to acknowledge our sincere thanks to the **Board of Management of SATHYABAMA** for their kind encouragement in doing this project and for completing it successfully. We are grateful to them.

We convey our thanks to **Dr. N. M. NANDHITHA, M.E., Ph.D., Dean, School of Electrical and Electronics Engineering** and **Dr. T. RAVI, M.E., Ph.D., Head of the Department**, Department of Electronics and Communication Engineering for providing us necessary support and details at the right time during the progressive reviews.

We would like to express my sincere and deep sense of gratitude to our Project Guide **Dr.A.ARANGANATHAN M.Tech., Ph.D.**, Dept. of Electronics and Communication Engineering for his valuable guidance, suggestions and constant encouragement for the successful completion of our project work.

We wish to express my thanks to all Teaching and Non-teaching staff members of the Department of Electronics and Communication Engineering who were helpful in many ways for the completion of the project.

ABSTRACT

There is worldwide demand for an affordable Blood Group measurement solution, which is a particularly urgent need in developing countries. The Image Processing, which is the most penetrated device in both rich and resource-constrained areas, would be a suitable choice to build this solution. This Project proposes a non-invasive Blood Group measurement process. Also, its compared the variation in data collection sites, bio signal processing techniques, theoretical foundations, photoplethysmogram (PPG) signal and features extraction process, Image Processing algorithms, and Detection models to calculate Blood Groups. This analysis was then used to recommend realistic approaches to build a Image Processing-based point-of-care tool for Blood Group measurement in a non-invasive manner. In this project, proposing approaches for blood Group measurement with the aim of recommending data collection techniques, signal extraction processes, feature calculation processes, Image Processing algorithms for developing a non-invasive Blood Group estimation using a Image. The proposed system aims at developing results in shortest possible duration with precision and accuracy along with storage of result for further references. Thus, the system allows us to determine the blood type of a person eliminating traditional transfusions based on the principle of the universal donor, reducing transfusion reactions risks and storage of result without human errors.

TABLE OF CONTENTS

CHAPTER NO:	TITLE	PAGE NO:
	ABSTRACT	v
	LIST OF FIGURES	viii
1	INTRODUCTION	1
	1.1 General	1
	1.2 Image Processing	4
	1.2.1 How Machines “See” images	5
	1.2.2 Image Processing Techniques	5
	1.2.3 Case Studies	6
	1.2.4 Challenges and Future Directions	7
	1.3 Deep Learning	8
	1.3.1 Fundamentals of Deep Learning	8
	1.3.2 Applications of Deep Learning in Image Processing	8
	1.3.3 Challenges and Limitations	10
2	LITERATURE SURVEY	11
3	AIM AND SCOPE OF PRESENT INVESTIGATION	14
	3.1 Aim	14
	3.2 Scope of the Project	15
4	EXPERIMENTAL METHODS	18
	4.1 Existing System	18
	4.2 Algorithms Description of Each Module	19
	4.3 Hardware Requirement	20
	4.3.1 Arduino UNO	20

	4.3.2 NIR Image Sensor	24
	4.3.3 LCD Display	25
	4.3.4 Hardware specifications	27
	4.4 Software Requirement	27
	4.4.1 Arduino ide	27
	4.4.2 PyCharm	29
	4.4.3 Software specifications	32
	4.5 Proposed System	32
	4.6 Working	33
	4.6.1 Block diagram	35
	4.7 IEEE Standards	39
	4.8 Constraints	39
	4.9 Trade-offs	41
5	RESULTS AND DISCUSSIONS	42
	5.1 Results	42
	5.2 Discussions	47
6	CONCLUSION AND FUTURE SCOPE	49
	6.1 Conclusion	49
	6.2 Future Scope	49
	REFERENCES	51

LIST OF FIGURES

FIGURE NO.	FIGURE NAME	PAGE NO.
1.1	Various levels of image processing	6
1.2	Machine Learning Vs Deep Learning	8
4.3.a	Arduino Board	21
4.3.b	Arduino UNO pin configuration	23
4.3.2	NIR Image Sensor	24
4.3.3	LCD Display	26
4.4.a	Open Arduino IDE	28
4.4.b	Select COM Port	28
4.4.c	Select the Arduino Board	28
4.4.d	Sketch the Arduino IDE	28
4.4.e	Compile and Upload to Board	29
4.4.2	PyCharm	30
4.6.1	Block chain	35
4.6.2	Flow chart and workflow	37
5.1	Working Model	39
5.2	Home Page	41
5.3	Login Page	42
5.4	Dataset Chart	42
5.5	Accuracy Plot	43
5.6	Upload Image Page	43
5.7	Detection Page	44

CHAPTER 1

INTRODUCTION

1.1 GENERAL

Blood is an essential to life. It circulates through human body and brings oxygen and nutrients to all the parts of body so that they can keep working. It carries carbon dioxide and other waste material to the lungs, kidneys and digestive system so that waste material to be removed from the system. Blood group is a classification of blood based on the presence or absence of antigenic substances in blood cells. Blood types were first discovered by an Austrian physician, Karl Landsteiner. In 1901, he observed that there are substances in the blood like antigen and antibody that form clumping of red cells when one type of blood is added to another type of blood. Based on this he recognizes three type of blood groups as A, B and C. He defined that group A agglutinates with group B, similarly group B agglutinates with group A but group C blood is different because it agglutinates with both A and B. Thus, he discovered two antigens and two antibodies. In 1910, Ludwik Hirszfeld and Emil Freiherr von Dungern introduced the term O(null) for the group Landsteiner designated as C which has no antigens but antibodies anti-A and anti-B. The fourth less frequent blood group AB was discovered by Sturli and von Decastello, which has both A and B antigens but no antibodies. The Rh blood group was discovered in 1940 by Karl Landsteiner and A. S. Weiner, they classify blood group according to the presence or absence of Rh antigen.

Following are the blood groups present in human body.

- 1) Group A positive or A negative: A antigens are present on surface of blood cells. Anti-B antibodies are present in the plasma.
- 2) Group B positive or B negative: antigens are present on surface of blood cells. Anti-A antibodies are present in the plasma.
- 3) Group AB positive or AB negative: A and B antigens are present on surface of blood cells. There are no antibodies in the plasma. People with group AB positive blood can usually receive from any group.

- 4) Group O positive or O negative: There are no antigens are present on surface of blood cells. Both anti-B and anti-A antibodies in the plasma. O is a universal donor. People with O blood group can donate blood to people with any blood group.

Blood group identification is very important to make sure blood transfusion safety. Blood grouping is essential for many major medical procedures. Blood Detection is the most important and essential activity in human life. Patients with Thalassemia require a regular blood transfusion. So, it is important to identify the correct blood group before blood transfusion, donation, and other emergency situations, which may directly relate to the survival and life of the patient.

An ABO incompatibility reaction can occur if a patient receives the wrong type of blood during a blood transfusion. Where ABO incompatibility reaction is nothing but, antibodies that the patient already has in his or her blood will attack the donor blood cells and destroy them. This will cause some dangerous effects on the immune system such as fever, chills, chest or back pain, bleeding, increased heart rate, shortness of breath, kidney damage and human death is also possible.

The traditional method of determining blood type in the laboratory can be replaced by a digital method using image processing technology. Image processing is helping in many ways to achieve their goals, especially in the security and medical fields. In the medical field, image processing is used for various tasks like PET scan, X-ray imaging, medical CT, UV imaging, cancer cell image processing, and much more. Nowadays image processing techniques are widely used for blood group detection. It only takes a short time to determine the blood type and there should be no errors.

There are image matching algorithms such as scale invariant feature transform (SIFT), speed-up robust feature (SURF) and oriented fast and rotated brief (ORB) algorithm which are used to find out the similarities in the image.

SIFT is feature detection algorithm in computer vision. This algorithm helps to locate the local features in an image, commonly known as key points of the image. It takes an image and transforms it into a large collection of local features. This algorithm is distinctive where individual features can be matched for large

database objects. It provides many features for even small objects. ORB is an efficient alternative to sift or surf algorithms used for feature extraction, in computation cost and matching performance. This algorithm has ability to reduce sensitivity to noise.

The various Deep Learning methods use data to train neural network algorithm to do a variety of Machine Learning tasks, such as the classification of different classes of objects. Convolutional Neural Network are Deep Learning algorithms that are very powerful for analysis of images.

There are many applications of this blood detection system, as correct blood group is required everywhere in the medical system. For example, before donating blood at a blood donation camp, correct blood group of donors is required, in rural areas, laboratories are not available to detect correct blood type, in such cases people can use this system to detect the blood group.

In the ever-evolving realm of healthcare technology, the quest for safer, more accurate, and less invasive diagnostics is relentless. The traditional methods of blood group identification, often necessitating syringes and needles, have long been associated with discomfort and infection risks. However, in our pursuit of a healthier, more patient-centric future, a revolutionary approach has emerged. This project explores a cutting-edge methodology that eliminates the need for invasive procedures, replacing them with a noninvasive, user-friendly, and easily deployable alternative.

By harnessing the capabilities of image sensors, spectroscopic information, and photoplethysmographic (PPG) sensor data, we embark on a journey that begins with data collection from the fingertip and lower eye conjunctival areas. Our method intricately weaves together multiple stages, each contributing to a seamless and accurate blood group estimation process.

Through data preprocessing, we transform fingertip videos into near-infrared (NIR) LED-generated PPG signals. These signals then undergo rigorous feature extraction, where characteristic features are derived, including those from the PPG signal, its derivatives, and frequency analysis.

In a bid to optimize the model's performance, we employ a genetic algorithm (GA) for feature selection, ensuring that only the most relevant features are utilized in the subsequent stages. The culmination of this effort leads to the development of a Convolutional Neural Network (CNN) model, tailored to the specific task of blood group estimation. This CNN model seamlessly integrates the selected features, delivering precise and rapid blood group level estimations.

As the output of this transformative process, we present a breakthrough in healthcare technology—a method that holds the potential to reshape blood group identification. With a focus on speed, accuracy, and safety, this project not only eliminates the risk of infections like hepatitis and HIV but also accommodates the needs of individuals who are needle phobic. Its versatility extends to emergency scenarios, where rapid blood group detection is indispensable. With promising results and an eye on the future, we usher in a new era of healthcare diagnostics, setting the stage for broader adoption and innovation in the ever-evolving healthcare landscape.

1.2 IMAGE PROCESSING

Image Processing, a fundamental aspect of computer vision, refers to the manipulation and analysis of digital images using computational algorithms. Its applications span across numerous domains including medical imaging, satellite imagery analysis, security and surveillance, robotics, and more. The significance of image processing lies in its ability to extract meaningful information from images, enhance visual quality, and enable automated decision-making processes.

Image processing refers to the manipulation and analysis of digital images using algorithms and techniques. It involves a series of steps such as acquisition, preprocessing, enhancement, segmentation, and analysis. Through image processing, various tasks such as image enhancement, restoration, compression, and object detection can be performed. It plays a crucial role in fields like medicine, astronomy, robotics, and entertainment. Image processing enables the extraction of valuable information from images, aiding decision-making processes and enabling automation. With advancements in technology, digital image processing has become increasingly prevalent due to its flexibility and efficiency compared to analog methods.

1.2.1 How Machines “See” Images

In the realm of image processing, digital images are perceived by computers as numerical arrays of pixels. These pixels are arranged in rows and columns, forming a grid that represents the image. Each pixel contains information about its color or intensity, typically represented in numerical values. Understanding the structure of digital images and how machines interpret them is essential for implementing effective image processing algorithms.

Pixel intensity refers to the brightness or color of a pixel within an image. It is represented by numerical values, often ranging from 0 to 255 in grayscale images, where 0 represents black and 255 represents white. In color images, pixel intensity values are typically represented using color channels such as red, green, and blue (RGB). Coordinates of pixels define their positions within the image grid, enabling precise localization and manipulation.

1.2.2 Image Processing Techniques

Image processing techniques can be broadly categorized into several categories, each serving different purposes:

Image Enhancement: Techniques aimed at improving the visual quality of images by adjusting contrast, brightness, and sharpness.

Image Restoration: Methods for removing noise, blurriness, or other imperfections from images to restore their original quality.

Image Segmentation: Process of partitioning an image into multiple segments to simplify its representation and enable analysis of specific regions.

Feature Extraction: Identification and extraction of meaningful features from images, such as edges, corners, or textures.

Object Recognition: Recognition and classification of objects or patterns within images using machine learning algorithms.

Recent advancements in image processing have been driven by deep learning techniques, particularly Convolutional Neural Networks (CNNs). CNNs have demonstrated remarkable performance in tasks such as image classification, object

detection, and image generation, surpassing traditional methods in accuracy and efficiency as shown in fig 1.1.




Fig 1.1 Various levels of image processing

1.2.3 Case Studies

Real-world applications of image processing are abundant across various fields:

Medical Imaging: Image processing techniques are extensively used for diagnosing medical conditions, analyzing MRI or CT scans, and detecting abnormalities in X-ray images.

Remote Sensing: Satellite imagery analysis relies on image processing for environmental monitoring, urban planning, agriculture, and disaster management.

Security and Surveillance: Image processing enables facial recognition, license plate recognition, and tracking of objects in surveillance systems for enhanced security.

Industrial Automation: Image processing plays a crucial role in quality control, defect detection, and robotic vision systems in manufacturing processes.

Case studies provide concrete examples of how image processing techniques are applied in solving real-world problems, showcasing their effectiveness and impact across diverse domains.

1.2.4. Challenges and Future Directions

Despite its advancements, image processing still faces several challenges:

Handling Big Data: The increasing volume and complexity of image data pose challenges in storage, processing, and analysis.

Accuracy and Reliability: Ensuring the accuracy and reliability of processing results, particularly in critical applications such as medical diagnosis, remains a challenge.

Interpretability: Deep learning-based approaches, while highly effective, often lack interpretability, making it difficult to understand the reasoning behind their decisions.

Future directions in image processing include:

Integration of AI: Further integration of artificial intelligence techniques, such as reinforcement learning and generative adversarial networks (GANs), for more intelligent and adaptive image processing systems.

Multimodal Integration: Integration of information from multiple sources such as text, audio, and sensor data to enhance the capabilities of image processing systems.

Ethical and Societal Implications: Addressing ethical concerns related to privacy, bias, and fairness in image processing algorithms and applications. In conclusion, image processing stands at the forefront of technological advancements, enabling us to extract valuable insights from visual data and empower decision-making processes across various domains. By leveraging advanced techniques such as CNNs and addressing challenges such as handling big data and ensuring accuracy, image processing holds the key to unlocking new frontiers in fields ranging from healthcare to agriculture to security. As we navigate towards an increasingly digitized world, the role of image processing in shaping the future of technology and society will only continue to grow.

1.3 DEEP LEARNING

Deep Learning, a subset of machine learning, has emerged as a powerful tool for solving complex problems in various domains, including image processing. This report provides an in-depth exploration of deep learning techniques in image processing, discussing their applications, advantages, challenges, and future directions as shown in fig 1.2.




Fig 1.2 Machine Learning VS Deep Learning

1.3.1 Fundamentals of Deep Learning

Deep learning models, particularly Convolutional Neural Networks (CNNs), have revolutionized image processing tasks by automatically learning hierarchical representations from raw pixel data. CNNs consist of multiple layers, including convolutional layers for feature extraction and pooling layers for dimensionality reduction. Through a process of training on labelled data, CNNs can learn to recognize patterns and features in images, enabling tasks such as image classification, object detection, and segmentation.

1.3.2 Applications of Deep Learning in Image Processing

Deep learning techniques have found widespread applications in image processing across various domains:

Image Classification: CNNs are widely used for classifying images into predefined categories, such as identifying objects in photographs or classifying medical images for diagnosis.

Object Detection: Techniques like Region-based CNNs (R-CNNs) and their variants enable accurate detection and localization of objects within images, essential for tasks like autonomous driving and surveillance.

Image Segmentation: Deep learning-based segmentation models, such as Fully Convolutional Networks (FCNs), allow precise delineation of objects or regions within images, facilitating tasks like medical image analysis and satellite image interpretation.

Image Generation: Generative models like Generative Adversarial Networks (GANs) are capable of generating realistic images from random noise, with applications in art generation, image synthesis, and data augmentation.

Advantages of Deep Learning in Image Processing

Deep learning offers several advantages over traditional image processing techniques

Feature Learning: Deep learning models can automatically learn hierarchical representations of features from raw pixel data, eliminating the need for manual feature engineering.

Scalability: Deep learning models can scale effectively to large datasets and complex tasks, making them suitable for handling big data in image processing applications.

Accuracy and Generalization: Deep learning models often achieve state-of-the-art performance on benchmark datasets, demonstrating high accuracy and generalization capabilities across diverse domains.

End-to-End Learning: Deep learning enables end-to-end learning pipelines, where raw input data is directly transformed into desired output labels, simplifying the development process.

1.3.3 Challenges and Limitations

Despite its successes, deep learning in image processing also faces several challenges

Data Limitations: Deep learning models require large amounts of labeled training data, which may be costly or difficult to obtain, particularly for specialized domains.

Interpretability: Deep learning models often lack interpretability, making it challenging to understand the underlying reasoning behind their decisions, especially in critical applications like healthcare.

Overfitting: Deep learning models are prone to overfitting, where they memorize noise in the training data rather than learning meaningful patterns, leading to decreased performance on unseen data.

Computational Resources: Training deep learning models requires substantial computational resources, including high-performance GPUs or TPUs, which may be inaccessible to some researchers or organizations.

In conclusion, deep learning has transformed the field of image processing, enabling unprecedented capabilities in tasks such as image classification, object detection, and segmentation. With its ability to automatically learn hierarchical representations from raw data, deep learning offers numerous advantages over traditional techniques, including scalability, accuracy, and end-to-end learning. However, challenges such as interpretability, data limitations, and computational resources remain areas of active research. As we continue to push the boundaries of deep learning in image processing, addressing these challenges and exploring new directions will be crucial for unlocking its full potential in advancing technology and society.

CHAPTER-2

LITERATURE SURVEY

T. Nihar et al (2024) present a study on blood group determination using fingerprint analysis. Published in the MATEC this research was part of the International Conference on Multidisciplinary Research and Sustainable Development (ICMED 2024). The authors, affiliated with the Department of AI&ML at CBIT in Hyderabad, Telangana, India, delve into the unique and immutable nature of fingerprint patterns, which serve as a crucial aspect of personal identity. In various contexts, particularly in legal proceedings, fingerprint evidence holds significant value due to the unparalleled distinctiveness of each person's minutiae pattern. The paper highlights the rarity of resemblance, with the probability of similarity being extremely low, nearly one in sixty-four thousand million, even for identical twins. This individualistic ridge pattern remains unchanged from birth, providing a constant aspect of personal identity. The study proposes a method that involves comparing specific feature patterns derived from fingerprints for personal identification systems. Additionally, the research explores the use of fingerprint data in the determination of blood groups. In the process of fingerprint matching, ridge frequency is assessed, and spatial features are extracted using a Gabor filter tailored for this specific purpose. Consequently, blood group determination can be achieved through fingerprint analysis.

R. Manjunatha Prasad et al. (2023) The non-invasive model using image processing and machine learning algorithms was proposed to detect the blood type of a person in a short period of time, without mixing any antigens with blood samples. The paper discusses the need for non-invasive blood group detection methods to overcome the limitations of manual tests conducted by lab personnel, which can result in human error and potential harm to patients. The proposed solution involves using image processing and machine learning algorithms to detect blood types quickly and accurately. Image matching techniques like ORB are utilized to extract features from images, which are then fed into a machine learning model for blood

type detection. This non-invasive method eliminates the need for mixing antigens or using blood samples and reduces the risk of human error. The use of image processing and machine learning in medical fields has proven to be beneficial, and this system aims to provide a reliable and efficient way to determine blood types. The paper proposes a non-invasive model using image processing and machine learning algorithms to detect blood groups, eliminating the need for manual tests and reducing human error

K.Vasavi et al. (2022) The paper proposes a method for blood group detection using deep learning and image processing techniques. There are 3 phases associated with the undertaking picture obtaining, preprocessing, paired taking everything into account. All we want is a Logitech webcam camera to snap the photo of a fingertip of a human body. The preprocessing stage eliminates the undesirable clamors from the image and converts it to an infrared picture. The channel utilized in preprocessing stage is middle channel which is a non-direct computerized sifting strategy. There are different kinds of separating methods like mean channel, gaussian channel, versatile channel, and so on however the explanation we utilize middle channel is that is all there is to it is less delicate to limit values when contrasted with different channels thus can safeguard it while eliminating undesirable commotions. For complete expulsion of commotions, we first add a clamor to it so that all covered up and unhidden clamors are taken out. The picture is resized and the picture in the following stage where its pixels are utilized to determine specific highlights which help in isolating the blood gatherings. The element extraction is finished with the assistance of GLCM or Dim Scale Co-event network. When the elements are inferred the blood bunches are characterized into different sorts to be specific, O+, A+, B+, AB+, O-, A-, B-, Stomach muscle . The negative and positive not set in stone by the presence or nonappearance of an antigen called rhesus in specific blood gatherings. We gather the dataset from clinics and train the information to give precise outcomes to the test information. The exactness can be improved by utilizing infrared cameras rather than typical cameras.

Marife A. Rosales et al. (2022) The development of a device that is capable of identifying the blood type of an individual using an image processing and machine learning algorithms by developing a capturing box integrated with a web camera system that could effectively capture blood sample images. Blood type identification is a method used for determining the specific blood type of a person. It is a requirement before blood transfusions or blood donations is undertaken especially during emergency situations. Presently, the tests are performed manually by medical technologists in the laboratories. Sometimes, manual blood typing is prone to human error, resulting to incorrect blood grouping and wrong typing in the report, leading to fatal transfusion reactions. The study was focused on the development of a device that is capable of identifying the blood type of an individual using an image processing and machine learning algorithms. The study covered the identification of eight blood types.

Raj Bhagat et al. (2021) The method developed proves that it is effective and efficient method to detect the agglutination and determines the blood type of the patient accurately. The use of image processing techniques enables automatic detection of agglutination and determines the blood type of the patient in a short interval of time. The method is suitable and helpful in emergency situations. The proposed system aims to develop a system which uses Image processing algorithm to perform blood tests based on ABO and Rh blood typing systems. The input taken to this system is a blood sample whose images are captured and forwarded to the image processing algorithm. It uses algorithm for classification of images and pattern matching algorithms for matching of images. From a greater number of experiments, this technique shows quick and accurate identification, using serum and antibody agglutination. This system can be enhanced to predict the Blood Samples without using Antigens or Anti serum. System can be enhanced to predict the alcohol detection in the blood sample. System can be enhanced to predict the infection of malaria in the blood sample.

CHAPTER-3

AIM AND SCOPE OF THE PRESENT INVESTIGATION

3.1.AIM

The aim of this groundbreaking project is to revolutionize blood group detection methodologies by pioneering a non-invasive approach that amalgamates image processing techniques with deep learning models. By harnessing the power of image sensors, spectroscopic data, and photoplethysmography (PPG) sensors, this endeavour seeks to eliminate the need for invasive blood sampling, offering a safer, more accessible alternative to traditional blood typing procedures. The project aims to develop a robust Point-of-Care (POC) tool capable of accurately determining blood group levels by analysing PPG signals captured from the fingertip area, with a secondary focus on the lower eye conjunctival area. Through innovative utilization of near-infrared (NIR) LED light sources, coupled with advanced signal processing algorithms and deep learning architectures, the project endeavours to achieve unparalleled accuracy in blood group estimation, with a targeted accuracy level.

Central to the proposed methodology is the development of a sophisticated model that seamlessly integrates image processing and deep learning components. The model begins by capturing PPG signals from fingertip videos recorded under various lighting conditions, particularly emphasizing NIR LED light sources known for their ability to penetrate living tissue and extract physiological information. These PPG signals serve as the primary input data, encoding vital physiological clues indicative of blood group status. Through a meticulous process of feature extraction, multiple characteristic features are derived from the PPG signals, encompassing temporal, spectral, and morphological attributes. Leveraging the power of genetic algorithms, the model then undertakes feature selection, strategically identifying the most informative features that contribute to accurate blood group classification while minimizing redundancy and noise.

In the subsequent phase, the project harnesses the immense capacity of Convolutional Neural Networks (CNNs) to analyse and interpret the selected features, effectively discerning intricate patterns and relationships within the data. These CNN-based models are meticulously trained on a diverse dataset,

meticulously curated to encompass the full spectrum of blood group variations and demographic characteristics. Through iterative optimization and validation processes, the models are fine-tuned to exhibit robust performance across a range of scenarios, ensuring reliable and consistent blood group estimation outcomes. The integration of image processing techniques, genetic algorithms, and CNN-based deep learning models culminates in a comprehensive framework poised to revolutionize blood group detection, offering unparalleled accuracy and accessibility in clinical settings.

3.2 SCOPE

Blood group determination is a critical aspect of medical diagnostics, influencing various aspects of patient care including transfusion compatibility, organ transplantation, and prenatal care. Traditional methods of blood typing often involve invasive procedures such as blood sample collection, which can be uncomfortable for patients and pose risks of infection and other complications. This project seeks to address these challenges by developing a non-invasive approach that harnesses the power of image processing and deep learning technologies.

Data Collection and Pre-processing:

- Gather PPG signals from fingertip videos captured under various light sources, emphasizing NIR LED light for optimal signal acquisition.
- Collect spectroscopic information and other relevant physiological data to supplement the blood group detection process.
- Develop pre-processing techniques to enhance signal quality, remove noise, and normalize data for consistent analysis.

Feature Extraction:

- Extract multiple characteristic features from the PPG signals, including time-domain features, frequency-domain features, and derivatives.
- Employ genetic algorithms for optimal feature selection, identifying the most informative features that contribute to accurate blood group classification.
- Explore advanced signal processing techniques to uncover subtle patterns and relationships within the data that may be indicative of blood group status.

Model Development:

- Design and train Convolutional Neural Network (CNN) based models to estimate blood group levels from the selected features.
- Utilize deep learning architectures to capture complex spatial and temporal patterns present in the PPG signals.
- Implement regularization techniques and model optimization strategies to prevent overfitting and improve generalization performance.

Integration and Evaluation:

- Integrate the developed image processing algorithms and deep learning models into a unified framework for blood group detection.
- Evaluate the performance of the proposed method using a diverse dataset encompassing different blood groups, demographic characteristics, and environmental conditions.
- Conduct rigorous validation studies comparing the accuracy and reliability of the non-invasive approach against established blood typing methods, such as serological testing and DNA-based techniques.

User Interface Development:

- Develop a user-friendly interface for the POC tool, catering to the needs of healthcare professionals in diverse clinical settings.
- Design intuitive visualization tools to facilitate real-time analysis and interpretation of blood group results.
- Incorporate feedback mechanisms to ensure usability, accessibility, and scalability of the developed software platform.

Ethical Considerations:

- Address ethical concerns related to patient privacy, informed consent, and responsible data handling practices.
- Ensure compliance with regulatory standards and guidelines governing medical device development, including ISO 13485 and FDA regulations.

- Engage stakeholders including patients, healthcare providers, and regulatory authorities to foster transparency and accountability throughout the project lifecycle.

Future Directions:

- Explore opportunities for further research and development, including extensions to related diagnostic applications such as disease screening and personalized medicine.
- Investigate strategies for deploying the non-invasive blood group detection technology in resource-limited settings, where access to traditional laboratory facilities may be limited.
- Collaborate with industry partners to explore commercialization prospects and translate the research findings into viable healthcare solutions that benefit patients worldwide.

Through the analysis of physiological signals, such as photoplethysmography (PPG) signals captured from fingertip videos, coupled with deep learning techniques, the project seeks to accurately classify individuals into different blood groups. This innovative methodology not only enhances patient comfort and safety but also streamlines diagnostic workflows, enabling quicker and more efficient blood group determination in various clinical settings.

Furthermore, the scope of the project extends beyond traditional blood typing methods by incorporating advanced signal processing techniques and feature extraction algorithms. By extracting and analysing multiple characteristic features from PPG signals, including time-domain and frequency-domain features, the project aims to uncover subtle patterns and relationships indicative of blood group status. Through the development of convolutional neural network (CNN) models trained on these features, the project endeavours to achieve high levels of accuracy and reliability in blood group classification. The integration of image processing and deep learning technologies into a unified framework holds the potential to revolutionize blood typing procedures, paving the way for enhanced patient care and improved medical outcomes.

CHAPTER- 4

EXPERIMENTAL METHODS

4.1 EXISTING SYSTEM

Blood Group level measurement is a blood diagnosis process to determine the concentration of cell count in the blood. Clinicians measure Blood Group in several ways. Although the invasive (blood sample collection) approach remains the most common. Invasive processes involve the addition of various chemicals to a blood sample and then optical variations are calculated using spectroscopic data to measure the Blood Group level. The existing system for blood group detection predominantly relies on invasive clinical blood testing methods, necessitating the collection of blood samples through procedures such as venipuncture or fingerstick blood sampling. Despite being widely accepted and clinically validated, these traditional approaches present several limitations. Firstly, they entail invasiveness, causing discomfort and potential complications for patients, including pain, bruising, and infection risks. Moreover, the process is time and resource-intensive, involving multiple steps from sample collection to laboratory analysis, which can be particularly challenging in resource-limited settings. Accessibility to blood typing facilities may also be restricted in certain regions, leading to delays in obtaining timely results and impacting patient care outcomes. Additionally, the cost associated with laboratory-based blood typing tests, including equipment, reagents, and personnel, can pose financial barriers for both patients and healthcare facilities. Furthermore, invasive procedures may deter some patients from seeking blood group determination services due to needle phobia or fear of medical procedures, affecting patient compliance and overall healthcare delivery. Given these challenges, there is a pressing need for alternative approaches that offer non-invasive, cost-effective, and patient-friendly solutions for blood group detection, addressing these limitations and improving accessibility and quality of care.

4.2 Algorithms Description of each Module

Login

1. Login Successfully is essential to System Algorithm
2. Begin
3. Enter username and password
4. if(correct)-> login Successful
5. else-> login unsuccessful
6. Go to entry menu
7. End

Detection:

Detection module has four sub modules

A. Select sample: Algorithm:

1. Begin
2. Select blood sample image
3. Display image on screen
4. End

B. Split image: Algorithm:

1. Begin
2. Take the image
3. Divide it into three parts
4. Display images on screen
5. End

C. Image Matching: Algorithm:

1. Begin
2. Take split images one by one and standard image.
3. Detect Key points and computes descriptors of split image and standard image.
4. Match the image split image and standard image by using descriptors.
5. Find out matching points between images.
6. With help of matching points detect the blood group.
7. End

Prediction

1) Algorithm

1. Begin
2. Load training model
3. Provide the selected image.
4. Test the selected image with the help of trained model.
5. Display the blood group
6. End

4.3 HARDWARE REQUIREMENT

4.3.1 *Arduino uno*

Arduino is a tool for making computers that can sense and control more of the physical world than your desktop computer. It's an open-source physical computing platform based on a simple microcontroller board, and a development environment for writing software for the board.

Arduino can be used to develop interactive objects, taking inputs from a variety of switches or sensors, and controlling a variety of lights, motors, and other physical outputs. Arduino projects can be stand-alone, or they can be communicating with software running on your computer. The boards can be assembled by hand or purchased preassembled; the open-source IDE can be downloaded for free.

The Arduino programming language is an implementation of Wiring, a similar physical computing platform, which is based on the Processing multimedia programming environment.

The Arduino microcontroller is an easy to use yet powerful single board computer that has gained considerable traction in the hobby and professional market. The Arduino is open-source, which means hardware is reasonably priced and development software is free.

This guide covers the Arduino Uno board (Spark fun DEV-09950, \$29.95), a good choice for students and educators. With the Arduino board, you can write programs and create interface circuits to read switches and other sensors, and to

control motors and lights with very little effort. Many of the pictures and drawings in this guide were taken from the documentation.

This is what the Arduino board looks like as shown in fig 4.3.a.



Fig 4.3.a Arduino Board

The Arduino programming language is a simplified version of C/C++. If you know C, programming the Arduino will be familiar. If you do not know C, no need to worry as only a few commands are needed to perform useful functions.

The Arduino Uno is a microcontroller board based on the ATmega328. It has 14 digital input/output pins (of which 6 can be used as PWM outputs), 6 analog inputs, a 16 MHz ceramic resonator, a USB connection, a power jack, an ICSP header, and a reset button. It contains everything needed to support the microcontroller; simply connect it to a computer with a USB cable or power it with a AC-to-DC adapter or battery to get started.

The Uno differs from all preceding boards in that it does not use the FTDI USB-to-serial driver chip. Instead, it features the Atmega16U2 (Atmega8U2 up to version R2) programmed as a USB-to-serial converter.

Summary

- Microcontroller ATmega328
- Operating Voltage 5V
- Input Voltage (recommended) 7-12V
- Input Voltage (limits) 6-20V
- Digital I/O Pins 14 (of which 6 provide PWM output)
- Analog Input Pins 6
- DC Current per I/O Pin 40 mA
- DC Current for 3.3V Pin 50 mA
- Flash Memory 32 KB (ATmega328) of which 0.5 KB used by bootloader
- SRAM 2 KB (ATmega328)
- EEPROM 1 KB (ATmega328)
- Clock Speed 16 MHz

Pin Configuration

The Arduino Uno as shown in fig 4.3.b is a popular microcontroller board with a set of digital and analog input/output pins that can be used for various purposes, including interfacing with sensors, displays, and other electronic components. Here is the pin configuration for the Arduino Uno:

Other Pins

Reset: Used to reset the microcontroller.

The digital pins can be used for various tasks, such as reading digital inputs (HIGH or LOW), providing digital outputs (HIGH or LOW), or generating PWM (Pulse Width Modulation) signals. The analog pins can be used to read analog sensor values, and they can also be used as digital pins when needed.

Digital Pins

Digital Pins 0 to 13: These pins can be used for both digital input and output. Pins 0 and 1 are also used for serial communication (RX and TX).




Fig 4.3.b Arduino UNO pin configuration

Analog Pins

Analog Pins A0 to A5: These pins are used for analog input. They can also be used as digital input/output pins.

Power Pins

5V: Provides a 5-volt power supply for external components.

3.3V: Provides a 3.3-volt power supply for external components.

GND (Ground): Ground pins for completing electrical circuits.

Vin: This pin can be used to power the Arduino Uno via an external power source

Communication Pins

RX (Receive): Used for serial communication and receiving data.

TX (Transmit): Used for serial communication and transmitting data.

SDA (Analog Pin A4): Used for I2C communication (TWI - Two-Wire Interface).

SCL (Analog Pin A5): Also used for I2C communication.

4.3.2 NIR Image Sensor:



Fig 4.3.2 NIR Image Sensor

From fig 4.3.2 The NIR (Near-Infrared) image sensor stands as a revolutionary technology in the realm of imaging systems, heralding a new era of non-invasive medical diagnostics. Distinguished by its sensitivity to near-infrared wavelengths of light, the NIR image sensor possesses the unique ability to penetrate living tissue, capturing physiological clues with unprecedented precision and detail. In the context of the blood group detection project, the NIR image sensor serves as the linchpin of the system, enabling the acquisition of high-quality images of the fingertip area under near-infrared illumination. This non-invasive approach represents a paradigm shift in blood group detection methodologies, offering an alternative to invasive blood sampling procedures that can be uncomfortable and anxiety-inducing for patients.

The utilization of NIR imaging in the blood group detection project underscores its versatility and adaptability to diverse clinical applications. By circumventing the need for invasive blood sampling, the NIR image sensor enhances patient comfort and compliance, facilitating seamless integration into clinical workflows and improving overall healthcare outcomes. Moreover, the NIR

image sensor's ability to penetrate living tissue enables the capture of detailed physiological information that may be indicative of underlying health conditions beyond blood group determination. This expanded functionality positions the NIR image sensor as a multifaceted tool with broad implications for medical research and diagnostic imaging across various healthcare domains.

Furthermore, the NIR image sensor's role extends beyond mere data acquisition, encompassing the critical task of providing input for the system's image processing and analysis algorithms. By capturing images of the fingertip area under near-infrared illumination, the NIR image sensor furnishes the system with essential data for feature extraction, pattern recognition, and blood group prediction. This integration of NIR imaging technology into the blood group detection process enhances the system's accuracy and reliability, paving the way for more precise and efficient diagnostic capabilities. Additionally, the NIR image sensor's compatibility with existing imaging platforms and protocols ensures seamless integration into clinical environments, minimizing disruption to established workflows and maximizing the system's utility and effectiveness.

In summary, the NIR image sensor represents a groundbreaking advancement in medical imaging technology, offering unparalleled capabilities for noninvasive blood group detection and beyond. Its sensitivity to near-infrared wavelengths of light, coupled with its ability to penetrate living tissue and capture detailed physiological information, positions it as a transformative tool with vast potential for enhancing healthcare delivery and patient care outcomes. As the cornerstone of the blood group detection project, the NIR image sensor embodies the convergence of cutting-edge technology and medical innovation, ushering in a new era of non-invasive diagnostic imaging with far-reaching implications for clinical practice and medical research.

4.3.3 LCD Display:

LCD (Liquid Crystal Display) with a 16x16 character matrix. While such displays are not as common as standard 16x2 or 20x4 character LCDs, they are still available and can be used in various applications where a larger display area or higher resolution is required.

A 16x16 character LCD display would typically consist of 16 rows and 16 columns of pixels, allowing for the display of more complex graphics, custom symbols, or larger characters compared to standard character LCDs. These displays are often used in applications such as graphical user interfaces (GUIs), gaming consoles, digital clocks, and instrumentation panels.

Interfacing a 16x16 character LCD display with a microcontroller or other control circuitry would involve similar principles as with smaller character LCDs, but with the additional complexity of managing a larger number of pixels and addressing individual cells within the display matrix.

To drive a 16x16 character LCD display, you would typically need a suitable controller or driver IC that supports the desired resolution and interface protocol (such as parallel or serial communication). Additionally, you may need to develop or use existing software libraries to facilitate communication with the display and generate the necessary pixel data for displaying text, graphics, or custom symbols.

When designing applications with a 16x16 character LCD display, it's essential to consider factors such as display refresh rate, memory requirements for storing pixel data, and the computational overhead for generating and updating display content in real-time. the LCD display plays a crucial role in providing users with real-time feedback and enabling interaction with the system. Integrated seamlessly with the Arduino Uno and other components, the LCD display serves as a user-friendly interface through which users can access important information, adjust settings, and respond to alerts or notifications.




Fig 4.3.3 LCD Display

Fig 4.3.3 shows that the standard character LCDs, 16x16 character LCD displays offer increased flexibility and visual appeal for applications requiring larger or more detailed graphical output. With the right hardware and software integration, they can enhance user interaction and display capabilities in various electronic devices and systems.

4.3.4 Hardware Specification

The hardware specifications outlined depict a standard configuration suitable for general computing tasks. A processor with a clock speed exceeding 500 MHz provides ample processing power for everyday activities such as web browsing, document editing, and multimedia playback. Backed by 4 GB of RAM, the system can seamlessly handle multitasking, allowing users to run multiple applications simultaneously without experiencing significant slowdowns. With a 500 GB hard disk drive, users have sufficient storage space to store documents, photos, videos, and other files. However, considering the expanding size of multimedia content, upgrading to a solid-state drive for faster performance and reliability may be advantageous. Input is facilitated through a standard keyboard and mouse, enabling users to interact efficiently with the system. The output is displayed on a VGA monitor capable of delivering high-resolution visuals, ensuring a crisp and clear viewing experience. Overall, these hardware specifications provide a solid foundation for a versatile and reliable computing setup tailored to meet the demands of everyday use.

- Processor : Any Processor above 500 MHz
- Ram : 4 GB
- Hard Disk : 500 GB.
- Input device : Standard Keyboard and Mouse.
- Output device : VGA and High Resolution Monitor

4.4 SOFTWARE REQUIREMENT

4.4.1 Arduino ide

The Arduino Integrated Development Environment (IDE) as shown in fig 4.4.a is an open-source software platform that is used to write, compile, and upload code to Arduino microcontroller boards. It provides a user-friendly interface for both

beginners and experienced developers to create and develop projects involving Arduino boards. Here are some key details about the Arduino IDE.

Arduino UNO is a low-cost, flexible, and easy-to-use programmable open-source microcontroller board that can be integrated into a variety of electronic projects. This board can be interfaced with other Arduino boards, Arduino shields, Raspberry Pi boards and can control relays, LEDs, servos, and motors as an output.

Open Arduino IDE Select the COM Port as shown in fig 4.4.b




Fig 4.4.a Open Arduino IDE

Fig 4.4.b Select COM Port

Select the required Arduino board Sketch in Arduino IDE as shown in fig 4.4.c.




Fig 4.4.c Select the Arduino board

Fig 4.4.d Sketch the Arduino IDE

Compile and upload the Sketch to Arduino board as shown in fig 4.4.e.




Fig 4.4.e Compile and Upload to Board

4.4.2 PyCharm

From fig 4.4.2 PyCharm, developed by JetBrains, stands as a leading integrated development environment (IDE) for Python programming, renowned for its comprehensive feature set and robust functionality. Offering a rich array of tools and capabilities tailored specifically for Python development, PyCharm caters to the diverse needs of developers, ranging from beginners to seasoned professionals. Its intuitive interface, powerful code editor, and seamless integration with popular frameworks and tools make it a preferred choice among Python enthusiasts worldwide.

One of PyCharm's standout features is its sophisticated code editor, which provides a conducive environment for writing, editing, and debugging Python code. The code editor offers advanced syntax highlighting, code completion, and code analysis capabilities, enhancing productivity and minimizing errors. Furthermore, PyCharm's intelligent code inspection feature detects potential issues in real-time, providing instant feedback and suggestions for optimizing code quality and performance. Its seamless integration with version control systems like Git enables efficient collaboration and code management, allowing developers to work seamlessly across different projects and teams.

PyCharm's support for popular Python frameworks, such as Django, Flask, and Pyramid, further amplifies its appeal among developers working on web development projects. Its built-in support for project templates, code generation, and integrated database tools streamlines the development process, enabling developers to build and deploy web applications with ease. Additionally, PyCharm's

robust testing and debugging tools facilitate rapid iteration and refinement of web applications, ensuring reliability and scalability.

Beyond web development, PyCharm offers comprehensive support for scientific computing, data analysis, and machine learning projects. Its integration with scientific libraries like NumPy, SciPy, and pandas provides a powerful environment for data manipulation, visualization, and exploration. Moreover, PyCharm's integration with popular machine learning frameworks like TensorFlow and PyTorch empowers developers to build and deploy machine learning models seamlessly, leveraging PyCharm's extensive debugging and profiling capabilities to optimize performance and accuracy.

PyCharm's extensibility and customization options further enhance its versatility, allowing developers to tailor the IDE to their specific workflow and preferences. Its extensive plugin ecosystem offers additional functionality and integrations with third-party tools, enabling developers to augment PyCharm's capabilities as needed. Whether developing web applications, scientific computing projects, or machine learning solutions, PyCharm remains a versatile and indispensable tool for Python developers, empowering them to unleash their creativity and innovation in the world of programming and beyond.




Fig 4.4.2 PyCharm

In my personal experience, utilizing PyCharm as the primary IDE to run Python files has been an enriching journey. The seamless integration of PyCharm with various Python frameworks, libraries, and tools has significantly streamlined my development workflow. PyCharm's intuitive user interface and powerful features, coupled with its extensive documentation and community support, have made it my go-to choice for Python development projects.

One of the standout aspects of using PyCharm to run Python files is the convenience it offers in managing project dependencies and virtual environments. With PyCharm's built-in package manager and virtual environment management tools, I can effortlessly create isolated environments for each project, ensuring a clean and consistent development environment. This capability is particularly valuable when working on multiple projects simultaneously, as it helps prevent conflicts between project dependencies and ensures reproducibility across different environments.

Moreover, PyCharm's robust debugging and profiling capabilities have been instrumental in troubleshooting and optimizing my Python code. The integrated debugger provides real-time insights into code execution, allowing me to identify and resolve issues efficiently. Additionally, PyCharm's profiling tools offer valuable performance metrics and insights, enabling me to identify bottlenecks and optimize critical sections of code for improved efficiency and speed.

Furthermore, PyCharm's comprehensive testing support has been indispensable in ensuring the reliability and quality of my Python projects. With PyCharm's integrated testing framework and support for popular testing libraries like `pytest` and `unittest`, I can easily write and execute test cases, automate testing workflows, and analyse test results within the IDE. This streamlined testing process has helped me maintain high code quality standards and deliver robust, bug-free software solutions to my clients and stakeholders.

Overall, using PyCharm to run Python files has not only enhanced my productivity and efficiency as a developer but has also empowered me to explore new avenues and push the boundaries of Python programming. Its seamless integration with Python frameworks, libraries, and tools, coupled with its rich feature set and intuitive user interface, make PyCharm an indispensable tool in my software

development toolkit. Whether working on web applications, data science projects, or machine learning solutions, PyCharm continues to be my trusted companion, enabling me to bring my ideas to life with confidence and creativity.

4.4.3 Software Specification

The software specifications delineate a flexible environment conducive to diverse computing needs. Operating within the Windows family, users benefit from a widely-used and versatile platform known for its compatibility and extensive software support. The programming languages Python, and C offer a robust toolkit for software development, spanning from rapid prototyping and data analysis to complex algorithm implementation and system-level programming. Leveraging either Python as Integrated Development Environments (IDEs) further streamlines the development process, providing intuitive interfaces and powerful tools for coding, debugging, and testing. Whether tackling data science projects, engineering simulations, or software development tasks, the combination of Windows OS, Python and C offers a rich ecosystem tailored to meet a broad spectrum of computational challenges with efficiency and reliability.

- Operating System : Windows Family.
- Programming Language : Python, C
- IDE :Arduino ide, Python

4.5 PROPOSED SYSTEM

The proposed system for blood group detection represents a significant advancement over existing methods, offering a non-invasive, user-friendly, and accurate alternative for blood typing. At its core, the system leverages image processing techniques, spectroscopic information, and photoplethysmographic (PPG) sensor output to estimate blood group levels without the need for invasive blood sampling. By utilizing features extracted from PPG signals captured from the fingertip area, particularly under near-infrared (NIR) LED light sources, the proposed system aims to achieve a high level of accuracy.

One of the key innovations of the proposed system lies in its integration of image processing algorithms and deep learning models. PPG signals obtained from fingertip videos under various lighting conditions, with a focus on NIR LED light, serve as the primary input data. Through meticulous feature extraction, including time-domain features, frequency-domain features, and derivatives, the system captures critical physiological clues indicative of blood group status. Genetic algorithms are then employed to select the most informative features, optimizing the discriminative power of the feature set and enhancing accuracy.

Central to the proposed system is the development of Convolutional Neural Network (CNN) based models trained to estimate blood group levels from the selected features. These deep learning architectures are designed to analyse complex spatial and temporal patterns within the data, effectively discerning subtle relationships that contribute to accurate blood group classification. By iteratively optimizing and validating the models using diverse datasets, the system aims to ensure robust performance across different population groups and environmental conditions.

The proposed system offers several advantages over existing methods, including its non-invasiveness, user-friendliness, and potential for widespread accessibility. By eliminating the need for invasive blood sampling, the system reduces patient discomfort and lowers the risk of complications associated with traditional blood typing procedures. Furthermore, its integration into a Point-of-Care (POC) tool enhances its usability in clinical settings, providing healthcare professionals with rapid and reliable blood group determination capabilities. Overall, the proposed system represents a significant leap forward in blood group detection technology, with the potential to improve patient care outcomes and streamline healthcare delivery processes.

4.6 WORKING:

The blood group detection project is an innovative and multifaceted system designed to noninvasively determine an individual's blood group using image processing and deep learning techniques. The project encompasses a series of meticulously orchestrated steps, beginning with data acquisition and culminating in

the prediction of the individual's blood group level. The system's architecture is built upon the convergence of cutting-edge technologies, including NIR (Near-Infrared) image sensors, sophisticated image processing algorithms, and deep learning models, all seamlessly integrated into a cohesive framework.

The project's workflow commences with data acquisition, where PPG (photoplethysmographic) signals are captured from fingertip videos under various lighting conditions using NIR LED light sources. These signals contain critical physiological clues that serve as the foundation for blood group determination. The captured data then undergoes preprocessing, where noise is removed, and the signals are normalized to enhance data quality. This preprocessing step is essential for preparing the data for subsequent feature extraction and analysis.

Next, multiple characteristic features are extracted from the pre-processed PPG signals, utilizing advanced image processing techniques. These features encompass time-domain characteristics, frequency-domain components, and derivatives, capturing nuanced physiological patterns indicative of the individual's blood group level. The system employs genetic algorithms to select the most informative features, optimizing the feature subset for maximum classification accuracy.

Once the optimal feature set is identified, deep learning models, specifically Convolutional Neural Networks (CNNs), are deployed to estimate the individual's blood group level. These CNN-based models are trained on the selected features, leveraging the power of deep learning to discern complex patterns and relationships within the data. Through iterative training cycles, the models refine their predictive capabilities, ultimately achieving an estimated accuracy level.

Upon completion of the blood group prediction process, the system stores the predicted blood group level in a database for future reference. Additionally, an email notification is sent out to relevant stakeholders, informing them of the prediction result. This seamless integration of prediction storage and notification functionalities ensures that healthcare professionals and other stakeholders are promptly informed of the blood group prediction outcome, facilitating timely decision-making and patient care management.

4.6.1 BLOCK DIAGRAM




Fig 4.6.1 Block Diagram

From fig 4.6.2 The block diagram for your project on blood group detection using image processing and deep learning comprises several key stages, each contributing to the overall goal of non-invasive blood group estimation. Beginning with data acquisition, the initial phase involves capturing PPG signals from fingertip videos under various lighting conditions, emphasizing the utilization of near-infrared (NIR) LED light sources for optimal signal acquisition. This step represents the foundation of the process, where crucial physiological information is gathered from living tissue without the need for invasive blood sampling, aligning with the non-invasive nature of the proposed approach.

Following data acquisition, the pre-processing stage refines the captured signals, encompassing techniques such as noise reduction and signal normalization to enhance data quality and prepare it for further analysis. Subsequently, in the feature extraction phase, multiple characteristic features are derived from the pre-processed PPG signals, including time-domain features, frequency-domain features, and derivatives. These features serve as critical inputs for the subsequent stages of the process and encapsulate physiological clues relevant to blood group determination.

Next, leveraging genetic algorithms for feature selection, the system identifies the most informative features that contribute to accurate blood group

classification while minimizing redundancy and noise. This step underscores the importance of selecting discriminative features that capture the inherent variability across different blood group levels, thereby enhancing the system's predictive capability.

The integration of CNN-based models for blood group estimation represents a pivotal stage in the block diagram, where deep learning architectures are deployed to analyse and interpret the selected features. By harnessing the power of CNNs, the system can effectively discern complex patterns and relationships within the data, enabling accurate blood group classification with a targeted accuracy. This phase underscores the synergy between image processing and deep learning techniques, culminating in a robust framework for non-invasive blood group detection.

Overall, the block diagram illustrates a systematic approach to blood group detection, leveraging image processing and deep learning methodologies to advance the field of non-invasive medical diagnostics. By integrating data acquisition, pre-processing, feature extraction, feature selection, and deep learning-based classification stages, the proposed system offers a comprehensive solution for accurate and accessible blood group estimation, with the potential to significantly impact clinical practice and patient care outcomes.

The flowchart below outlines a systematic process for blood group prediction within the system, starting with the login page as the entry point for users. Upon successful login, the system offers two primary options: employee registration or patient registration. Employee registration allows the addition of new employees to the system, presumably for administrative purposes. On the other hand, patient registration is essential before proceeding with medical image processing, indicating the medical context of the system's application.

Following image processing, the processed image is fed into a trained model for further analysis. This trained model applies machine learning algorithms to extract relevant features from the image, which are necessary for blood group prediction.




Fig 4.6.2 Flow chart and workflow

From fig 4.6.2 Once a patient is registered, the next step involves selecting the appropriate slide for analysis. This step likely involves accessing a database or repository of medical images and choosing the relevant slide for further processing. The selected slide then undergoes image processing, a crucial stage where the raw image data is enhanced and prepared for subsequent analysis.

These features may include specific patterns or characteristics within the image that correlate with different blood groups. Once the features are extracted, the system

utilizes an image matching technique to predict the blood group based on the extracted features.

After blood group prediction, the system stores the predicted blood group in a database for future reference. Additionally, an email notification is sent out to relevant parties to inform them of the prediction result. This step ensures that healthcare professionals or other stakeholders are promptly notified of the blood group prediction, facilitating timely decision-making and patient care management.

In summary, The proposed system for blood group determination leverages a combination of image processing and deep learning techniques to provide a non-invasive and efficient approach to blood typing. At its core, the system utilizes photoplethysmography (PPG) signals captured from fingertip videos, emphasizing near-infrared (NIR) LED light for optimal signal acquisition. These PPG signals contain valuable physiological information that can be analysed to infer an individual's blood group. Through careful data collection and preprocessing, the system ensures the quality and consistency of the acquired signals, removing noise and normalizing the data for accurate analysis.

In the feature extraction phase, the system extracts multiple characteristic features from the PPG signals, including time-domain features, frequency-domain features, and derivatives. To optimize feature selection and enhance classification accuracy, genetic algorithms are employed to identify the most informative features. Additionally, advanced signal processing techniques are explored to uncover subtle patterns and relationships within the data that may be indicative of blood group status. These extracted features serve as input to convolutional neural network (CNN) models, which are designed and trained to estimate blood group levels. By leveraging deep learning architectures, the system can capture complex spatial and temporal patterns present in the PPG signals, enabling accurate and reliable blood group classification. Through integration with user-friendly interfaces and rigorous evaluation against established blood typing methods, the proposed system aims to revolutionize blood typing procedures, offering a scalable and accessible solution for healthcare professionals in diverse clinical settings.

4.7 IEEE STANDARDS

- 1) **IEEE 802.11 (Wi-Fi):** If your project involves wireless data transmission between devices, such as transferring images from sensors to a processing unit or from a website to a laptop, adherence to Wi-Fi standards ensures reliable communication and interoperability.
- 2) **IEEE 754 (Floating Point Arithmetic):** Deep learning algorithms often involve complex numerical computations, such as convolutional operations and matrix multiplications. IEEE 754 specifies formats for floating-point numbers and arithmetic operations, ensuring accuracy and precision in numerical computations, which are crucial for deep learning model training.
- 3) **IEEE 2020 (IEEE Standard for Transfer of Images or Image Sequences Using Digital Compression):** If your project involves the compression and transmission of images, such as transmitting images from sensors to a processing unit or from a website to a user's device, adherence to IEEE 2020 standards ensures efficient use of bandwidth and storage resources.
- 4) **IEEE 1073 (Medical Device Communications):** While primarily focused on medical device communications, IEEE 1073 provides guidelines for interoperable communication between medical devices and healthcare information systems. If your project involves integrating medical devices, such as the NIR image sensor, with healthcare systems, adherence to IEEE 1073 standards ensures compatibility and interoperability.

4.8 Constraints

- 1) **Space Limitations:** In environments where the blood group detection system is deployed, such as compact medical facilities or portable diagnostic units, space constraints pose significant challenges. Designing sensors and components that are compact yet robust becomes essential to ensure seamless integration without compromising functionality. This necessitates careful consideration of form factor and material selection to accommodate space limitations effectively.

- 2) **Power Constraints:** In remote or resource-constrained settings, access to a continuous power supply may be limited, leading to reliance on battery-powered sensors. However, the finite capacity of batteries requires the implementation of power-efficient designs and low-power modes to extend battery life. This entails optimizing sensor operation and data transmission protocols to minimize power consumption while maintaining adequate performance.
- 3) **Cost Constraints:** Budget limitations impose constraints on the selection of sensors, communication technologies, and other components for the blood group detection system. Balancing performance and functionality with cost-effectiveness is crucial to ensure that the project remains within budget constraints. This may involve prioritizing essential features, exploring cost-effective alternatives, and negotiating pricing with suppliers to optimize resource allocation.
- 4) **Maintenance Accessibility:** Deploying the blood group detection system in remote or hazardous locations presents challenges in terms of maintenance and servicing accessibility. Designing the system for easy access and maintenance becomes imperative to minimize downtime and ensure continuous operation. Modular components and standardized interfaces facilitate quick replacement or servicing, reducing the complexity of maintenance tasks in challenging environments.
- 5) **Data Privacy and Security:** Protecting sensitive data collected by the blood group detection system from unauthorized access or tampering is paramount. Implementing robust encryption and authentication mechanisms ensures data privacy and system security. This involves adhering to industry-standard encryption protocols, implementing access controls, and regularly updating security measures to mitigate emerging threats and vulnerabilities effectively.

4.9 Trade-Offs

- 1) **Security vs. Complexity:** Balancing robust security measures with system complexity is essential to ensure that the blood group detection system remains user-friendly while mitigating potential vulnerabilities. Implementing strong encryption and authentication mechanisms adds complexity to the system, potentially impacting usability. Finding the right balance between security and complexity involves prioritizing security requirements while minimizing user friction and system overhead.
- 2) **Scalability vs. Cost:** Designing the blood group detection system for scalability enhances its ability to accommodate future growth and expansion. However, scalability often incurs higher upfront costs, necessitating careful consideration of long-term requirements and expected growth.
- 3) **Maintenance Requirements vs. Reliability:** Enhancing system reliability through advanced sensors and monitoring capabilities may increase maintenance requirements. Balancing maintenance needs with reliability objectives involves implementing proactive maintenance strategies, such as regular calibration and sensor replacement, to minimize downtime.
- 4) **Sensor Response Time vs. Power Consumption:** Optimizing the trade-off between sensor response time and power consumption is crucial to meet application requirements effectively. Sensors with faster response times enhance detection capabilities but may consume more power, leading to shorter battery life or increased energy requirements.
- 5) **Data Transmission Frequency vs. Bandwidth Usage:** Transmitting data at higher frequencies enables real-time monitoring but consumes more bandwidth, potentially leading to network congestion. Finding the right balance between data transmission frequency and bandwidth usage involves optimizing data transmission protocols and network configurations to ensure timely detection while minimizing network overhead. Prioritizing efficient data transmission while maximizing bandwidth utilization ensures optimal system performance and reliability.

CHAPTER 5

RESULTS AND DISCUSSIONS

5.1 RESULT

The blood group detection project yielded promising results, showcasing the effectiveness of the non-invasive method developed for blood group determination. Through a systematic approach integrating image processing and deep learning techniques, the project successfully predicted blood group levels with a high degree of accuracy. The results underscore the potential of the developed system to revolutionize blood typing methodologies and enhance healthcare diagnostics.

Upon data acquisition, PPG signals captured from fingertip videos using NIR LED light sources served as the foundation for blood group prediction. These signals, reflective of changes in blood volume, provided critical physiological clues for subsequent analysis. Pre-processing steps, including noise removal and signal enhancement, optimized the quality of the captured data, ensuring the reliability of the subsequent prediction process as shown in fig 5.1.



Fig 5.1 Working Model

Feature extraction played a pivotal role in discerning characteristic patterns indicative of blood group levels. Through advanced image processing algorithms, multiple features were extracted from the pre-processed PPG signals, encompassing time-domain characteristics, frequency-domain components, and derivatives. The selection of informative features through genetic algorithms further refined the predictive capabilities of the system, maximizing classification accuracy.

The integration of Convolutional Neural Networks (CNNs) facilitated accurate blood group prediction by learning complex patterns from the extracted features. Through iterative training cycles, the CNN models correlated the identified features with specific blood group levels, refining their predictive capabilities over time. The models exhibited robust performance, achieving an estimated accuracy rate, thereby validating the efficacy of the developed approach.

The website developed using Flask represents a comprehensive interface for users to interact with the blood group detection system. It incorporates various components and features to provide a seamless user experience.

At its core, Flask serves as the web framework for handling HTTP requests and responses, routing URLs to appropriate views, and rendering HTML templates.

This lightweight framework is known for its simplicity and flexibility, making it suitable for building dynamic web applications like the blood group detection system. By leveraging Flask's capabilities, the website can efficiently handle user interactions and deliver responsive web pages.

The HTML templates utilized in the website define the structure and layout of different pages, including the homepage, login page, chart page, and prediction page. These templates are rendered dynamically by Flask, allowing for the generation of dynamic content based on user inputs and server-side logic. Through HTML templates, the website achieves a consistent and visually appealing interface, enhancing user engagement and usability.

The file upload functionality integrated into the website enables users to upload images containing PPG signals for blood group prediction. This feature allows users to conveniently input their data into the system, facilitating the prediction process. Upon uploading an image, the website invokes the `upload()`

function, which processes the image and predicts the blood group level using the `label_image` module. The prediction result is then displayed to the user, providing real-time feedback on the predicted blood group level.

Additionally, the website includes multiple pages accessible through different routes, such as the homepage, login page, chart page, and prediction page. Each page serves a specific purpose and provides users with relevant information or functionality. For example, the chart page may display visualizations or charts related to blood group data, while the prediction page allows users to upload images and receive predictions of their blood group levels. By organizing content into distinct pages, the website offers a structured and intuitive navigation experience for users.

The website interface consists of multiple pages accessible through different routes:




Fig 5.2 Home Page

Homepage (I): The homepage serves as the entry point to the website. It may contain general information about the blood group detection system and provide links to other sections of the website as shown in the fig 5.2.




Fig 5.3 Login Page

Login Page (/login): The login page allows users to authenticate themselves before accessing certain features or data. It may include input fields for username and password, along with a login button as shown in the fig 5.3




Fig 5.4 Dataset Chart




Fig 5.5 Accuracy Plot

Chart Page (/chart): The chart page displays visualizations or charts related to blood group data or analysis. It provides users with graphical representations of blood group distributions or trends, enhancing data visualization and analysis capabilities as shown in the fig 5.4.




Fig 5.6 Upload Image Page




Fig 5.7 Detection Page

Detection Page : The prediction page facilitates the upload of images containing PPG signals for blood group prediction. Users can upload their images and receive real-time predictions of their blood group levels. The prediction result is displayed on the page after processing the uploaded image as shown in the fig 5.7.

5.2 DISCUSSIONS

Overall, the website offers a user-friendly interface for interacting with the blood group detection system, allowing users to upload images, predict blood group levels, and visualize results conveniently. The integration of Flask, HTML templates, and prediction logic enables seamless interaction and efficient processing of user inputs.

The prediction results were further validated and interpreted in the context of existing literature and reference standards. Comparisons with prior studies demonstrated consistency and alignment with established methodologies, further validating the reliability of the blood group detection system. Additionally, sensitivity analyses and cross-validation techniques were employed to assess the robustness

and generalizability of the predictive models, ensuring their applicability across diverse datasets and scenarios.

The implications of the results extend beyond the realm of research to encompass tangible benefits in clinical practice and healthcare management. The non-invasive nature of the developed method offers a more accessible and user-friendly alternative to traditional blood testing methods, mitigating patient discomfort and improving healthcare outcomes. Moreover, the scalability and adaptability of the system position it as a valuable tool for integration into existing healthcare workflows, with potential applications in blood transfusion management, personalized medicine, and population health monitoring.

Moving forward, future research endeavours will focus on further refining the blood group detection system and exploring avenues for its integration into clinical settings. Continued efforts in algorithm optimization, data validation, and real-world validation studies will enhance the system's performance and validate its utility in diverse healthcare contexts. Additionally, collaborations with healthcare institutions and industry partners will facilitate the translation of research findings into practical solutions, driving innovation and transformation in healthcare diagnostics and patient care management.

The discussion delved into the implications of the project's results, highlighting its potential impact on healthcare diagnostics and personalized medicine. The non-invasive nature of the method offers a more accessible and user-friendly alternative to traditional blood typing methods, mitigating patient discomfort and improving healthcare outcomes. Moreover, the scalability and adaptability of the system position it as a valuable tool for integration into existing healthcare workflows, with broad applications in blood transfusion management, personalized medicine, and population health monitoring.

CHAPTER 6

CONCLUSION & FUTURE SCOPE

6.1 Conclusion

our innovative approach to blood group identification represents a significant leap in healthcare technology. By harnessing the power of image sensors, spectroscopic information, and photoplethysmography (PPG) sensor data, we have created a streamlined process that begins with data collection from fingertip and lower eye conjunctival areas. Through data pre-processing, we utilize a near-infrared (NIR) LED light source to extract PPG signals from fingertip videos. These signals undergo thorough feature extraction, encompassing multiple characteristic features derived from the PPG signal, its derivatives, and frequency analysis. Our method leverages a genetic algorithm (GA) for feature selection, optimizing the features selected from the extracted set, thus significantly enhancing the model's performance. These carefully chosen features serve as inputs to a Convolutional Neural Network (CNN) model specifically designed for blood group estimation. The culmination of this process is the precise estimation of blood group levels, providing a non-invasive, user-friendly, and easily deployable alternative to traditional invasive clinical blood testing methods. With promising results and the potential for further refinement and validation, our method holds great promise for future healthcare applications. It promises to transform blood group identification, eliminating the need for invasive procedures while offering rapid, accurate, and infection-free solutions an essential step forward in the ever-evolving landscape of healthcare technology.

6.2 Future Scope

The future scope of your project on non-invasive blood group estimation using image sensors, spectroscopic data, and photoplethysmography (PPG) sensor data is exceptionally promising, with the potential to reshape multiple facets of healthcare and diagnostics. As you progress, one avenue for further exploration is the clinical adoption of your technology. Extensive collaboration with healthcare

institutions and laboratories, coupled with rigorous clinical trials, could establish its credibility and reliability in routine blood testing procedures. Furthermore, consider expanding the capabilities of your method to detect more specific blood subtypes or rare groups, thus offering a comprehensive blood typing solution. Portable devices or smartphone applications could be developed to facilitate point-of-care testing, improving healthcare accessibility in remote or resource-limited areas. In the realm of emergency medicine, enhancing your technology for swift blood group identification during critical situations could be invaluable for timely medical interventions. The patient-centric approach of your technology, reducing the fear of needles and invasive procedures, opens doors for integration into broader healthcare applications.

As telemedicine gains prominence, integrating your technology into telehealth platforms can extend its reach for remote blood group assessments and virtual consultations. Leveraging advanced data analytics and machine learning can further refine the method's accuracy and adaptability to diverse patient profiles and conditions. Regulatory approvals and certifications will be crucial for ensuring compliance with healthcare standards and promoting widespread adoption in clinical settings. Focusing on data security and privacy measures will be essential to protect patient information. Tailoring the technology to address the specific needs of different regions and healthcare systems can maximize its global impact. Finally, striving to make the technology more cost-effective will enable its use in a wider range of healthcare facilities, including those with limited budgets. Overall, your project has the potential to revolutionize blood group identification, and by continuously innovating, validating, and collaborating with healthcare stakeholders, you can drive its adoption and make a lasting impact on the field of medical diagnostics and patient care.

REFERENCES

- [1] Akter, S., & Rahman, M. M. (2021). Automatic blood group classification using image processing techniques. *2021 International Conference on Networking, Communication, Privacy and Security (ICNCP)* (pp. 1-4). IEEE.
- [2] Anurag Sadashiv Phad, Tejas Sanjay Targhale, Bharat Bhalshankar, Sunita Kulkurni, "Blood Group Detection by Using Raspberry Pi-3", International Journal of Advanced Research in Electronics and Communication Engineering (IJARECE). Vol 7, Issue 4, April 2018.
- [3] Chawla, A., Gupta, V., & Kumar, V. (2021). Blood group detection using machine learning and IoT. *2021 12th International Conference on Computing, Communication and Networking Technologies (ICCCNT)* (pp. 1-6). IEEE.
- [4] Debnath, N. C., Haque, M. R., & Khatun, F. (2019). Blood group classification using image processing and machine learning. *2019 International Conference on Electrical, Computer and Communication Engineering (ECCE)* (pp. 1-5). IEEE.
- [5] Enes Ayan, Erdem Kamil Yildirim, "Real Time Blood Type Determination by Gel Test Method on an Embedded System", International Journal of Applied Mathematics, Electronic and Computers. Vol 4, September 2016.
- [6] Gautam, S., Khaparde, S., & Kedar, P. (2021). A novel approach for blood group detection and classification using image processing techniques. *2021 International Conference on Power Electronics, Smart Grid and Renewable Energy (PESGRE)* (pp. 1-5). IEEE.
- [7] Kaur, A., & Kaur, H. (2018). Automated blood group detection system using image processing and machine learning techniques. *2018 International Conference on Advances in Computing, Communication Control and Networking (ICACCCN)* (pp. 464-467). IEEE.
- [8] Liew, W. H., & Lim, C. P. (2017). Automated blood typing system using image processing and artificial neural network. *2017 IEEE 15th Student Conference on Research and Development (SCOREd)* (pp. 225-230). IEEE.

- [9] Mansi K, Hemashri M., Chandana Lakshman Hegdepaper, "Blood Group Determination through Medical Image Processing", International Journal for Research in Applied Science and Engineering Technology. Vol 9, Issue v, May 2021.
- [10] Mehedi Talukdar, Md Rabiul Islam, Md. Mahfuz Reza, Mahbuba Begum, Md. Mahmudul Hasan, "Improvement of Accuracy of Human Blood Groups Determination using Image processing Techniques", International Journal of Advanced Research in Computer and Communication Engineering. Vol. 4 Issue 10, October 2015.
- [11] Nuha Odeh, Anas Toma, Falah Mohammed, "An Efficient system for Automatic Blood Type Determination Based on image Matching Techniques", MDPI stays neutral with regard to jurisdictional claims in published maps and institutional affiliations. Vol 11, June 2021
- [12] Pawar, A., & Yadav, R. (2020). Blood group classification using image processing and deep learning. *2020 International Conference on Smart Electronics and Communication (ICOSEC)* (pp. 326-330). IEEE.
- [13] S. M. Nazia Fathima, "Classification of Blood Types by Microscopic Color Images", International Journal of Machine Learning and Computing. Vol. 3, No 4, August 2013.
- [14] Shinde, S. S., & Gaikwad, V. A. (2021). Blood group detection using image processing and machine learning. *2021 8th International Conference on Computing for Sustainable Global Development (INDIACom)* (pp. 1071-1076). IEEE.