

PROFESSIONAL TRAINING - I

Submitted in partial fulfilment of the requirements for the award
of Bachelor of Technology degree in Biomedical Engineering.

By

ARSHATH HUSSAIN N

(Reg No – 41240041)



**DEPARTMENT OF BIOMEDICAL ENGINEERING
SCHOOL OF BIO AND CHEMICAL ENGINEERING**

SATHYABAMA

INSTITUTE OF SCIENCE AND TECHNOLOGY

(DEEMED TO BE UNIVERSITY)

Accredited with Grade “A++” by NAAC

JEPPIAAR NAGAR, RAJIV GANDHI SALAI, CHENNAI - 600 119.

OCTOBER – 2023



SATHYABAMA

INSTITUTE OF SCIENCE AND TECHNOLOGY
(DEEMED TO BE UNIVERSITY)


Accredited "A++" Grade by NAAC | 12B Status by UGC | Approved by AICTE

www.sathyabama.ac.in


DEPARTMENT OF BIO AND CHEMICAL SCIENCES

BONAFIDE CERTIFICATE

This is to certify that this Professional Training Report is the bonafide work of **N ARSHATH HUSSAIN (41240041)** who has completed the training program in **PROFESSIONAL TRAINING ON EXPLORING TOOLS AND TECHNIQUES FOR DRUG DISCOVERY** as a part of professional development under my supervision from 20/09/2023 to 23/09/2023.



Internal Guide


External Guide


Head of the Department
Dr. T. SUDHAKAR, M.Sc., PhD.
Head of the Department
Department of Biomedical Engineering
Sathyabama Institute of Science & Technology
(Deemed to be University)
Category I University by UGC
Jeppiaar Nagar, Rajiv Gandhi Salai,
Chennai - 600 079

Submitted for Viva voce Examination held on 03/09/2023


Internal examiner


External examiner



SATHYABAMA

INSTITUTE OF SCIENCE AND TECHNOLOGY
(DEEMED TO BE UNIVERSITY)

Accredited A++ Grade by NAAC | 12B Status by UGC | Approved by AICTE
www.sathyabama.ac.in



Exploring Bioanalytical Tools and Techniques for Drug Discovery

CERTIFICATE

This is to certify that Arshath Hussain has attended the Training session on “**Exploring Bioanalytical Tools and Techniques for Drug Discovery**” from 20th to 25th September 2023 jointly organized by the Department of Biomedical Engineering and Centre for Drug Discovery and Development, Sathyabama Institute of Science and Technology.

Dr. Krupakar Parthasarathy
Convener

Dr. T. Sudhakar
Convener

Dr. M. Radhakrishnan
Centre In-charge


Made for free with Certify'em

DECLARATION

I **N ARSHATH HUSSAIN** here by declare that the professional training Report completed by me during my professional training at “**SATHYABAMA CENTER FOR DRUG DISCOVERY AND DEVELOPMENT**” under the guidance of **Dr.A.SABARIVANI, M.Tech.,PhD.,** and **Ms.SINDU DIVAKARAN** is submitted in partial fulfillment of the requirements for the award of Degree in Bachelor of Technology in Biomedical Engineering 2021-2025.

DATE: 03.10.2023

PLACE: CHENNAI



SIGNATURE OF THE CANDIDATE

N ARSHATH HUSSAIN

ACKNOWLEDGEMENT

My first and foremost thanks to the Almighty for His blessings and grace towards me and for guiding me towards the path of success.

I wish to express my deep sense of gratitude to our **beloved Founder Chancellor Col. Dr. JEPPIAAR, M.A., B.L., Ph.D.**, for providing me an opportunity to educate myself.

I would also like to extend my gratitude towards our **Chancellor Dr. MARIAZEENA JOHNSON, B.E., M.B.A., M.Phil.,PhD.** and President **Dr. MARIE JOHNSON, B.E., M.B.A., M.Phil., PhD.** and our beloved vice presidents **Mr.J.ARUL SELVAN, Ms.MARIA BERNADETTE TAMILARASI, Ms.MARIA CATHERINE JAYAPRIYA** of Sathyabama Institute of Science and Technology, Chennai, for their extensive support to carry out my professional training.

I wish to convey my heartfelt sincere thanks to our Vice Chancellor **Dr.T.SASIPRABA,M.E., Ph.D.**, for her motivation and support during my professional training. I offer my sincere gratitude to our Pro Vice Chancellor **Dr.E.LOGASHANMUGAM, M.E., Ph.D.**, for his encouragement and support.

My sincere thanks to **Dr. RAMESH KUMAR, M.Sc.,Ph.D.** Dean, School of Bio And Chemical Engineering and **Dr.T.SUDHAKAR, M.Sc.,Ph.D.** Head of the Department, Department of Biomedical Engineering for providing me necessary support.

I would like to express my sincere and deep sense of gratitude to my Guides **Dr.SINDU DIVAKARAN, M.E., Ph.D.** and **Dr.A.SABARIVANI ,M.Tech.,Ph.D.** for their valuable guidance, suggestions and constant encouragement paved way for the successful completion of my professional training.

V.ABSTRACT

- The field of drug discovery and development is at the forefront of scientific innovation, continually striving to improve global healthcare by identifying new therapeutic agents and advancing them through rigorous testing and validation processes. As a pivotal part of this journey, my internship experience provided a unique opportunity to delve into the intricate world of pharmaceutical research, gaining valuable insights into the multifaceted processes involved in bringing new drugs from concept to market.
- | |
|---|
| <ul style="list-style-type: none">• This internship report serves as a comprehensive documentation of my hands-on experience and academic learning during the internship period. Throughout the report, I will delineate my involvement in various stages of drug discovery and development, highlighting the methodologies, challenges, and achievements encountered during the Internship. |
| <ul style="list-style-type: none">• The report is structured to provide a detailed overview of the pharmaceutical industry, the significance of drug discovery, and the complexities involved in transforming a novel idea into a viable, marketable medication. It will encapsulate my responsibilities, the projects I contributed to, and the skills I developed during my tenure. Additionally, the report will shed light on the integration of cutting-edge technologies, the collaborative efforts of multidisciplinary teams, and the ethical considerations essential in the drug development process. |
| <ul style="list-style-type: none">• Ultimately, this internship experience has not only enriched my knowledge but has also nurtured my passion for contributing to the advancement of medical science. Through this report, I hope to convey the depth of my engagement, the skills acquired, and the profound impact this internship has had on my understanding of the pharmaceutical industry and its critical role in global healthcare. |

VI. TABLE OF CONTENT

S.No	TITLE	Page No
1.	Introduction about drug discovery and development	10
2.	Drug Discovery and Development A lecture Session Dr.M. Radhakrishnan	11
2.1	Drug Discovery and Development	11
2.2	Preclinical Research	12
2.3	Clinical Trials	12
2.4	Regulatory Approval	12
2.5	Market Access and Post-market research	13
3.	Actinobacteria and Cryosphere Lecture and Lab Session	13
3.1	Diversity	13
3.2	Ecological Significance	14
3.3	Industrial Importance	14
3.4	Pathogenicity	14
3.5	Morphological features	14
3.6	Biotechnological Application	14
3.7	Biodiversity and Bioprospecting	15
3.8	Bioprospecting for Drug Compounds	15
4.	Drug Discovery Instrumentation practical session by Dr.T.Rajasekar and Dr.K. Manigundan	16
4.1	Light Microscope	17
4.2	Eppendorf Centrifuge 5810r	19
4.3	Remi r8c Centrifuge	21
4.4	Ultra Violet Chamber	22
4.5	Laminar air flow	24
4.6	Freezer Dryer	26
4.7	Shaking Incubator	28
4.8	Incubator	30
4.9	PCR	32
4.10	RT-PCR	34
4.11	Autoclave	36
4.12	Fermenter	38
5.	<u>Genomics and Proteomics lecture session by Dr. Krupakar Parthasarathy</u>	40
6.	Practical Session on Agarose Gel Electrophoresis	42

7	Biofouling and Natural synthetic dyes a lecture session by Dr.V.Gopikrishnan.	44
7.1	Synthetic of Dyes prevent from Biofouling:	45
8.	Chromatography lecture session	47
9.	Conclusion	49

VII.LIST OF FIGURE

Figure No	FIGURE NAME(based on occurrence inside report)	Page No
1.	Introduction about drug discovery and development	11
2.	Drug Discovery and Development A lecture Session by Dr.M.Radhakrishnan	12
3.	Actinobacteria	13
3.1	Cryosphere	13
3.2	Biodiversity and Bioprospecting	13
3.3	Microbes grown from glacier samples	14
4.1	Light Microscope	17
4.2	Eppendorf Centrifuge 5810r	19
4.3	Remi r8c Centrifuge	21
4.4	Ultra Violet Chamber	22
4.5	Laminar air flow	24
4.6	Freezer Dryer	26
4.7	Shaking Incubator	28
4.8	Incubator	30
4.9	PCR	32
4.10	RT-PCR	34
4.11	Autoclave	36
4.12	Fermenter	38
6.	Practical Session on Agarose Gel Electrophoresis	42
7.	Biofouling	44
7.1	Synthesis of Dyes	45
8.	Chromatography	48

VIII.ABBREVIATION

- HTS- high throughput screening
- IND- investigational new drug
- NDA-new drug application
- FDA-food and drug administration
- EMA-european medicine agency
- PCR-polymerase chain reaction
- LAF-laminar air flow
- RT PCR-reverse transcriptase-polymerase chain reaction
- RCF-relative centrifugal force
- UV-ultra violet
- HEPA-high efficiency particulates Air filter
- BOD-biochemical oxygen demand incubator
- SARS cov 2 -the virus causing COVID 19
- PSI- pounds per square inch
- FRET-fluorescence resonance energy transfer
- TSA-transportation security administration
- NMR-nuclear magnetic resonance
- QACS-quaternary ammonium compound
- LC-liquid chromatography
- HPLC-high performance liquid chromatography
- GC-gas chromatography
- TLC- thin layer chromatography
- SEC-size exclusion chromatography

INTERNSHIP REPORT

SATHYABMA University

Internships program on recent advances in biomedical science
from (20/09/23-25/09/23)

1. Introduction about drug discovery and development:

Firstly I would like to thank the

HOD OF BIOMEDICAL DEPARTMENT **Dr. SUDHAKAR SIR** and the CLASS COORDINATOR **Ms. SINDHU DHIVAKARAN** and each and every staff from SATHYABAMA UNIVERSITY for giving us this wonderful opportunity.

The day began with an Introduction about drug discovery and development by **Dr.Krupakar parthasarathy** and **Dr.M. Radhakrishnan** and aslo faculty members of **Sathyabama Research Park**.

The Drug Discovery and Development Internship offers a unique opportunity to delve into this dynamic arena, providing a comprehensive understanding of the entire drug development process from concept to market.

This internship is not just a professional opportunity; it is a transformative experience that will shape your perspective, enhance your skills, and inspire you to contribute meaningfully to the future of medicine. Welcome to the Drug Discovery and Development Internship – where scientific curiosity meets real-world application, and where the journey towards discovering innovative healthcare solutions begins.



Figure 1

2. Drug Discovery and Development A lecture Session by Dr.M.Radhakrishnan on 20th sept2023



Figure .2

DRUG DISCOVERY AND DEVELOPMENT:

Drug discovery and development is a complex and lengthy process that involves identifying new drug candidate, testing their safety and efficacy and bringing them to market for the treatment of various diseases and medical conditions. This process typically spans over a decade and requires significant financial investment, multidisciplinary expertise, and collaboration between various stakeholders including pharmaceutical companies, academic researchers, regulatory agencies, and healthcare professionals. Here's an introduction to the stages involved in this intricate process.

2.1. Drug Discovery and Development:

2.1.1 Target Identification and Validation:

- Scientists identify biological molecules (proteins, enzymes, genes) associated with diseases.
- These molecules become potential targets for drug action.

2.1.2 High Throughput Screening (HTS):

- Thousands to millions of compounds are tested against the target to identify active compounds.
- HTS uses robotics and automation to accelerate this process.

2.1.3 Hit to Lead Optimization:

- Active compounds are optimized for effectiveness, safety, and pharmacokinetic properties.
- Medicinal chemists modify the compound's structure to enhance its therapeutic potential.

2.2 Preclinical Research:

2.2.1 In Vitro and In Vivo Studies:

- Potential drug candidates undergo extensive testing in cells and animal models.
- Researchers evaluate the compound's efficacy, toxicity, and potential side effects.

2.2.2 Investigational New Drug (IND) Application:

- If preclinical studies are successful, researchers submit an IND application to regulatory authorities.
- This application contains data supporting the compound's safety and proposed human testing plans.

2.3 Clinical Trials:

2.3.1 Phase I:

- Small groups of healthy volunteers test the drug's safety, dosage range, and side effects.
- Researchers establish the drug's safety profile and optimal dosages.

2.3.2 Phase II:

- Larger groups of patients with the specific disease test the drug's effectiveness and side effects.
- Researchers determine the drug's efficacy and monitor adverse reactions.

2.3.3 Phase III:

- Large-scale trials are conducted on diverse patient populations to confirm efficacy and monitor adverse reactions.
- These trials provide substantial evidence of the drug's safety and effectiveness.

2.4. Regulatory Approval:

2.4.1 New Drug Application (NDA):

- Researchers submit NDA to regulatory agencies (such as the FDA in the United States or the EMA in Europe).
- The application includes data from all stages of testing and proposed drug labeling.

2.4.2 Post-Marketing Surveillance:

- After approval, the drug is continually monitored for unexpected side effects.
- Long-term effects and broader patient populations are studied.

2.5. Market Access and Post-Market Research:

2.5.1 Market Access:

- Pharmaceutical companies negotiate with healthcare providers and insurers to make the drug accessible to patients.
- Drug pricing and affordability become critical factors.

2.5.2 Post-Market Research:

- Ongoing research assesses the drug's long-term effects and potential new uses.
- Patient outcomes and real-world effectiveness are closely monitored.

The entire process, from discovery to market, can take over a decade and involves substantial investments of time, money, and scientific expertise. Additionally, regulatory standards and ethical considerations play a crucial role in ensuring the safety and efficacy of new medications before they reach patients.

3. Actinobacteria and Cryosphere Lab Session:



Figure 3

Actinobacteria is a phylum of bacteria known for their high G+C content in their DNA, making them distinct from other bacteria. They are Gram-positive, meaning they retain a violet crystal stain in the Gram staining process, indicating a thick peptidoglycan layer in their cell walls. Actinobacteria are widespread in nature and can be found in various environments, including soil, water, and even some extreme habitats.

Here are some key points about Actinobacteria:

3.1 Diversity:

- Actinobacteria represent a diverse group of bacteria, including various genera and species. Well-known genera include *Streptomyces*, *Mycobacterium*, *Corynebacterium*, and *Nocardia*.
- *Streptomyces*, in particular, is famous for its ability to produce numerous bioactive compounds, including antibiotics and enzymes.

3.2 Ecological Significance:

- Actinobacteria are vital decomposers in the ecosystem. They play a crucial role in breaking down complex organic matter, recycling nutrients, and enriching the soil.
- Some Actinobacteria establish symbiotic relationships with plants, aiding in nitrogen fixation and promoting plant growth.

3.3 Industrial Importance:

- Antibiotic Production: Streptomyces species have been a prolific source of antibiotics, such as streptomycin, tetracycline, and erythromycin, which have been essential in human medicine.
- Enzyme Production: Actinobacteria produce enzymes like amylases, proteases, and cellulases, which find applications in various industries, including food and textile processing.

3.4. Pathogenicity:

- While many Actinobacteria are harmless or beneficial, some species can cause diseases in humans and animals. For instance, Mycobacterium tuberculosis is the causative agent of tuberculosis in humans.

3.5. Morphological Features:

- Actinobacteria often have a filamentous structure, resembling fungal hyphae. The production of spores is a common feature among many Actinobacteria species.

3.6. Biotechnological Applications:

- Due to their ability to produce various bioactive compounds, Actinobacteria have significant potential in biotechnological applications, including drug discovery, bioremediation, and industrial enzyme production.

The study of Actinobacteria continues to be of great interest to scientists due to their diverse biological activities and their impact on human health, agriculture, and the environment. Ongoing research aims to explore their genetic potential further and harness their capabilities for various beneficial applications.

CRYOSPHERE LECTURE AND LAB SESSION:

The cryosphere refers to the frozen water part of the Earth system. It encompasses all the areas on and beneath the Earth's surface where water is found in solid form, including snow, glaciers, ice caps, ice sheets, sea ice, permafrost, and frozen ground. The term "cryosphere" comes from the Greek word "kryos," which means cold.




Figure 3.1

While the cryosphere (frozen water on Earth, including glaciers, ice sheets, sea ice, snowpacks, and permafrost) is not directly related to drug discovery, the study of extreme environments, including polar regions, has provided valuable insights into microbial life and the potential for biotechnological applications, which could indirectly influence drug discovery in various ways:

3.7 Biodiversity and Bioprospecting:

- Cold environments, including glaciers and permafrost, harbor unique microbial life adapted to extreme conditions. Scientists explore these environments for extremophiles (organisms thriving in extreme conditions) that might produce novel bioactive compounds with potential pharmaceutical applications. Extremophiles have led to the discovery of enzymes used in molecular biology techniques, which indirectly aid drug discovery research.




Figure 3.2

3.8 Bioprospecting for Drug Compounds:

- Microorganisms found in extreme cold environments might produce compounds with unique biological activities. Bioprospecting in these regions could yield novel molecules that have the potential to become drug candidates or inspire the design of synthetic drugs.




Fig. 3.3 Microbes grown from glacier samples compete with one another in a biochemical arms race

4. Drug Discovery Instruments Session by Dr.T. Rajasekar and Dr .K. Manigundan on 21st sep2023:

Dr. T .Rajasekar and Dr .K. Manigundan showed us various instruments using in drug discovery lab

- Light Microscope
- Eppendorf Centrifuge 5810r
- Remi r8c Centrifuge
- Ultra Violet Chamber
- Laminar Airflow
- Freeze Dryer
- Shaking Incubator
- Incubator
- PCR
- RT PCR
- Autoclave
- Fermentor

4.1 LIGHT MICROSCOPE:

The light microscope, also known as the optical microscope, is a fundamental tool in scientific research and education. It uses visible light and a system of lenses to magnify small, transparent samples, allowing scientists and students to study the intricate details of biological, geological, and material specimens.



Figure.4.1

Applications in the Laboratory:

Biological Studies:

Cell Biology: Observation of cell structure, organelles, and cell division.

Histology: Study of tissues and their structures.

Microbiology: Examination of bacteria, fungi, and other microorganisms.

Cytology: Study of individual cells and their structures.

Medical Research:

Pathology: Diagnosis of diseases through the examination of tissue samples.

Hematology: Analysis of blood cells and structures.

Material Science:

Metallurgy: Examination of metal structures and alloys.

Material Analysis: Study of polymers, crystals, and other materials at the microscopic level.

Environmental Studies:

Microorganisms: Study of bacteria and other microorganisms in environmental samples.

Soil Analysis: Examination of soil composition and organisms.

Components of a Light Microscope:

Objective Lens: The primary lens closest to the specimen, providing the initial magnification.

Eyepiece (Ocular Lens): The lens at the top of the microscope where you place your eye. It further magnifies the image.

Stage: The platform where the specimen is placed for observation.

Condenser Lens: Focuses light onto the specimen, ensuring proper illumination.

Light Source: Provides illumination for the specimen. In modern microscopes, this is typically an LED.

Diaphragm: Controls the amount of light passing through the specimen.

Coarse and Fine Focus Controls: These knobs allow precise focusing of the specimen.

Arm and Base: Provide support and stability to the microscope.

ADVANTAGS:

Cost-Effective: Light microscopes are generally more affordable than electron microscopes, making them accessible to many labs and educational institutions.

Live Specimen Observation: Unlike electron microscopes, light microscopes can observe living cells and organisms in real-time.

Versatility: They can be used for a wide range of samples, from biological specimens to materials.

Limitations:

Limited Magnification: Limited magnification compared to electron microscopes, typically up to 1000x.

Limited Resolution: Limited resolving power, preventing the observation of ultrafine details.

Transparency: Specimens must be thin and transparent to allow light to pass through.

In summary, light microscopes are indispensable tools in scientific research, education, and various industries. They provide valuable insights into the microscopic world, allowing scientists and researchers to make important discoveries and advancements in numerous fields.

4.2 Eppendorf Centrifuge 5810r:

The Eppendorf Centrifuge 5810R is a high-performance laboratory centrifuge manufactured by Eppendorf, a well-known company in the field of laboratory equipment. The Centrifuge 5810R is a refrigerated benchtop centrifuge designed for a wide range of applications in research, biotechnology, clinical laboratories, and other life science disciplines. Here are some key features and specifications of the Eppendorf Centrifuge 5810R:



Figure 4.2

Key Features:

Refrigeration: The 5810R model is refrigerated, allowing it to maintain low temperatures during centrifugation, making it suitable for applications requiring temperature control.

Versatility: It accommodates a variety of rotors and adapters, making it versatile for different tube sizes and types, including microcentrifuge tubes, PCR tubes, and larger conical tubes.

High-Speed Performance: The centrifuge is capable of high-speed centrifugation, allowing for rapid processing of samples.

User-Friendly Interface: The centrifuge features an intuitive control panel and a digital display for easy programming and monitoring of centrifugation parameters.

Safety Features: It comes with safety features such as imbalance detection, automatic rotor recognition, and a lid locking system to ensure safe operation.

Maintenance-Free Drive: The 5810R is designed with a maintenance-free drive system, reducing the need for frequent maintenance and ensuring long-term reliability.

Quiet Operation: It operates quietly, minimizing disturbance in the laboratory environment.

Programmable: The centrifuge allows users to store and recall custom programs for specific applications, providing flexibility in experimental setups.

Specifications:

Maximum Speed: Up to 14,000 RPM (rotations per minute) depending on the rotor and adapters used.

Maximum RCF (Relative Centrifugal Force): Up to 20,800 x g.

Temperature Range: -9°C to 40°C (with various available rotors for different temperature control options).

Rotor Options: The centrifuge supports a variety of rotors including fixed-angle and swing-bucket rotors for different types of tubes and applications.

Applications:

The Eppendorf Centrifuge 5810R is commonly used for a wide range of applications, including:

- DNA and RNA Purification
- Protein Isolation
- Cell Culture
- Microbiology
- Clinical Diagnostics
- Sample Preparation for Analytical Techniques

Overall, the Eppendorf Centrifuge 5810R is a reliable and versatile centrifuge system that meets the demands of various laboratory applications, providing researchers with efficient and consistent results.

4.3 Remi r8c Centrifuge:

The Remi R-8C is a laboratory centrifuge that's suitable for routine sample analysis in medical, hospital, pathology, and institutional laboratories. It's capable of reaching speeds of up to 3,600 RPM



Figure .4.3

Remi R8C Centrifuge Machine, Capacity: 300ml, Size/Dimension: 365 X 415 X 350mm. Laboratory Centrifuges model R-8C is suitable for routine sample analysis in Medical, Hospital, Pathology and Institutional laboratories. With a wide choice of rotor heads and adaptors, this unit are truly versatile.

The R-8C has the following features:

- Digital speed indicator
- Stepless speed regulator
- 0-99 minutes digital countdown timer
- Imbalance detector with cut off
- Safety lid interlock to prevent cover opening during centrifugation
- Press switch for quick acceleration to full speed
- Wide choice of rotor heads and adaptors
- Gas hinge to prevent door falling
- Emergency lid lock release
- Last set parameters recall
- Dynamic brake for quick deceleration
- Motor overload protection

The R-8C works using the sedimentation principle, where the concept of centripetal acceleration is put in operation to separate two immiscible substances.

4.4 Ultra Violet Chamber:

An ultraviolet (UV) chamber, also known as a UV light chamber or UV sterilization chamber, is a device designed to disinfect and sterilize various items using ultraviolet light. UV light, especially in the germicidal range (around 254 nanometers), is effective in killing or inactivating microorganisms such as bacteria, viruses, and fungi. UV chambers find applications in various fields, including healthcare, research, and industry.



Figure 4.4

How UV Chambers Work:

Ultraviolet Light: UV chambers use ultraviolet lamps that emit UV-C light, which has germicidal properties. UV-C light damages the DNA and RNA of microorganisms, preventing them from reproducing and causing infections.

Exposure Time: The items placed inside the chamber need to be exposed to UV-C light for a specific duration to ensure effective sterilization. The exposure time depends on the intensity of the UV light and the type of microorganisms being targeted.

Applications:

Healthcare: UV chambers are used to disinfect medical equipment, devices, and even entire hospital rooms. They are particularly useful in sterilizing items that are sensitive to heat and moisture.

Laboratories: Research laboratories use UV chambers to sterilize equipment, glassware, and biological safety cabinets. This is crucial to maintain aseptic conditions in experiments.

Pharmaceutical Industry: UV chambers are employed in pharmaceutical manufacturing facilities to sterilize packaging materials, production equipment, and even the air in cleanrooms.

Food Industry: UV chambers are used in food processing and packaging to disinfect surfaces, containers, and packaging materials, ensuring food safety.

Water Treatment: UV light is used to disinfect water by inactivating harmful microorganisms, making it safe for consumption.

Air Purification: Some UV chambers are designed for air purification, where they can kill airborne bacteria and viruses as air passes through the chamber.

Safety Considerations:

Eye and Skin Protection: UV-C light can be harmful to the eyes and skin. Proper protective gear must be worn when operating or being near UV chambers while they are in use.

Proper Use: Users must follow the manufacturer's guidelines regarding exposure times and recommended distances between the UV source and items being sterilized.

Room Ventilation: If UV chambers are used in enclosed spaces, proper ventilation is essential to prevent the accumulation of ozone, which can be produced in small amounts during UV-C sterilization.

UV chambers are valuable tools for disinfection, aiding in the prevention of infections and maintaining sterile conditions in various settings. However, they must be used with caution and in accordance with safety guidelines to ensure effective and safe sterilization processes.

4.5 **Laminar Air Flow:**

Laminar air flow (LAF) is a device that creates a particle-free working environment in laboratories. It's used to maintain a sterile, clean atmosphere when working with sensitive materials like tissue culture or electronic wafers.



Figure 4.5

A laminar air flow cabinet, also known as a tissue culture hood, clean bench, biological safety cabinet, or simply laminar hood, is a work surface enclosed in a boxlike structure mechanized to flood the inside of the enclosure with clean, sterilized air flowing in a laminar manner.



Figure 4.5

LAF units have the following components:

- A chamber with an air blower attached to its rear side
- A filter pad
- A fan
- A HEPA (High-Efficiency Particulates Air Filter)

The fan draws air through the filter pad, where dust is trapped. The pre-filtered air then passes through the HEPA filter, where contaminants such as bacteria, fungi, and microparticles are removed.




Figure 4.5

4.6 Freezer Dryer:

A **freeze dryer**, also known as a lyophilizer, is a laboratory equipment used to preserve perishable materials or make materials easier to transport and store. It works by freezing the material, then reducing the pressure and adding heat to allow the frozen water in the material to sublime. Sublimation is the process by which a substance transitions directly from a solid to a gas without passing through the liquid state.



Figure 4.6

Here are the key components and functions of a freeze dryer in a laboratory setting:

Freeze Drying Process:

- 1. Freezing:** The material is first frozen to a temperature where water molecules solidify, typically below its triple point.
- 2. Primary Drying (Sublimation):** The pressure inside the freeze dryer is reduced, and heat is applied, causing the frozen water to sublime, removing it from the material.
- 3. Secondary Drying:** In this phase, any unfrozen water molecules are removed. This is typically done at a slightly higher temperature and a lower pressure.

Components of a Freeze Dryer:

- 1. Vacuum Chamber:** The chamber is where the material is placed. It is sealed, and the pressure can be reduced to facilitate sublimation.
- 2. Condenser:** The condenser collects the sublimated water vapor, turning it back into ice or liquid water. This prevents the water vapor from escaping into the vacuum pump and maintains the vacuum in the chamber.
- 3. Vacuum Pump:** The vacuum pump maintains the reduced pressure inside the chamber, allowing for sublimation to occur at lower temperatures.
- 4. Heating Coils:** Heating coils provide the heat necessary for sublimation during the primary drying phase.
- 5. Control System:** The control system regulates the temperature, pressure, and timing of the different phases of the process.

Applications in the Laboratory:

- 1. Pharmaceuticals:** Freeze drying is used to preserve drugs, vaccines, and other pharmaceutical products. It allows for long-term storage without the need for refrigeration, which can be crucial for certain medications.
- 2. Biological Sample:** Freeze drying is used to preserve biological samples, such as tissues, enzymes, and microorganisms, for research and medical purposes.
- 3. Food Preservation:** Freeze drying is employed in the food industry to produce products like instant coffee, powdered milk, and freeze-dried fruits. It preserves the food while maintaining its taste and nutritional value.
- 4. Chemical Samples:** In laboratories, freeze drying is used to dry sensitive samples without the need for high temperatures, which might alter the sample's properties.
- 5. Archiving and Museum Specimens:** Freeze drying is used in museums and archives to preserve delicate historical artifacts, specimens, and documents.

Freeze drying is a valuable technique in various scientific and industrial fields, allowing for the preservation and storage of a wide range of materials.

4.7 Shaking Incubator:

A ****shaking incubator**** is a laboratory device that combines a controlled temperature environment with continuous agitation or shaking of samples. It is commonly used in various biological, chemical, and research applications. Shaking incubators are versatile tools that provide researchers with the ability to culture cells, grow microorganisms, conduct chemical reactions, and perform experiments that require constant mixing or agitation. Here are the key components and applications of shaking incubators in the lab.



Figure 4.7

Components of a Shaking Incubator:

- 1. Temperature Control:** Shaking incubators are equipped with a temperature control system, allowing users to set and maintain a specific temperature range. This is crucial for experiments involving temperature-sensitive samples.
- 2. Shaking Mechanism:** The shaking platform inside the incubator is equipped with a motorized mechanism that provides continuous or intermittent agitation. The shaking speed and amplitude can often be adjusted to suit different types of samples.
- 3. Racks and Holders:** Shaking incubators come with various racks, clamps, and holders designed to secure different types of labware, including flasks, microplates, test tubes, and culture bottles.
- 4. Control Panel:** The control panel allows users to set parameters such as temperature, shaking speed, and duration. Some advanced models may feature programmable settings for specific protocols.
- 5. Display:** A digital display shows real-time information, including temperature and shaking speed. It provides users with feedback on the operating conditions.

Applications of Shaking Incubators:

- 1. Cell Culture:** Shaking incubators are used in cell culture studies, providing a controlled environment for the growth and proliferation of cells. The agitation ensures even distribution of nutrients and oxygen.
- 2. Microbiology:** Shaking incubators are employed for the cultivation of microorganisms, including bacteria, yeast, and fungi. The constant shaking helps in aeration and prevents clumping of cells.
- 3. Biochemical Reactions:** Shaking incubators facilitate various biochemical and enzymatic reactions by providing consistent agitation. This is important for reactions that require mixing of reagents over time.
- 4. Solubility Studies:** Shaking incubators are used to study the solubility of substances in different solvents or conditions. Continuous agitation helps in achieving uniform mixing.
- 5. Hybridization Studies:** In molecular biology, shaking incubators are used for nucleic acid hybridization studies, where DNA or RNA probes are hybridized with target sequences for analysis.
- 6. Drug Discovery:** Shaking incubators are used in drug discovery research for processes like screening compounds and studying drug interactions.

Shaking incubators are indispensable tools in laboratories, offering precise control over experimental conditions and enabling a wide range of biological and chemical studies.

4.8 Incubator:

An **incubator** in a laboratory is a controlled environment used to grow and maintain microbiological cultures or cell cultures under specified conditions of temperature, humidity, and other variables. It provides a stable and controlled environment, allowing researchers to cultivate cells, grow microorganisms, conduct experiments, and store biological samples. Here are the key aspects of laboratory incubators:



Figure 4.8

Components and Features:

1. **Temperature Control:** Incubators maintain a constant temperature, typically ranging from a few degrees above room temperature to 85°C or higher. Some specialized incubators can go lower (as in refrigerated incubators) or higher (as in CO₂ incubators used for cell culture).
2. **Humidity Control:** Some incubators, especially those used in cell culture applications, maintain high humidity levels to prevent evaporation and desiccation of cell cultures.
3. **CO₂ Control:** CO₂ incubators are equipped with a CO₂ gas supply and sensor to regulate the CO₂ concentration, providing a controlled atmosphere for cell culture work.
4. **Shelving and Racks:** Incubators have adjustable shelving or racks to accommodate various types of culture vessels, such as Petri dishes, flasks, and microplates.
5. **Air Circulation:** Incubators have fans for uniform temperature and gas distribution throughout the chamber. This ensures that all samples in the incubator experience the same conditions.
6. **Alarm Systems:** Modern incubators come with alarm systems to alert users in case of temperature fluctuations, power failures, or other issues.

Types of Incubators:

- 1. Microbiological Incubators:** These are used for the cultivation of bacteria, fungi, and other microorganisms. They typically operate at temperatures between 25°C and 40°C.
- 2. CO₂ Incubators:** Essential for cell culture work, these maintain controlled levels of CO₂ (usually 5%) and higher humidity to create a physiologically relevant environment for cells.
- 3. Refrigerated Incubators:** These incubators have cooling capabilities, allowing them to maintain lower temperatures, making them suitable for experiments that require lower temperatures.
- 4. BOD Incubators:** Biochemical Oxygen Demand (BOD) incubators are designed for water quality analysis, maintaining samples at a specific temperature to measure the rate of biochemical oxygen demand.

Applications:

- 1. Cell Culture:** CO₂ incubators are used for cell and tissue culture experiments, providing a controlled environment for growing cells.
- 2. Microbiology:** Microbiological incubators are employed for culturing bacteria, fungi, and other microorganisms for research and diagnostic purposes.
- 3. Biochemical Assays:** Incubators are used for various biochemical experiments and assays requiring specific temperature conditions.
- 4. Hatching of Eggs:** Incubators are used in embryology and poultry farms for hatching eggs under controlled conditions.
- 5. Seed Germination:** Plant scientists use incubators to study seed germination patterns under different temperature and humidity conditions.

Laboratory incubators are essential tools in various scientific fields, providing the optimal conditions necessary for the growth and study of cells, microorganisms, and other biological samples.

4.9 PCR(Polymerase Chain Reaction):

Polymerase Chain Reaction (PCR) is a widely used laboratory technique that amplifies DNA segments. Developed in the 1980s, PCR has become a fundamental tool in molecular biology, genetics, forensics, and various other fields. Here's an overview of PCR in the laboratory:

Principle of PCR:

PCR amplifies specific DNA sequences through a series of temperature cycles. The process involves three main steps:

1. **Denaturation:** The DNA sample is heated to a high temperature (usually 94-98°C), causing the DNA strands to separate or denature into single strands.
2. **Annealing:** The temperature is lowered (typically between 50-65°C), allowing short DNA primers to bind (anneal) to complementary sequences on the single-stranded DNA template.
3. **Extension:** The temperature is raised slightly (usually around 72°C), and DNA polymerase extends the primers by adding nucleotides to create new DNA strands, complementary to the template.

These steps are repeated in multiple cycles, resulting in the exponential amplification of the targeted DNA region.



Figure 4.9

Components and Equipment:

- 1. DNA Template:** The DNA sample containing the target sequence to be amplified.
- 2. Primers:** Short DNA sequences that bind to specific regions flanking the target DNA segment.
- 3. DNA Polymerase:** Enzyme that synthesizes new DNA strands by adding nucleotides to the primers.
- 4. Nucleotides (dNTPs):** Individual units (A, T, C, G) used by DNA polymerase to build the new DNA strands.
- 5. Thermal Cycler:** Instrument that automates the PCR process, precisely controlling the temperature cycles.

Applications of PCR:

- 1. Genetic Research:** PCR is used to analyze genes, study genetic mutations, and conduct DNA sequencing.
- 2. Medical Diagnostics:** PCR is used in clinical labs for disease diagnosis, including infectious diseases, genetic disorders, and cancer.
- 3. Forensic Analysis:** PCR helps analyze DNA evidence in forensic investigations.
- 4. Microbiology:** PCR detects and identifies microorganisms, including bacteria and viruses.
- 5. Evolutionary Biology:** PCR is used to study evolutionary relationships by analyzing DNA sequences.
- 6. Environmental Science:** PCR identifies and characterizes microbial communities in environmental samples

Advantages of PCR:

- 1. Sensitivity:** PCR can detect minute amounts of DNA, making it highly sensitive.
- 3. Speed:** PCR amplifies DNA rapidly, producing millions of copies in a short time.
- 3. Specificity:** Primers can be designed to target specific DNA sequences with high specificity.
- 4. Versatility:** Various types of PCR can be adapted for specific applications, making it a versatile technique.

Polymerase Chain Reaction has revolutionized molecular biology and is a foundational technique in modern biological research and diagnostics. Its applications continue to expand, enabling scientists to explore the genetic and molecular underpinnings of various biological phenomena.

4.10. RT-PCR (Reverse Transcription Polymerase Chain Reaction)

Reverse Transcription Polymerase Chain Reaction (RT-PCR) is a powerful laboratory technique that combines the principles of reverse transcription and polymerase chain reaction. It is widely used in molecular biology to detect and quantify RNA molecules in biological samples. Here's an overview of RT-PCR:

Principle:

- 1. Reverse Transcription (RT):** RT-PCR starts with the reverse transcription process where RNA molecules are converted into complementary DNA (cDNA) by the enzyme reverse transcriptase. This step allows the detection of RNA, which is typically less stable than DNA.
- 2. Polymerase Chain Reaction (PCR):** The obtained cDNA is then subjected to PCR. PCR amplifies the cDNA, creating millions of copies of the target DNA sequence. This amplification allows for the detection and quantification of specific RNA sequences.



Figure 4.10




Figure 4.10

Components of RT-PCR:

- 1. RNA Template:** The RNA sample containing the target RNA sequence to be amplified.
- 2. Primers:** Short DNA sequences that bind to specific regions on the RNA template, providing a starting point for DNA synthesis during the reverse transcription step.
- 3. Reverse Transcriptase:** Enzyme that synthesizes complementary DNA (cDNA) from the RNA template.
- 4. DNA Polymerase:** Enzyme used in the PCR step to amplify the cDNA.
- 5. Nucleotides (dNTPs):** Individual units (A, T, C, G) used by DNA polymerase to build the new DNA strands.
- 6. Fluorescent Probes or DNA-binding Dyes:** Used to monitor the progress of the PCR reaction in real-time (real-time RT-PCR) or after the completion of the reaction.

Applications of RT-PCR:

- 1. Gene Expression Analysis:** RT-PCR is used to measure the expression levels of specific genes by quantifying the corresponding mRNA levels.
- 2. Viral Detection:** It is commonly employed in the diagnosis of viral infections, including HIV, influenza, and SARS-CoV-2 (the virus causing COVID-19).
- 3. Cancer Research:** RT-PCR helps in studying gene expression patterns in cancer cells, aiding in cancer diagnosis and prognosis.
- 4. Infectious Disease Research:** It is used to detect and study RNA viruses and bacteria in various infectious diseases.
- 5. Microbial Detection:** RT-PCR is used to identify and quantify specific RNA sequences in various microorganisms.

RT-PCR has revolutionized molecular biology and diagnostics, providing researchers and clinicians with a highly sensitive and specific tool for studying gene expression and detecting RNA viruses and other RNA-based molecules. Its applications in research, clinical diagnostics, and epidemiology continue to expand, contributing significantly to our understanding of diseases and their molecular mechanisms.

4.11. AUTOCLAVE:

Autoclave Machine:

An **autoclave** is a device used in laboratories and medical facilities to sterilize equipment and supplies by subjecting them to high-pressure saturated steam at elevated temperatures. The process kills bacteria, viruses, fungi, and spores, ensuring that the items sterilized are safe to use in sensitive environments such as laboratories, hospitals, and clinics.



Figure 4.11

Key Components:

- 1. Chamber:** The chamber is where the items to be sterilized are placed. It is sealed to contain the steam and maintain pressure.
- 2. Steam Generator:** A source of steam, often produced by heating water in a separate chamber. The steam is then introduced into the main chamber for sterilization.
- 3. Pressure and Temperature Controls:** Autoclaves have controls to regulate both pressure and temperature. Standard conditions are around 121°C (250°F) at 15 psi (pounds per square inch) for 15-20 minutes. Some autoclaves can achieve higher temperatures and pressures for specific applications.
- 4. Safety Features:** Autoclaves are equipped with safety mechanisms such as interlocking systems and pressure relief valves to prevent accidents.
- 5. Water Reservoir:** Autoclaves require a water supply for steam generation. Some models have built-in reservoirs, while others are connected to external water sources.
- 6. Digital Controls:** Modern autoclaves often have digital interfaces allowing precise control over sterilization parameters and cycle monitoring.

Autoclave Operation:

- 1. Loading:** Items to be sterilized are loaded into the chamber. It's crucial to arrange items to ensure proper steam penetration.
- 2. Closing and Sealing:** The chamber is sealed tightly to prevent steam leakage.
- 3. Evacuation:** Air is removed from the chamber to create a vacuum. Removing air is important because steam must contact all surfaces for effective sterilization.
- 4. Sterilization:** Steam is introduced into the chamber, raising the temperature and pressure to the desired levels for a specific duration, effectively sterilizing the items.
- 5. Drying:** After sterilization, some autoclaves have a drying cycle to remove excess moisture from the items.
- 6. Cooling:** The chamber is gradually depressurized and cooled before it can be safely opened.

Applications:

- 1. Laboratories:** Autoclaves are used to sterilize glassware, media, culture solutions, and laboratory instruments.
- 2. Hospitals and Clinics:** Medical autoclaves sterilize surgical equipment, dressings, gloves, and other medical supplies.
- 3. Pharmaceutical Industry:** Autoclaves are used to sterilize equipment and containers in pharmaceutical manufacturing.

Autoclaves are indispensable tools in environments where sterilization is critical. They ensure the safety of patients, researchers, and medical professionals by providing a reliable and efficient means of sterilizing equipment and supplies.

4.12. FERMENTOR:

Fermentor:

A fermentor, also known as a bioreactor, is a specialized vessel used in biotechnology and industrial microbiology for the cultivation of microorganisms such as bacteria, yeast, fungi, and algae. Fermentors provide controlled environments where microorganisms can grow, multiply, and produce various substances through fermentation processes. Here's an overview of fermentors



Figure 4.12

Key Components:

- 1. Vessel:** The main chamber where the fermentation process occurs. It's usually made of stainless steel or glass and can vary in size from small laboratory-scale fermentors to large industrial-scale vessels
- 2. Agitator:** A mechanical device, such as a stirrer or impeller, that provides agitation to ensure uniform mixing of the fermentation broth. Proper mixing is vital for oxygen and nutrient distribution to microorganisms.
- 3. Aeration and Oxygenation System:** Fermentors are equipped with systems to supply oxygen or air to the culture. Adequate oxygenation is crucial for aerobic microorganisms.
- 4. Temperature Control:** Fermentors have heating and cooling systems to maintain a constant temperature. Different microorganisms have specific temperature requirements for optimal growth and productivity.
- 5. pH Control:** pH levels are critical for many fermentation processes. Fermentors are equipped with pH sensors and controllers to maintain the desired pH level.
- 6. Nutrient Feeding System:** Microorganisms require specific nutrients like sugars, nitrogen sources, and minerals. Fermentors have systems to add nutrients during the fermentation process.

7. Foam Control: Fermentations often produce foam due to microbial activity. Anti-foaming agents and foam sensors are used to control and prevent excessive foaming.

8. Sensors and Monitoring Devices: Various sensors measure parameters such as temperature, pH, dissolved oxygen, and agitation speed. Monitoring these parameters is essential for process control.

Applications:

1. Pharmaceuticals: Fermentors are used in the production of antibiotics, vaccines, enzymes, and various pharmaceutical products.

2. Food and Beverages: Fermentors are employed in the production of beer, wine, yogurt, and other fermented foods and beverages.

3. Biofuels: Fermentation processes are used in the production of biofuels such as ethanol and biogas.

4. Enzyme Production: Fermentors are utilized for large-scale production of enzymes used in various industries.

5. Bioremediation: Microorganisms cultivated in fermentors are used for environmental cleanup, breaking down pollutants in soil and water.

6. Research and Development: Fermentors are essential tools in scientific research for studying microbial behavior and optimizing fermentation processes.

Fermentors play a crucial role in biotechnological industries, enabling the production of a wide range of products vital for human health, food production, and environmental sustainability. Their ability to provide controlled and optimized environments for microbial growth makes them indispensable in modern bioprocessing.

5. Genomics and Proteomics lecture session by Dr. Krupakar Parthasarathy on 22nd sept2023:

Dr. Krupakar parthasarathy conducted a lecture session about genomics and proteomics in drug discovery and development .He also taught us about Biophyscial techniques in Drug Discovery.

Genomics:

Genomics is the study of an organism's entire genome, which comprises all of its genes and nucleotide sequences. Genomic research involves mapping, sequencing, and analyzing genomes to understand genetic variations, heredity, and gene functions. In drug discovery

Identification of Drug Targets: Genomic studies help identify specific genes associated with diseases. Targeting these genes can lead to the development of new drugs or therapies.

Pharmacogenomics: Genomic information is used to understand how genetic variations influence an individual's response to drugs. This knowledge aids in personalized medicine, tailoring treatments based on a person's genetic makeup.

Disease Understanding: Genomics provides insights into the genetic basis of diseases, enabling researchers to develop targeted therapies for conditions like cancer and genetic disorders.

Proteomics:

Proteomics focuses on the large-scale study of proteins, including their structures, functions, and interactions. It involves techniques to identify and quantify proteins in biological samples. In drug discovery:

Biomarker Discovery: Proteomic analyses help identify specific proteins associated with diseases. Biomarkers can be used for early disease detection, diagnosis, and monitoring treatment responses.

Drug Target Validation: Proteomics helps validate potential drug targets by studying their protein interactions, pathways, and modifications. Validated targets are crucial for developing effective drugs.

Understanding Disease Mechanisms: Proteomics provides insights into the protein networks and pathways involved in diseases. Understanding these mechanisms is vital for developing drugs that can modulate specific protein activities.

Drug Development: Proteomics is used to assess drug efficacy, toxicity, and side effects. It helps in understanding how drugs interact with cellular proteins, aiding in the development of safer and more efficient medications.

Together, genomics and proteomics play pivotal roles in advancing drug discovery and development, allowing researchers to target specific genes and proteins associated with diseases and develop personalized, targeted therapies for various medical conditions.

Biophysical techniques in drug discovery:

Biophysical techniques in drug discovery refer to a set of experimental methods that analyze the physical properties of biological molecules to gain insights into their structure, function, and interactions. These techniques are crucial in drug discovery for understanding biomolecular interactions, validating drug targets, and characterizing drug candidates. Here are some important biophysical techniques used in drug discovery.

Hit generation: (10^3 - 10^6 compounds)

High-throughput screening (10^5 - 10^6 compounds)

- Fluorescence-based techniques (FRET, FP, etc.)
- AS-MS
- Microarray SPR (immobilized compound library)
- TSA

Fragment-based screening (10^3 - 10^4 compounds)

- NMR (ligand-observed, protein-observed)
- X-ray crystallography
- TSA
- SPR (immobilized protein)
- NC-MS

Hit-to-lead/lead optimization (10^1 - 10^2 compounds)

- NMR (protein-observed)
- X-ray crystallography
- SPR (immobilized protein) ITC
- NC-MS

6. Practical Session on Agarose Gel Electrophoresis :

It seems like there might be a typo in your question. I assume you're referring to "agarose gel electrophoresis," which is a widely used technique in molecular biology for separating and analyzing DNA molecules based on their size.

Principle:

Agarose gel electrophoresis works on the principle that negatively charged DNA molecules will migrate towards the positive electrode (anode) when an electric field is applied. The agarose gel, made from a polysaccharide derived from seaweed, provides a matrix through which the DNA molecules can move. Smaller DNA fragments move faster through the gel, while larger fragments move more slowly.




Figure 6.0



Figure 6.0

Procedure:

1. Preparing the Gel: Agarose powder is mixed with a buffer solution and heated to create a gel. The gel is poured into a casting tray with a comb inserted, creating wells for sample loading.

2. Loading the Samples: DNA samples, often mixed with a loading dye for better visibility, are pipetted into the wells.

3. Running Electrophoresis: The gel-filled tray is placed in an electrophoresis chamber filled with buffer solution. An electric current is applied, causing the DNA fragments to migrate through the gel.

4. Visualization: After electrophoresis, the DNA fragments are not visible to the naked eye. The gel is stained with a fluorescent dye like ethidium bromide, which binds to DNA and fluoresces under ultraviolet (UV) light. The DNA bands can be observed and documented using UV imaging systems.

Applications:

1. DNA Separation: Agarose gel electrophoresis is used to separate DNA fragments for analysis, such as DNA restriction digests or PCR products.

2. Purity and Quantity Assessment: It helps in assessing the purity and concentration of DNA samples. Contaminants or degraded DNA can be detected.

3. Size Estimation: By comparing the distance migrated by sample DNA fragments to that of a DNA ladder (a set of DNA fragments with known sizes), the sizes of unknown DNA fragments can be estimated.

4. Genetic Research: Agarose gel electrophoresis is essential for genetic studies, including genotyping, DNA fingerprinting, and analyzing genetic mutations.

5. Quality Control: It's used in laboratories to check the quality of DNA samples before proceeding to more advanced techniques like sequencing.

Agarose gel electrophoresis is a fundamental and versatile technique in molecular biology, providing researchers with a simple yet powerful tool for analyzing DNA fragments, ensuring the integrity and purity of DNA samples, and making critical decisions in genetic research and diagnostics.

7. Biofouling and Natural synthetic dyes a lecture session by Dr.V.Gopikrishnan on 25th sept2023:

Dr .V. Gopikrishnan conducted a lecture session about Biofouling and natural synthetic of dyes.

Biofouling:

Biofouling refers to the unwanted accumulation of microorganisms, plants, algae, or animals on submerged surfaces, such as ship hulls, underwater pipelines, and marine equipment. It's a natural process where organisms attach and grow on these surfaces, leading to the formation of complex and diverse communities known as biofilms. Biofouling has significant economic and environmental implications across various industries. Here are the key aspects of biofouling:

1. Types of Biofouling:

- 1. Microfouling:** Microorganisms, including bacteria and algae, adhere to surfaces and form biofilms.
- 2. Macrofouling:** Larger organisms such as barnacles, mussels, and tubeworms attach to surfaces, creating visible colonies.

2. Impact and Consequences:

- 1. Increased Drag:** Biofouling on ship hulls increases hydrodynamic drag, leading to increased fuel consumption and reduced speed.
- 2. Corrosion:** Biofouling can accelerate corrosion of metal surfaces due to the microbial activity and accumulation of acidic metabolic products.
- 3. Equipment Damage:** In industrial settings, biofouling can damage pumps, heat exchangers, and other equipment, leading to maintenance issues and reduced efficiency.
- 4. Spread of Invasive Species:** Biofouling organisms can act as vectors for transporting invasive species to new environments, disrupting local ecosystems.

3. Prevention and Control:

- 1. Antifouling Coatings:** Special paints and coatings, called antifouling paints, are applied to surfaces to deter fouling organisms. These coatings release biocides that deter biofouling.
- 2. Ultrasonic and Electrochemical Methods:** Some technologies use ultrasound or electric fields to prevent biofouling by deterring organisms from attaching to surfaces.
- 3. Biological Controls:** Certain natural predators or organisms, like certain species of fish or crustaceans, can be introduced to control fouling organisms in specific environments.

5. Research and Innovation:

1. Biomimicry: Researchers study natural processes in marine organisms to develop innovative antifouling techniques, imitating natural mechanisms that prevent biofouling.

2. Nanotechnology: Nanomaterials are being explored for their potential to create antifouling surfaces, where the nanoscale texture prevents the attachment of fouling organisms.

Biofouling is a persistent challenge, especially in maritime and industrial sectors, requiring ongoing research and innovative solutions to minimize its economic and environmental impact.



Figure 7.0



Figure 7.0

7.1 Synthetic of Dyes prevent from Biofouling:

Developing synthetic dyes to prevent biofouling is an active area of research in the field of marine biology and materials science. The aim is to create coatings that are effective against fouling organisms while being environmentally friendly. Scientists are exploring various synthetic strategies to design dyes that can deter or inhibit the attachment of marine organisms. Here are a few approaches used in the synthesis of such dyes.

7.1.1. Antifouling Polymers with Dye Moieties:

Researchers design polymers with antifouling properties and incorporate dye molecules into their structures. These dyes can have specific chemical properties that repel fouling organisms. By carefully selecting the dye molecules and their arrangements within the polymer structure, scientists aim to create surfaces that inhibit biofouling.

7.1.2. Quaternary Ammonium Compounds (QACs) Functionalized with Dyes:

QACs are known for their antimicrobial properties. By functionalizing QACs with specific dye molecules, researchers create hybrid compounds that not only repel microorganisms but also have visible indicators (due to the dye) of their effectiveness. These compounds can be incorporated into coatings for various marine applications.

7.1.3. Incorporating Photosensitive Dyes:

Certain dyes are sensitive to light, and exposure to specific wavelengths can trigger chemical reactions. Scientists are exploring the incorporation of photosensitive dyes into coatings. When exposed to light, these dyes can release substances or undergo changes that deter fouling organisms, making them a promising area of research for environmentally friendly antifouling solutions.

7.1.4. Biomimetic Dye Structures:

Researchers study natural compounds that marine organisms produce to prevent biofouling. By mimicking these natural compounds' structures, scientists design synthetic dyes with similar antifouling properties. Biomimetic approaches allow the creation of dyes that are effective against specific fouling organisms while being non-toxic to the marine environment.

7.1.5. Combining Dyes with Nanotechnology:

Nanotechnology offers precise control over material structures at the nanoscale. Scientists are developing nanocoatings that incorporate synthetic dyes. These coatings have nanostructures that enhance the dyes' antifouling properties, making them more effective at deterring biofouling organisms.

7.1.6. Evaluating Environmental Impact:

Crucially, researchers are assessing the environmental impact of these synthetic dyes. Efforts are made to ensure that the compounds used and their degradation products do not harm marine ecosystems, aligning with the goal of creating eco-friendly antifouling solutions.

The development of synthetic dyes for preventing biofouling is a multidisciplinary effort involving chemistry, materials science, and marine biology. These innovative solutions aim to provide effective antifouling coatings for various marine applications while minimizing the environmental impact on aquatic ecosystems.



Figure 7.1

8. Chromatography lecture session:

Chromatography in the Laboratory:

Chromatography is a powerful laboratory technique used to separate and analyze complex mixtures based on the differential interactions between the components of the mixture and a stationary phase within a mobile phase. There are several types of chromatography techniques, each with specific applications and principles. Here's an overview of chromatography in the laboratory:

Principle:

Chromatography relies on the principle that different compounds in a mixture have varying affinities for the stationary phase and the mobile phase. As the mixture passes through the stationary phase, the components are separated based on their different interactions, leading to distinct bands or peaks in the chromatogram.

Common Types of Chromatography:

1. Liquid Chromatography (LC):

High-Performance Liquid Chromatography (HPLC): Uses a liquid as the mobile phase, and is often used for analyzing and purifying compounds in pharmaceuticals, food, and environmental samples.

Gas Chromatography (GC): Uses a gas as the mobile phase and is suitable for separating volatile compounds. It's widely used in forensic analysis, environmental monitoring, and drug testing.

2. Thin-Layer Chromatography (TLC):

Thin-Layer Chromatography: Involves a stationary phase coated on a thin layer, often a glass plate. It's a quick and cost-effective method for qualitative analysis and is used in drug testing and pesticide analysis.

3. Column Chromatography:

Flash Chromatography: Uses low-pressure liquid chromatography for rapid purification of compounds. It's common in organic synthesis labs.

Preparative Chromatography: Scales up the process for isolating larger quantities of compounds for further analysis or use.

4. Affinity Chromatography:

Affinity Chromatography: Uses a specific ligand on the stationary phase to capture and separate biomolecules like proteins. It's crucial in protein purification and biochemistry research.

5. Size-Exclusion Chromatography (SEC):

Size-Exclusion Chromatography: Separates molecules based on their size. It's often used in biochemistry to determine the molecular weight and structure of proteins and polymers.

Applications:

1. Pharmaceuticals: Chromatography is used to analyze drug formulations, detect impurities, and purify drug compounds during research and development.

2. Environmental Analysis: Chromatography helps in detecting pollutants, pesticides, and heavy metals in environmental samples.

3. Food and Beverage Industry: Used for quality control, determining nutritional content, and detecting contaminants in food and beverages.

4. Forensic Science: Chromatography is crucial for drug testing, analyzing trace evidence, and identifying compounds in forensic samples.

Research and Development: Scientists use chromatography for various research purposes, such as studying biological molecules, analyzing natural products, and investigating chemical reactions.

Chromatography is a versatile and indispensable tool in analytical chemistry, enabling scientists to separate, analyze, and purify a wide range of compounds for research, quality control, and various industrial applications.




Figure 8

9. CONCLUSION:

The drug discovery and development internship provided invaluable insights into the complex and dynamic field of pharmaceutical research. Throughout the internship, various aspects of the drug development process were explored, from initial target identification to preclinical and clinical testing, and regulatory approval. This experience highlighted the significance of interdisciplinary collaboration, meticulous planning, and innovative thinking in the pursuit of novel therapeutic agents.

One of the key takeaways from this internship was the realization of the immense challenges faced by researchers and developers in bringing a new drug to market. Moreover, the internship underscored the critical role of technology and data analysis in accelerating the drug discovery process. Advanced computational methods and artificial intelligence are becoming increasingly integral in identifying potential drug candidates, expediting the screening process, and optimizing molecular structures for enhanced efficacy and safety.

In conclusion, the drug discovery and development internship was a transformative experience that deepened my understanding of the pharmaceutical industry. It reinforced the importance of scientific innovation, ethical integrity, and strategic thinking in the pursuit of groundbreaking medical solutions. This internship has not only equipped me with practical knowledge but also instilled a sense of purpose and responsibility as a future professional in the field. As I move forward in my career, I am inspired to contribute meaningfully to the development of innovative and ethical pharmaceutical solutions that have the potential to improve the lives of patients worldwide.

REFERENCE:

1. <https://www.thermofisher.com/>
2. <https://www.agilent.com/>
3. <https://www.perkinelmer.com/>
4. <https://www.waters.com/>
5. <https://www.bio-rad.com/>

