

BLOCKCHAIN - BASED MANAGEMENT FOR ORGAN DONATION AND TRANSPLANTATION

Submitted in partial fulfillment of the
requirements for the award of
Bachelor of Engineering degree in Computer Science and Engineering

By

SIDDHANTHI ADHARVAN ATHREYA (Reg.No - 40111226)
VATTIKUNTA SAI CHARAN CHOWDARY (Reg.No- 40111406)



DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING
SCHOOL OF COMPUTING

SATHYABAMA

**INSTITUTE OF SCIENCE AND TECHNOLOGY
(DEEMED TO BE UNIVERSITY)**

**Accredited with Grade "A++" by NAAC
JEPPIAAR NAGAR, RAJIV GANDHISALAI,
CHENNAI - 600119**

APRIL - 2024



SATHYABAMA
INSTITUTE OF SCIENCE AND TECHNOLOGY

(DEEMED TO BE UNIVERSITY)

Category - I University by UGC


Accredited "A++" by NAAC | Approved by AICTE

www.sathyabama.ac.in


DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING

BONAFIDE CERTIFICATE

This is to certify that this Project Report is the bonafide work of **SIDDHANTHI ADHARVAN ATHREYA (40111226)** and **VATTIKUNTA SAI CHARAN CHOWDARY (40111406)** who carried out the project entitled "**BLOCKCHAIN - BASED MANAGEMENT FOR ORGAN DONATION AND TRANSPLANTATION**" under my supervision from November 2023 to April 2024.


Internal Guide


Dr. SUBATHRA.G, M.E., Ph.D.



Head of the Department

Dr. LAKSHMANAN M.E., Ph.D.
DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING

SATHYABAMA
INSTITUTE OF SCIENCE AND TECHNOLOGY
(DEEMED TO BE UNIVERSITY)

Submitted for Viva voice Examination held on 12/4/24
Jeppiaar Nagar, Rajiv Gandhi Salai,
Chennai - 600 119.


Internal Examiner



External Examiner

DECLARATION

I, VATTIKUNTA SAI CHARAN CHOWDARY (40111406) hereby declare that the Project Report entitled **BLOCKCHAIN - BASED MANAGEMENT FOR ORGAN DONATION AND TRANSPLANTATION** done by me under the guidance of Dr.SUBATHRA.G, M.E., Ph.D. is submitted in partial fulfillment of the requirements for the award of Bachelor of Engineering degree in **Computer Science and Engineering**.

DATE: 12/04/2024

PLACE: Chennai



SIGNATURE OF THE CANDIDATE



SATHYABAMA

INSTITUTE OF SCIENCE AND TECHNOLOGY

(DEEMED TO BE UNIVERSITY)

Category - I University by UGC

Accredited "A++" by NAAC | Approved by AICTE

www.sathyabama.ac.in

DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING

BONAFIDE CERTIFICATE

This is to certify that this Project Report is the bonafide work of **SIDDHANTHI ADHARVAN ATHREYA (40111226)** and **VATTIKUNTA SAI CHARAN CHOWDARY (40111406)** who carried out the project entitled "**BLOCKCHAIN - BASED MANAGEMENT FOR ORGAN DONATION AND TRANSPLANTATION**" under my supervision from November 2023 to April 2024.

Internal Guide

Dr. SUBATHRA.G, M.E., Ph.D.

Head of the Department

HEAD OF THE DEPARTMENT

DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING

Dr. SATHYANARAYAN M.E., Ph.D.

SATHYABAMA

INSTITUTE OF SCIENCE AND TECHNOLOGY

(DEEMED TO BE UNIVERSITY)

Jeppiaar Nagar, Rajiv Gandhi Salai,

Chennai - 600 119

Submitted for Viva voice Examination held on

12/04/24

Internal Examiner


External Examiner

DECLARATION

I, **SIDDHANTHI ADHARVAN ATHREYA (40111226)** hereby declare that the Project Report entitled **BLOCKCHAIN - BASED MANAGEMENT FOR ORGAN DONATION AND TRANSPLANTATION** done by me under the guidance of **Dr.SUBATHRA.G, M.E., Ph.D.** is submitted in partial fulfillment of the requirements for the award of Bachelor of Engineering degree in **Computer Science and Engineering**.

DATE: 12/04/24

PLACE: Chennai


SIGNATURE OF THE CANDIDATE

ACKNOWLEDGEMENT

I am pleased to acknowledge my sincere thanks to the Board **of Management** of **SATHYABAMA** for their kind encouragement in doing this project and for completing it successfully. I am grateful to them.

I convey my thanks to **Dr. T.Sasikala M.E., Ph. D, Dean**, School of Computing, **Dr.L.Lakshmanan M.E., Ph.D.**, Head of the Department of Computer Science and Engineering for providing me necessary support and details at the right time during the progressive reviews.

I would like to express my sincere and deep sense of gratitude to my Project Guide **Dr. SUBATHRA.G, M.E., Ph.D.**, for her valuable guidance, suggestions and constant encouragement paved way for the successful completion of my phase-1 project work.

I wish to express my thanks to all Teaching and Non-teaching staff members of the **Department of Computer Science and Engineering** who were helpful in many ways for the completion of the project.

ABSTRACT

Abstract:

The proposed project seeks to revolutionize the management of organ donation and transplantation through the innovative application of blockchain technology. Traditional systems for organ donation often encounter challenges related to centralized data storage, leading to concerns regarding data security, transparency, and integrity. By leveraging the decentralized and immutable nature of blockchain, this project aims to address these challenges by creating a transparent and secure platform for managing the entire organ donation and transplantation process. Utilizing blockchain technology, each step of the process, including donor registration, organ availability, transplant requests, and medical records, will be recorded as transactions on the blockchain. This ensures the integrity and authenticity of the data, mitigating the risk of fraud and unauthorized access while enhancing transparency. Furthermore, smart contracts, programmable self-executing contracts stored on the blockchain, will automate various aspects of the process, such as donor-recipient matching and organ allocation, thereby reducing administrative overhead and accelerating the transplantation process. Through the implementation of this blockchain-based management system, the project aims to improve patient outcomes, save lives, and advance the efficiency and integrity of organ donation and transplantation practices.

TABLE OF CONTENTS

Chapter No	TITLE		Page No.
	ABSTRACT		v
	LIST OF FIGURES		vii
1	INTRODUCTION		1
	1.1	Objective of The Study	2
2	LITERATURE SURVEY		3
	2.1	Inferences from Literature Survey	3
	2.2	Existing System and Proposed System	8
	2.3	Open problems in Existing System	9
3	REQUIREMENTS ANALYSIS		11
	3.1	Feasibility Study	11
	3.2	Software Requirements Specification	13
4	DESCRIPTION OF PROPOSED SYSTEM		14
	4.1	Selected Methodology or process model	14
	4.2	Architecture / Overall Design of Proposed System	15
	4.3	Description of Software for Implementation and Testing plan of the Proposed Model/System	17
	4.4	Project Management Plan	24
5	RESULTS AND DISCUSSION, PERFORMANCE ANALYSIS		25
6	SUMMARY AND CONCLUSION		29
7	REFERENCES		31
	SOURCE CODE		33
	APPENDIX		33

LIST OF FIGURES

Figure No.	Figure Name	Page No.
4.2	System Architecture	15
4.2.1	Flow Diagram	16
5.1	Performance Metrics	25
5.2	Typical and Maximum Preservation Times for Donated Organs	26
5.3	Impact of Blockchain in Organ Donation	27
5.4	Innovations in Organ Donation through Blockchain	28

CHAPTER 1

INTRODUCTION

The management of organ donation and transplantation stands as a critical pillar in healthcare, offering hope and life to countless individuals facing organ failure. However, conventional approaches to managing these processes encounter persistent challenges, including issues of data security, transparency, and efficient coordination. Centralized data storage systems inherent in traditional management frameworks often fall short in ensuring the integrity and accessibility of sensitive medical information, leaving room for errors, manipulation, and unauthorized access. Recognizing these shortcomings, this project proposes a transformative solution by harnessing the potential of blockchain technology. Blockchain, renowned for its decentralized and immutable nature, presents a promising avenue to address the limitations of existing systems. By employing blockchain technology, we aim to revolutionize the management of organ donation and transplantation processes, fostering transparency, security, and efficiency throughout the entire lifecycle. Through the decentralization of data storage and utilization of transparent ledger systems, blockchain ensures that every transaction, from donor registration to organ allocation and transplantation, is securely recorded and accessible to authorized stakeholders. Moreover, the implementation of smart contracts, programmable self-executing protocols, streamlines and automates key processes, such as donor-recipient matching and organ allocation, minimizing delays and administrative overhead. This holistic approach not only mitigates the risk of data manipulation and fraud but also enhances the speed and accuracy of decision-making, ultimately improving patient outcomes and increasing the efficacy of organ transplantation systems. By embracing blockchain-based solutions, this project endeavors to redefine the landscape of organ donation and transplantation management, paving the way for a more equitable, transparent, and efficient healthcare ecosystem.

1.1 OBJECTIVE OF THE STUDY

The primary objective of this study is to design, develop, and evaluate a blockchain-based management system for organ donation and transplantation. Specific objectives include:

- To analyze the existing challenges and limitations in the current organ donation and transplantation management systems, particularly in terms of data security, transparency, and efficiency.

- To explore and understand the underlying principles and functionalities of blockchain technology and its potential application in healthcare, specifically in the context of organ donation and transplantation.

- To design a decentralized architecture for the management system, including data storage, transaction processing, and access control mechanisms, leveraging blockchain technology.

- To develop smart contracts that automate key processes within the organ donation and transplantation lifecycle, such as donor-recipient matching, organ allocation, and regulatory compliance.

- To implement and deploy the blockchain-based management system in a simulated or real-world environment, ensuring interoperability with existing healthcare infrastructure and compliance with regulatory standards.

- To evaluate the performance, security, and usability of the developed system through qualitative and quantitative analysis, including measures such as transaction throughput, data integrity, user satisfaction, and regulatory compliance.

- To assess the potential impact of the blockchain-based management system on organ donation and transplantation practices, including its ability to enhance transparency, security, and efficiency, ultimately improving patient outcomes and saving lives.

- To provide recommendations for the future refinement and adoption of blockchain technology in healthcare, particularly in the domain of organ donation and transplantation management.

CHAPTER 2

LITERATURE SURVEY

2.1 INFERENCES FROM LITERATURE SURVEY :

Tutun, S., Harfouche, A., Albizri, A., Johnson, M. E., & He, H. (2022). A Responsible AI Framework for Mitigating the Ramifications of the Organ Donation Crisis. Information Systems Frontiers, 1-16.

This paper proposes a Responsible AI Framework to address the challenges posed by the organ donation crisis. By leveraging artificial intelligence (AI), the framework aims to enhance the efficiency and effectiveness of organ donation processes. The authors highlight the importance of ethical considerations in deploying AI solutions in this domain, emphasizing transparency, accountability, and fairness. Through this framework, they suggest methods to optimize organ allocation, increase donor registrations, and improve communication among stakeholders. By integrating AI responsibly, the authors aim to mitigate the complexities associated with organ donation, ultimately contributing to saving more lives.

Fox, D. E., Donald, M., Chong, C., Quinn, R. R., Ronksley, P. E., Elliott, M. J., & Lam, N. N. (2022). A qualitative content analysis of comments on press articles on deemed consent for organ donation in Canada. Clinical Journal of the American Society of Nephrology, 17(11), 1656-1664.

This study conducts a qualitative content analysis of public comments on press articles discussing deemed consent for organ donation in Canada. Through analyzing these comments, the authors aim to understand public perceptions, concerns, and attitudes towards the implementation of deemed consent policies. The findings provide insights into the factors influencing public opinion on organ donation legislation, shedding light on potential barriers and facilitators to policy acceptance. Understanding public discourse

is crucial for policymakers to design effective strategies for increasing organ donation rates while respecting societal values and preferences.

Qu, Z., Oedingen, C., Bartling, T., Krauth, C., & Schrem, H. (2023). Systematic review on the involvement and engagement of patients as advisers for the organisation of organ transplantation services. BMJ open, 13(5), e072091.

This systematic review investigates the involvement and engagement of patients as advisers in the organization of organ transplantation services. By synthesizing existing literature, the authors explore the roles patients play in advising healthcare providers and policymakers on improving transplantation practices. The review identifies various strategies for incorporating patient perspectives into decision-making processes, highlighting the importance of patient-centered approaches in healthcare delivery. The findings underscore the need for collaborative efforts between healthcare professionals and patients to enhance the quality and equity of organ transplantation services.

Rosaasen, C., Rosaasen, N., Mainra, R., Trachtenberg, A., Ho, J., Parsons, C., ... & Mansell, H. (2022). Waitlisted and Transplant Patient Perspectives on Expanding Access to Deceased-Donor Kidney Transplant: A Qualitative Study. Canadian Journal of Kidney Health and Disease, 9, 20543581221100291.

This qualitative study explores the perspectives of waitlisted and transplant patients regarding the expansion of access to deceased-donor kidney transplantation. Through interviews and thematic analysis, the authors examine patient experiences, preferences, and suggestions for improving kidney transplant allocation policies. The study highlights the importance of considering patient voices in shaping organ donation and allocation strategies, emphasizing the need for equitable and transparent processes. By understanding patient perspectives, policymakers and healthcare providers

can develop interventions that address the diverse needs of individuals awaiting kidney transplantation.

Anselmo, A., Materazzo, M., Di Lorenzo, N., Sensi, B., Riccetti, C., Lonardo, M. T., ... & Tisone, G. (2023). Implementation of Blockchain Technology Could Increase Equity and Transparency in Organ Transplantation: A Narrative Review of an Emergent Tool. *Transplant International*, 36, 10800.

This narrative review explores the potential of blockchain technology to enhance equity and transparency in organ transplantation. By analyzing the literature, the authors discuss how blockchain can address challenges such as organ scarcity, organ trafficking, and data security in transplantation systems. The review suggests that blockchain-based solutions offer decentralized and tamper-resistant platforms for tracking organ allocation, ensuring fair distribution, and safeguarding patient information. By leveraging blockchain, healthcare stakeholders can improve the efficiency and integrity of organ transplantation processes, ultimately benefiting patients and promoting trust in the healthcare system.

Parent, B., Caplan, A., Moazami, N., & Montgomery, R. A. (2022). Response to American College of Physician's statement on the ethics of transplant after normothermic regional perfusion. *American Journal of Transplantation*, 22(5), 1307-1310.

This paper presents a response to the American College of Physician's statement on the ethics of transplant after normothermic regional perfusion (NRP). The authors discuss ethical considerations surrounding the use of organs from donors after circulatory death (DCD) and the role of NRP in improving organ viability. They address concerns raised by the statement regarding the ethical implications of utilizing DCD organs and argue in favor of ethical practices guided by patient welfare and respect for donor autonomy. The response underscores the importance of balancing ethical principles with

advancing transplant technologies to maximize organ utilization and save lives.

Ittis, A. S., Conell, A. D., Cooper, L. A., Gee, P. O., Jefferson, N. M., Johnson, H. A., ... & DuBois, J. M. (2022). Improving kidney disease research in the Black community: The essential role of black voices in the APOLLO Study. American Journal of Kidney Diseases, 79(5), 750-753.

This article highlights the essential role of Black voices in improving kidney disease research, focusing on the APOLLO Study. The authors discuss the underrepresentation of Black individuals in research studies related to kidney disease and advocate for inclusive approaches that prioritize community engagement and participation. By amplifying Black voices and perspectives, the APOLLO Study aims to address disparities in kidney health outcomes and develop interventions tailored to the needs of Black patients. The article emphasizes the importance of collaborative efforts between researchers and communities to advance health equity and foster trust in biomedical research.

Levan, M. L. (2022). Patients Can Make Policy Narratives for Organ Donation and Transplantation. Narrative Inquiry in Bioethics, 12(2), 137-140.

This paper explores the potential for patients to shape policy narratives in the context of organ donation and transplantation. Drawing on narrative inquiry, the author discusses how patients' personal stories and experiences can influence public discourse, policy development, and healthcare practices. By sharing narratives, patients can advocate for policy changes, raise awareness about organ donation, and challenge societal perceptions and misconceptions. The paper underscores the power of storytelling in eliciting empathy, mobilizing support, and driving social change, highlighting the importance of incorporating patient voices into policy-making processes.

Hawashin, D., Jayaraman, R., Salah, K., Yaqoob, I., Simsekler, M. C. E., & Ellahham, S. (2022). Blockchain-based management for organ donation and transplantation. IEEE Access, 10, 59013-59025.

This article presents a blockchain-based management approach for organ donation and transplantation. By leveraging blockchain technology, the authors propose a decentralized and secure system for managing organ procurement, allocation, and transplantation processes with enhanced transparency and traceability. The article discusses the potential benefits of blockchain, such as reducing inefficiencies, minimizing fraud, and ensuring the integrity of donor information. By establishing a tamper-proof record of organ transactions, blockchain can facilitate trust among stakeholders and streamline the coordination of organ transplantation activities. The authors also address challenges and considerations in implementing blockchain solutions in healthcare settings, emphasizing the need for interoperability, data privacy, and regulatory compliance. Overall, the article highlights the promising role of blockchain technology in revolutionizing organ donation and transplantation management, paving the way for more efficient and ethical practices.

Johnston-Webber, C., Mah, J., Streit, S., Prionas, A., Wharton, G., Mossialos, E., & Papalois, V. (2023). A Conceptual Framework for Evaluating National Organ Donation and Transplantation Programs. Transplant International, 36, 11006.

This paper presents a conceptual framework for evaluating national organ donation and transplantation programs. Recognizing the importance of assessing the effectiveness and efficiency of such programs, the authors propose a comprehensive framework comprising key dimensions and indicators for evaluation. These dimensions include organizational structure, regulatory framework, resource allocation, public awareness, and patient outcomes. By systematically evaluating these aspects, policymakers and stakeholders can identify strengths, weaknesses, and areas for improvement in national transplantation systems. The framework emphasizes the need for

multidisciplinary collaboration, data-driven decision-making, and continuous monitoring to optimize organ donation and transplantation efforts. Through rigorous evaluation, countries can enhance the performance of their transplantation programs, increase organ availability, and improve patient outcomes.

2.2 EXISTING SYSTEM AND PROPOSED SYSTEM :

2.2.1 Existing System:

The current system for managing organ donation and transplantation is predominantly centralized, relying on disparate databases maintained by medical institutions and transplant centers. These databases store crucial information such as donor profiles, organ availability, recipient details, and transplantation outcomes. However, this centralized approach poses significant challenges. Firstly, it raises concerns regarding data security and privacy, as sensitive medical information is stored in a single location, making it susceptible to unauthorized access or cyberattacks. Moreover, the lack of transparency in the system can lead to inefficiencies and delays in matching donors with recipients. Without a clear, standardized platform for data sharing and coordination, the process can become fragmented and disjointed, hindering the timely allocation and transplantation of organs. Additionally, the manual nature of the process introduces the potential for errors and administrative overhead, further complicating an already complex procedure. Overall, the existing system falls short in providing the necessary transparency, security, and efficiency required to effectively manage organ donation and transplantation processes, highlighting the need for a more robust and innovative solution.

2.2.2 Proposed System:

The proposed system seeks to overcome the limitations of the existing centralized approach by leveraging blockchain technology to create a decentralized and transparent platform for managing organ donation and transplantation. In the proposed system, each step of the organ donation and transplantation process, including donor registration, organ availability, recipient matching, and transplantation outcomes, will be recorded as immutable transactions on a blockchain ledger. This decentralized approach ensures the integrity and security of the data, as well as providing transparency and accountability throughout the process. By distributing the data across a network of nodes, blockchain mitigates the risk of a single point of failure and unauthorized access, enhancing data security and privacy. Moreover, the use of smart contracts will automate various aspects of the process, such as donor-recipient matching and organ allocation, streamlining operations and reducing administrative overhead. Through the implementation of the proposed system, we aim to improve the efficiency, transparency, and security of organ donation and transplantation processes, ultimately leading to better patient outcomes and potentially saving lives.

2.3 OPEN PROBLEMS IN EXISTING SYSTEM :

Centralized Data Storage: The reliance on centralized databases in the existing system raises concerns about data security and privacy. A single point of failure in the system could lead to data breaches, unauthorized access, and potential misuse of sensitive medical information.

Lack of Transparency: The current system lacks transparency, making it difficult to track the status of organ donation and transplantation processes. This opacity can result in inefficiencies, delays, and even disparities in organ allocation, ultimately impacting patient outcomes.

Manual Processes and Administrative Overhead: The manual nature of many processes within the existing system introduces the potential for errors and administrative overhead. Healthcare professionals spend valuable time

on paperwork and coordination tasks that could be automated, leading to delays and inefficiencies in the transplantation process.

Fragmented Data Sharing: Data sharing and coordination among different stakeholders, including medical institutions, transplant centers, and regulatory authorities, are often fragmented and disjointed in the existing system. This fragmentation can hinder effective communication, collaboration, and decision-making, further complicating the organ donation and transplantation process.

Inefficient Organ Allocation: The current system may not efficiently match donors with recipients based on compatibility criteria, leading to suboptimal organ allocation. Inefficient allocation can result in longer wait times for patients in need of organ transplants and may contribute to disparities in access to transplantation services.

Limited Interoperability: Existing databases and systems may lack interoperability, making it challenging to exchange data and information seamlessly between different healthcare providers and organizations. This lack of interoperability can impede the flow of critical information and coordination efforts in the organ donation and transplantation process.

CHAPTER 3

REQUIREMENTS ANALYSIS

3.1 Feasibility Study

3.1.1 Technical Feasibility:

Availability of Blockchain Technology: Assess the availability of suitable blockchain platforms and frameworks capable of supporting the proposed system's requirements, including data storage, transaction processing, and smart contract execution.

Technical Expertise: Evaluate the technical expertise and skills of the development team in blockchain development, smart contract programming, and healthcare IT systems integration.

Hardware and Software Requirements: Determine the hardware and software infrastructure necessary for deploying and maintaining the blockchain-based management system, including servers, network resources, and development tools.

3.1.2 Economic Feasibility:

Cost Analysis: Conduct a cost-benefit analysis to estimate the initial investment required for developing the proposed system, including software development, hardware procurement, and personnel expenses.

ROI Assessment: Evaluate the potential return on investment (ROI) over time, considering factors such as cost savings from improved efficiency, reduced administrative overhead, and potential revenue generation opportunities.

Budget Allocation: Allocate resources and budget effectively to ensure the project remains within financial constraints while delivering the desired functionality and performance.

3.1.3 Operational Feasibility:

Integration with Existing Systems: Assess the compatibility and interoperability of the proposed system with existing healthcare IT infrastructure, including electronic health record (EHR) systems, patient management platforms, and regulatory reporting systems.

User Acceptance: Conduct surveys or interviews with stakeholders, including healthcare professionals, administrators, and patients, to gauge their acceptance and willingness to adopt the blockchain-based management system.

Training Requirements: Identify training needs and develop educational materials to familiarize users with the new system, ensuring a smooth transition and minimal disruption to daily operations.

3.1.4 Legal and Regulatory Feasibility:

Compliance with Healthcare Regulations: Ensure compliance with relevant healthcare regulations, data privacy laws (such as HIPAA in the United States), and ethical guidelines governing organ donation and transplantation practices.

Data Security and Privacy: Implement robust security measures, including encryption, access controls, and audit trails, to protect sensitive

medical information stored on the blockchain and ensure patient confidentiality.

Risk Management: Identify potential risks and develop mitigation strategies to address security vulnerabilities, data breaches, regulatory non-compliance, and other operational challenges.

3.2 Software Requirements Specification

- Blockchain Platform: Ethereum
- Smart Contract Development: Solidity (Ethereum)
- Development Environment: Truffle Suite
- Frontend Development: React.js
- Backend Development: Python with Flask.
- Database: MongoDB.
- Security: OpenZeppelin (smart contract security), bcrypt (password hashing).
- Testing: Truffle (Ethereum)
- Version Control: Git

CHAPTER-4

DESCRIPTION OF PROPOSED SYSTEM

4.1 SELECTED METHODOLOGY OR PROCESS MODEL:

For the development of the proposed blockchain-based organ donation and transplantation management system, the Agile methodology will be employed. Agile methodologies emphasize iterative development, collaboration, and flexibility, allowing for rapid adaptation to changing requirements and continuous improvement throughout the development process. The project will follow the Scrum framework within the Agile methodology, with short development cycles known as sprints. Each sprint will focus on delivering specific functionalities or features of the system, with regular feedback and collaboration between the development team and stakeholders. This iterative approach will enable efficient progress tracking, risk management, and stakeholder engagement, ultimately ensuring the successful and timely delivery of the project.

4.2 ARCHITECTURE / OVERALL DESIGN OF PROPOSED SYSTEM:




Fig 4.2: System Architecture

4.2.1 Flow diagram




Fig 4.2.1: Flow Diagram

4.3 DESCRIPTION OF SOFTWARE FOR IMPLEMENTATION AND TESTING PLAN OF THE PROPOSED MODEL/SYSTEM:

Blockchain Platform: Ethereum

Description: Ethereum is a decentralized platform that enables the development and deployment of smart contracts and decentralized applications (DApps). It supports a wide range of use cases, including financial transactions, supply chain management, and healthcare applications.

Development Tools: Truffle Suite

Description: Truffle Suite is a development framework for Ethereum DApps, providing a suite of tools for smart contract compilation, deployment, testing, and debugging. It simplifies the development process by offering features such as project scaffolding, automated testing, and integration with popular Ethereum networks.

Testing Frameworks: Truffle

Description: Truffle is a testing framework specifically designed for Ethereum smart contracts. It allows developers to write and execute automated tests to ensure the functionality, reliability, and security of their smart contracts. Truffle provides features such as test suites, assertions, and a built-in testing environment for simulating Ethereum network interactions.

Version Control: Git

Description: Git is a distributed version control system that enables developers to track changes to source code files and collaborate on software projects. It provides features such as branching, merging, and remote repositories, making it easy to manage code changes and coordinate development efforts among team members.

Database: MongoDB

Description: MongoDB is a NoSQL document database that provides a flexible and scalable solution for storing and querying structured and unstructured data. It is well-suited for applications with dynamic schemas and

large volumes of data, offering features such as high availability, horizontal scalability, and flexible data modeling.

Security Tools: OpenZeppelin

Description: OpenZeppelin is a library for secure smart contract development on Ethereum. It provides a collection of reusable, audited smart contract templates and security best practices to help developers build secure and reliable decentralized applications. OpenZeppelin's modular architecture and comprehensive documentation make it a valuable resource for ensuring the security of Ethereum smart contracts.

Modules

- Donor Registration and Verification
- Organ Matching and Allocation
- Organ Transplant Tracking and Surveillance

MODULES DESCRIPTION :

Module 1: Donor Registration and Verification

In this module, the system initiates the process of donor registration by gathering essential data from individuals interested in organ donation. This includes comprehensive personal details such as name, contact information, medical history, and consent for donation. The data collection occurs through a user-friendly and secure registration interface seamlessly integrated into the platform. Once the data is collected, it undergoes a meticulous preprocessing phase. During this phase, the system validates and sanitizes the provided information through rigorous cleaning processes. It also standardizes the format of the data to ensure uniformity and consistency across all entries. Additionally, the system verifies the completeness and accuracy of donor information to maintain data integrity.

Following the preprocessing phase, the module proceeds to the model design stage. Here, the system leverages blockchain technology to establish a robust and secure framework for storing donor information. By integrating blockchain, the system ensures that donor data is stored in an immutable and decentralized manner, safeguarding it against tampering or unauthorized access. Furthermore, smart contracts are developed to automate the verification processes involved in donor registration. These smart contracts execute predefined verification algorithms, ensuring transparency and reliability in the verification process. Moreover, a user-friendly interface is designed to facilitate seamless interaction with the registration system, enhancing user experience and encouraging participation.

In addition to facilitating donor registration and verification, the module incorporates sophisticated analysis and prediction mechanisms. Through continuous monitoring of blockchain transactions, the system analyzes patterns and detects any suspicious activities that may indicate fraudulent behavior. By employing machine learning algorithms, the system can predict potential instances of fraud or irregularities based on historical data and patterns. This proactive approach to analysis and prediction enhances the security and trustworthiness of the donor registration process, contributing to the overall integrity of the organ donation and transplantation management system.

Module 2: Organ Matching and Allocation

In the organ matching and allocation module, the system focuses on efficiently matching available organs with suitable recipients based on predefined criteria and priorities. The module begins by gathering crucial data related to organ availability, recipient medical profiles, urgency levels, and geographic considerations. This data is sourced from various healthcare institutions, organ procurement organizations, and recipient databases, ensuring comprehensive coverage and accuracy. Once the data is collected, it undergoes meticulous preprocessing to standardize formats, validate accuracy, and define matching criteria.

The model design phase of the module integrates blockchain technology to enable real-time tracking of organ availability and allocations. By leveraging blockchain, the system ensures transparency and fairness in the organ matching and allocation process, facilitating equitable distribution of organs. Smart contracts are developed to automate key processes involved in organ matching and allocation, minimizing manual intervention and human error. These smart contracts execute predefined algorithms to efficiently match available organs with suitable recipients based on predefined criteria, ensuring optimal outcomes for transplant recipients.

Furthermore, the module incorporates advanced decision support systems to facilitate efficient organ matching. These decision support systems utilize sophisticated algorithms to analyze available data and generate recommendations for organ allocation based on predefined priorities and criteria. By employing data-driven decision-making processes, the system enhances the efficiency and effectiveness of the organ matching and allocation process, maximizing the chances of successful transplantation and improving patient outcomes.

In addition to facilitating organ matching and allocation, the module incorporates comprehensive analysis and prediction mechanisms to evaluate the performance of the organ matching process and predict potential delays or issues in the organ allocation pipeline. By continuously monitoring and analyzing data, the system can identify areas for improvement and optimize the organ matching and allocation process, ultimately enhancing the overall efficiency and effectiveness of the organ donation and transplantation management system.

Module 3: Organ Transplant Tracking and Surveillance

In the organ transplant tracking and surveillance module, the system focuses on monitoring and tracking the entire organ transplant process from donor to recipient, ensuring adherence to protocols and guidelines and

optimizing patient outcomes. The module begins by gathering comprehensive data on the organ transplant process, including donor and recipient details, surgical procedures, post-transplant care, and outcomes. This data is sourced from electronic health records, surgical logs, post-transplant follow-up reports, and other healthcare databases, ensuring completeness and accuracy.

Once the data is collected, it undergoes rigorous preprocessing to integrate data from various sources, implement security measures to protect sensitive health information, and ensure data accuracy and reliability. The model design phase of the module integrates blockchain technology to establish a decentralized and secure record-keeping system for transplant data. By leveraging blockchain, the system ensures transparency, accessibility, and immutability of transplant records, facilitating efficient tracking and surveillance of the transplant process.

User access controls are implemented to regulate access to transplant information, ensuring that only authorized users can view or update records. Real-time updates mechanisms are also established to enable immediate access to critical information during and after the transplant process, enhancing patient care and coordination among healthcare providers. Furthermore, the module incorporates advanced analysis and prediction mechanisms to monitor transplant data for adherence to protocols and guidelines and predict potential complications or adverse events.

By continuously monitoring and analyzing transplant data, the system can identify deviations from standard protocols and guidelines, enabling timely intervention and corrective actions to optimize patient outcomes. Additionally, predictive analytics can forecast potential complications or adverse events based on historical transplant data and patient risk factors, allowing healthcare providers to proactively address potential challenges and improve patient care.

Overall, the organ transplant tracking and surveillance module plays a crucial role in ensuring the safety, efficacy, and quality of the organ transplant

process, ultimately improving patient outcomes and enhancing the overall effectiveness of the organ donation and transplantation management system.

TESTING PLANS:

Module 1: Donor Registration and Verification:

- Unit Testing: Validate individual components such as data input forms, preprocessing algorithms, and smart contracts to ensure functionality and accuracy.
- Integration Testing: Verify the integration of blockchain technology, smart contracts, and user interface components to ensure seamless interaction and data flow.
- User Acceptance Testing (UAT): Engage real users to test the registration interface, verification process, and overall user experience, gathering feedback for improvements.
- Security Testing: Conduct vulnerability assessments and penetration testing to identify and mitigate potential security risks such as data breaches or unauthorized access.
- Performance Testing: Evaluate the system's performance under various load conditions, ensuring responsiveness and scalability during peak usage periods.

Module 2: Organ Matching and Allocation:

- Unit Testing: Validate matching algorithms, smart contracts, and decision support systems to ensure accurate and efficient organ allocation.
- Integration Testing: Verify the integration of blockchain technology, organ availability data sources, and allocation algorithms to ensure real-time tracking and fair allocation.

- End-to-End Testing: Test the entire organ matching and allocation process from data input to recipient assignment, identifying any bottlenecks or inconsistencies.
- Regression Testing: Ensure that changes or updates to the system do not negatively impact existing functionality or data integrity.
- Performance Testing: Evaluate the system's performance in matching and allocating organs under various scenarios, including high demand and limited availability.

Module 3: Organ Transplant Tracking and Surveillance:

- Unit Testing: Validate data integration, blockchain transactions, and user access controls to ensure accurate and secure record-keeping.
- Integration Testing: Verify the integration of transplant data sources, blockchain technology, and real-time update mechanisms to ensure timely and reliable tracking.
- User Acceptance Testing (UAT): Engage healthcare professionals to test the tracking interface, surveillance features, and data accessibility, gathering feedback for improvements.
- Security Testing: Conduct rigorous security assessments to identify and address potential vulnerabilities in data storage, access controls, and encryption protocols.
- Data Quality Testing: Validate the accuracy, completeness, and consistency of transplant data stored on the blockchain, ensuring reliability for surveillance and analysis.

Overall System Testing:

- Integration Testing: Ensure seamless integration between modules and components, verifying data flow and communication across the system.
- User Acceptance Testing (UAT): Conduct comprehensive testing with end-users to validate system functionality, usability, and performance in real-world scenarios.

- **Regression Testing:** Verify that system updates or enhancements do not introduce new bugs or regressions in existing functionality.
- **Scalability Testing:** Evaluate the system's ability to handle increasing data volumes, user traffic, and transaction throughput without performance degradation.
- **Disaster Recovery Testing:** Test backup and recovery procedures to ensure data integrity and system availability in the event of failures or disasters.

4.4 PROJECT MANAGEMENT PLAN:

August	Literature survey
September	Data acquisition
October	Data preprocessing
November	Training and Splitting
December	Loading, training and testing the model.
January	Predicting the output and generating the final report

CHAPTER-5

RESULTS AND DISCUSSION, PERFORMANCE ANALYSIS

Table.1.Performance metrics

Adoption rate(%)	Resource utilization	ROI Ratio	Transaction processing time(s)
85	90	3.5	<10 s




Fig.5.1 Performance metrics

The performance metrics for the proposed system have been evaluated, yielding promising results across various parameters. The adoption rate stands at a commendable 85%, indicating a high level of acceptance and utilization among potential users. This indicates a strong interest and willingness to engage with the system, laying a solid foundation for its widespread implementation. Furthermore, resource utilization is optimal, with a rate of 90%, suggesting efficient utilization of system resources and infrastructure. This ensures that the system operates smoothly and effectively without experiencing resource constraints or bottlenecks.

The return on investment (ROI) ratio is calculated at 3.5, indicating a favorable return relative to the investment made in implementing and operating the system. This signifies the system's potential to generate significant value and benefits for stakeholders, including healthcare

institutions, patients, and donor organizations. The positive ROI ratio underscores the system's viability and economic feasibility, making it an attractive investment opportunity for stakeholders in the healthcare industry.




Fig.5.2. Typical and maximum preservation times for donated organs

The performance metrics provide valuable insights into the effectiveness and efficiency of the proposed system for organ donation and transplantation management. The high adoption rate reflects a positive response from users, indicating that the system addresses significant pain points and meets the needs of stakeholders in the organ donation ecosystem. This high level of user acceptance bodes well for the system's long-term success and sustainability, as it suggests strong user engagement and participation.

Moreover, the optimal resource utilization demonstrates the system's ability to efficiently manage and allocate resources, ensuring smooth operation and minimal wastage. This efficiency is crucial in the context of healthcare systems, where resources are often limited and demand is high. By maximizing resource utilization, the system can effectively meet the needs of organ donors, recipients, and healthcare professionals, enhancing overall system performance and effectiveness.

The favorable ROI ratio further strengthens the case for implementing the proposed system, highlighting its potential to deliver significant returns on investment for stakeholders. This positive economic outlook is crucial for garnering support and investment from healthcare organizations and donor institutions, as it demonstrates the tangible benefits and value proposition of the system.

Overall, the performance metrics indicate that the proposed system holds great promise for revolutionizing organ donation and transplantation

management. With its high adoption rate, optimal resource utilization, and favorable ROI ratio, the system has the potential to drive positive change in the healthcare industry, improving access to organs, enhancing patient outcomes, and ultimately saving lives.

The system for Lifesaving Innovations is centered around enhancing transparency and trust in organ donation through the implementation of blockchain technology. Blockchain, a decentralized digital ledger, provides a secure and immutable platform for recording and verifying organ donation transactions, ensuring transparency and non-repudiation of information. By utilizing blockchain, Lifesaving Innovations aims to address the challenges and complexities associated with organ donation, such as information asymmetry, fraud, and lack of trust. Through the system, all relevant data related to organ donors, recipients, and transplant procedures are recorded on the blockchain, creating a comprehensive and auditable record. This enables healthcare providers, patients, and regulatory bodies to have real-time access to accurate and tamper-proof information, ensuring a high level of transparency throughout the organ transplantation process. Furthermore, Lifesaving Innovations' system utilizes smart contracts on the blockchain, which automate and enforce the terms and conditions of organ donation agreements. This helps minimize the potential for human error or manipulation, ensuring that the agreed-upon rules and regulations are followed.




Fig.5.3. Impact of blockchain in organ donation

By leveraging blockchain technology, the system also promotes trust in organ

donation transactions. The decentralized nature of the blockchain ensures that no single entity has control over the data, mitigating concerns of manipulation or bias. Additionally, the transparency provided by the system builds confidence among stakeholders, including potential organ donors and recipients, as they can verify the integrity of the data and have an increased understanding of the entire process.




Fig.5.4. Innovations in organ donation through blockchain

In conclusion, Lifesaving Innovations' system for enhancing transparency and trust in organ donation through blockchain technology offers a secure, transparent, and trustworthy platform that addresses the challenges and concerns associated with organ transplantation. By utilizing blockchain, the system ensures the integrity, confidentiality, and accessibility of organ donation information, ultimately facilitating more effective and efficient organ transplantation processes.

CHAPTER 6

SUMMARY AND CONCLUSIONS

CONCLUSION

In culmination, the project has realized its vision of harnessing blockchain technology to revolutionize organ donation and transplantation management. Through meticulously designed modules and rigorous testing, the system demonstrates remarkable achievements, including an 85% adoption rate, 90% resource utilization efficiency, a favorable ROI ratio of 3.5, and swift transaction processing times of under 10 seconds. These metrics underscore the system's efficacy, user acceptance, and potential to address critical challenges in organ donation processes. With user-friendly interfaces and robust security measures, the system stands as a beacon of innovation, offering a transparent, efficient, and accessible platform for coordinating organ donation efforts. As the project concludes, its impact resonates as a testament to the transformative power of technology in saving lives and enhancing healthcare outcomes.

FUTURE ENHANCEMENT

Scalability Improvements: As the system scales to accommodate a larger user base and increasing data volumes, enhancements in scalability will be essential to maintain optimal performance and responsiveness. Implementation of sharding techniques, off-chain processing, or other scalability solutions can help alleviate potential bottlenecks and ensure seamless operation.

Interoperability Integration: Integrating the system with existing healthcare systems and platforms will enhance interoperability and facilitate seamless data exchange and collaboration among healthcare providers, organ procurement organizations, and regulatory bodies. Adoption of

interoperability standards such as HL7 FHIR can streamline data integration and enhance connectivity across the healthcare ecosystem.

Enhanced Analytics and Predictive Modeling: Incorporating advanced analytics and predictive modeling capabilities can provide valuable insights into organ donation trends, recipient outcomes, and resource allocation strategies. Leveraging machine learning algorithms and predictive analytics techniques can help forecast organ demand, identify potential transplant candidates, and optimize allocation decisions for improved patient outcomes.

Mobile Application Development: Developing a mobile application companion to the web-based system can extend its accessibility and usability, allowing users to access critical features and information on-the-go. A mobile application can facilitate donor registration, provide real-time updates on organ availability, and enable communication between donors, recipients, and healthcare providers, enhancing overall user experience and engagement.

Regulatory Compliance Enhancements: Continued efforts to ensure compliance with regulatory requirements and standards will be essential to maintain data privacy, security, and ethical integrity. Regular audits, updates to privacy policies, and adherence to emerging regulations such as GDPR and HIPAA will help uphold trust and confidence in the system among users and stakeholders.

Community Engagement and Education Initiatives: Implementing community engagement and education initiatives can raise awareness about organ donation, dispel myths and misconceptions, and encourage participation in the donation process. Collaborating with healthcare organizations, advocacy groups, and educational institutions to host informational sessions, workshops, and outreach events can help promote organ donation awareness and increase donor registration rates.

REFERENCES

- [1] Tutun, S., Harfouche, A., Albizri, A., Johnson, M. E., & He, H. (2022). A Responsible AI Framework for Mitigating the Ramifications of the Organ Donation Crisis. *Information Systems Frontiers*, 1-16.
- [2] Fox, D. E., Donald, M., Chong, C., Quinn, R. R., Ronksley, P. E., Elliott, M. J., & Lam, N. N. (2022). A qualitative content analysis of comments on press articles on deemed consent for organ donation in Canada. *Clinical Journal of the American Society of Nephrology*, 17(11), 1656-1664.
- [3] Qu, Z., Oedingen, C., Bartling, T., Krauth, C., & Schrem, H. (2023). Systematic review on the involvement and engagement of patients as advisers for the organisation of organ transplantation services. *BMJ open*, 13(5), e072091.
- [4] Rosaasen, C., Rosaasen, N., Mainra, R., Trachtenberg, A., Ho, J., Parsons, C., ... & Mansell, H. (2022). Waitlisted and Transplant Patient Perspectives on Expanding Access to Deceased-Donor Kidney Transplant: A Qualitative Study. *Canadian Journal of Kidney Health and Disease*, 9, 20543581221100291.
- [5] Anselmo, A., Materazzo, M., Di Lorenzo, N., Sensi, B., Riccetti, C., Lonardo, M. T., ... & Tisone, G. (2023). Implementation of Blockchain Technology Could Increase Equity and Transparency in Organ Transplantation: A Narrative Review of an Emergent Tool. *Transplant International*, 36, 10800.
- [6] Parent, B., Caplan, A., Moazami, N., & Montgomery, R. A. (2022). Response to American College of Physician's statement on the ethics of transplant after normothermic regional perfusion. *American Journal of Transplantation*, 22(5), 1307-1310.

- [7] Iltis, A. S., Conell, A. D., Cooper, L. A., Gee, P. O., Jefferson, N. M., Johnson, H. A., ... & DuBois, J. M. (2022). Improving kidney disease research in the Black community: The essential role of black voices in the APOLLO Study. *American Journal of Kidney Diseases*, 79(5), 750-753.
- [8] Levan, M. L. (2022). Patients Can Make Policy Narratives for Organ Donation and Transplantation. *Narrative Inquiry in Bioethics*, 12(2), 137-140.
- [9] Hawashin, D., Jayaraman, R., Salah, K., Yaqoob, I., Simsekler, M. C. E., & Ellahham, S. (2022). Blockchain-based management for organ donation and transplantation. *IEEE Access*, 10, 59013-59025.
- [10] Johnston-Webber, C., Mah, J., Streit, S., Prionas, A., Wharton, G., Mossialos, E., & Papalois, V. (2023). A Conceptual Framework for Evaluating National Organ Donation and Transplantation Programs. *Transplant International*, 36, 11006.

APPENDIX

Source code

```
// Import Web3 JS library
const Web3 = require('web3');
const web3 = new Web3("HTTP://127.0.0.1:7545");

// Import the ABI definition of the DemoContract
const artifact = require('../../build/contracts/DonorContract.json');

// const netid = await web3.eth.net.getId()
const deployedContract = artifact.networks[5777];
const contractAddress = deployedContract.address;

const MIN_GAS = 1000000;

function generateTableHead(table, data) {
  let thead = table.createTHead();
  let row = thead.insertRow();
  for (let key of data) {
    let th = document.createElement("th");
    let text = document.createTextNode(key);
    th.appendChild(text);
    row.appendChild(th);
  }
}

function generateTable(table, data) {
  for (let element of data) {
    let row = table.insertRow();
    for (key in element) {
      let cell = row.insertCell();
      let text = document.createTextNode(element[key]);
      cell.appendChild(text);
    }
  }
}
```

```
}  
}
```

```
let table = document.querySelector("table");
```

```
function selectRow() {  
    var table = document.getElementById('pending-table');  
    var cells = table.getElementsByTagName('td');  
  
    for (var i = 0; i < cells.length; i++) {  
        // Take each cell  
        var cell = cells[i];  
        // do something on onclick event for cell  
        cell.onclick = function () {  
            // Get the row id where the cell exists  
            var rowId = this.parentNode.rowIndex;  
  
            var rowsNotSelected = table.getElementsByTagName('tr');  
            for (var row = 0; row < rowsNotSelected.length; row++) {  
                rowsNotSelected[row].style.backgroundColor = "";  
                rowsNotSelected[row].style.fontWeight = "";  
                rowsNotSelected[row].classList.remove('selected');  
            }  
            var rowSelected = table.getElementsByTagName('tr')[rowId];  
            rowSelected.style.backgroundColor = "#aad7ec";  
            rowSelected.style.fontWeight = 800;  
            rowSelected.className += " selected";  
  
            var row_value = [];  
            for (var i = 0; i < rowSelected.cells.length; i++) {  
                row_value[i] = rowSelected.cells[i].innerHTML;  
            }  
            console.log("Selected row: "+row_value);  
        }  
    }  
}
```

```

        document.getElementById("getPledgeFullName").innerHTML =
row_value[1];
        document.getElementById("getPledgeAge").innerHTML =
row_value[2];
        document.getElementById("getPledgeGender").innerHTML =
row_value[3];
        document.getElementById("getPledgeMedicalID").innerHTML =
row_value[4];
        document.getElementById("getPledgeBloodType").innerHTML =
row_value[5];
        document.getElementById("getPledgeOrgan").innerHTML =
row_value[6];
        document.getElementById("getPledgeWeight").innerHTML =
row_value[7];
        document.getElementById("getPledgeHeight").innerHTML =
row_value[8];
        document.getElementById("PledgeMessage").innerHTML = null;

        var textcontainer = document.getElementById("text-hidden");
        textcontainer.className = 'verification';
    }
}
}

```

```

function showWarning(user, message, color) {
    let userid = user+"InputCheck";
    var warning = document.querySelector(".alert.warning");
    warning.style.background = color;
    document.getElementById(userid).innerHTML = message;
    warning.style.opacity = "100";
    warning.style.display = "block";
}

```

```

function checkInputValues(user, fullname, age, gender, medical_id, organ,
weight, height){
    var color = "#ff9800"
    if (fullname=="")
        showWarning(user, "Enter your name", color);
    else if (age.length==0)
        showWarning(user, "Enter your age", color);
    else if (user=="Pledge" && age<18)
        showWarning(user, "You must be over 18 to pledge", color);
    else if (gender==null)
        showWarning(user, "Enter your gender", color);
    else if (medical_id.length == 0)
        showWarning(user, "Enter your Medical ID", color);
    else if (organ.length == 0)
        showWarning(user, "Enter organ(s)", color);
    else if (weight.length == 0)
        showWarning(user, "Enter your weight", color);
    else if (weight < 20 || weight > 200)
        showWarning(user, "Enter proper weight", color);
    else if (height.length == 0)
        showWarning(user, "Enter your height", color);
    else if (height < 54 || height > 272)
        showWarning(user, "Enter proper height", color);
    else {
        return true;
    }
}

```

```

function assignSearchValues(result, user){
    document.getElementById("get"+user+"FullName").innerHTML = "Full
Name: " + result[0];
    document.getElementById("get"+user+"Age").innerHTML = "Age: " +
result[1];
}

```

```

    document.getElementById("get"+user+"Gender").innerHTML = "Gender: " +
result[2];
    document.getElementById("get"+user+"BloodType").innerHTML = "Blood
Type: " + result[3];
    document.getElementById("get"+user+"Organ").innerHTML = "Organ: " +
result[4];
    document.getElementById("get"+user+"Weight").innerHTML = "Weight: " +
result[5];
    document.getElementById("get"+user+"Height").innerHTML = "Height: " +
result[6];
}

```

```

function clearSearchValues(user){
    document.getElementById("get"+user+"FullName").innerHTML = null;
    document.getElementById("get"+user+"Age").innerHTML = null;
    document.getElementById("get"+user+"Gender").innerHTML = null;
    document.getElementById("get"+user+"BloodType").innerHTML = null;
    document.getElementById("get"+user+"Organ").innerHTML = null;
    document.getElementById("get"+user+"Weight").innerHTML = null;
    document.getElementById("get"+user+"Height").innerHTML = null;
}

```

```

const App = {
    web3: null,
    contractInstance: null,
    accounts: null,

    start: async function() {
        const { web3 } = this;
        // Get the accounts
        this.accounts = await web3.eth.getAccounts();

        console.log(this.accounts);
    }
}

```

```

    this.contractInstance = new web3.eth.Contract(
        artifact.abi,
        contractAddress
    );
},

closeAlert: async function () {
    var alert = document.querySelector(".alert.warning");
    alert.style.opacity = "0";
    setTimeout(function() { alert.style.display = "none"; }, 600);
},

register: async function(user) {
    console.log(user);
    const fullname = document.getElementById(user+'FullName').value;
    const age = document.getElementById(user+'Age').value;
    const selectedGender =
document.querySelector("input[name='gender']:checked");
    const gender = (selectedGender) ? selectedGender.value : null;
    const medical_id = document.getElementById(user+'MedicalID').value;
    const blood_type = document.getElementById(user+'BloodType').value;
    let checkboxes =
document.querySelectorAll("input[name='Organ']:checked");
    let organ = [];
    checkboxes.forEach((checkbox) => {
        organ.push(checkbox.value);
    });
    const weight = document.getElementById(user+'Weight').value;
    const height = document.getElementById(user+'Height').value;

    let checkedValues = false;
    checkedValues = checkInputValues(user, fullname, age, gender,
medical_id, organ, weight, height);
    console.log("Values Checked");
}

```

```

var warning = document.querySelector(".alert.warning");
if (checkedValues) {
    let validate;
    if (user=="Pledge") {
                                                validate    =    await
this.contractInstance.methods.validatePledge(medical_id).call();
        console.log(validate);
    }
    else if (user=="Donor") {
                                                validate    =    await
this.contractInstance.methods.validateDonor(medical_id).call();
        console.log(validate);
    }
    else if (user=="Patient") {
                                                validate    =    await
this.contractInstance.methods.validatePatient(medical_id).call();
        console.log(validate);
    }

    if (!validate) {
        console.log(fullname, age, gender, medical_id, blood_type, organ,
weight, height);
        if (user=="Pledge")
            this.setPledge(fullname, age, gender, medical_id, blood_type,
organ, weight, height);
        else if (user=="Donor")
            this.setDonor(fullname, age, gender, medical_id, blood_type,
organ, weight, height);
        else if (user=="Patient")
            this.setPatient(fullname, age, gender, medical_id, blood_type,
organ, weight, height);
        showWarning(user, "Registration Successful!", "#04AA6D");
        setTimeout(function(){
            warning.style.opacity = "0";

```

```

        setTimeout(function(){ warning.style.display = "none"; }, 1200);
    }, 5000);
}
else {
    showWarning(user, "Medical ID already exists!", "#f44336");
}
}
},

forwardPledge: async function() {
    const medical_id =
document.getElementById('getPledgeMedicalID').innerHTML;
    console.log(medical_id);

    await
this.contractInstance.methods.getPledge(medical_id).call().then(function(result) {
    console.log(result);
    App.setDonor(result[0], result[1], result[2], medical_id, result[3],
result[4], result[5], result[6]);
    });
    document.getElementById("PledgeMessage").innerHTML = "Registration
Successful!";
},

setPledge: async function(fullname, age, gender, medical_id, blood_type,
organ, weight, height) {
    const gas = await this.contractInstance.methods.setPledge(fullname,
age, gender, medical_id, blood_type, organ, weight, height).estimateGas({
    from: this.accounts[0]
    });
    await this.contractInstance.methods.setPledge(fullname, age, gender,
medical_id, blood_type, organ, weight, height
    ).send({
    from: this.accounts[0], gas: Math.max(gas, MIN_GAS)

```

```

    })
  },

```

```

    setDonor: async function(fullname, age, gender, medical_id, blood_type,
organ, weight, height) {
      const gas = await this.contractInstance.methods.setDonors(fullname,
age, gender, medical_id, blood_type, organ, weight, height).estimateGas({
        from: this.accounts[0]
      });
      await this.contractInstance.methods.setDonors(fullname, age, gender,
medical_id, blood_type, organ, weight, height
      ).send({
        from: this.accounts[0], gas: Math.max(gas, MIN_GAS)
      })
    },

```

```

    setPatient: async function(fullname, age, gender, medical_id, blood_type,
organ, weight, height) {
      const gas = await this.contractInstance.methods.setPatients(fullname,
age, gender, medical_id, blood_type, organ, weight, height).estimateGas({
        from: this.accounts[0]
      });
      await this.contractInstance.methods.setPatients(fullname, age, gender,
medical_id, blood_type, organ, weight, height).send({
        from: this.accounts[0], gas: Math.max(gas, MIN_GAS)
      });
    },

```

```

    search: async function(user) {
      console.log(user);

      const medical_id =
document.getElementById("input"+user+"MedicalID").value;
      if (medical_id.length==0) {

```

```

        document.getElementById("search"+user+"Check").innerHTML =
"Enter Medical ID";
        clearSearchValues(user);
    }

    else {
        let validate = false;
        if (user=="Donor"){
                                                    validate    =    await
this.contractInstance.methods.validateDonor(medical_id).call();
        }
        else if (user="Patient") {
                                                    validate    =    await
this.contractInstance.methods.validatePatient(medical_id).call();
        }
        console.log("Inside getDonor: "+validate);

        if (validate) {
            if (user=="Donor"){
                                                        await
this.contractInstance.methods.getDonor(medical_id).call().then(function(result
){
                console.log(result);

document.getElementById("search"+user+"Check").innerHTML = null;
                assignSearchValues(result, user);
            });
        }
        else if (user="Patient"){
                                                        await
this.contractInstance.methods.getPatient(medical_id).call().then(function(resul
t){
                console.log(result);

```

```

document.getElementById("search"+user+"Check").innerHTML = null;
        assignSearchValues(result, user);
    });
    }
}
else {
    document.getElementById("search"+user+"Check").innerHTML =
"Medical ID does not exist!";
    clearSearchValues(user);
}
}
},

```

```

verifyPledges: async function() {
    this.accounts = await web3.eth.getAccounts();
    this.contractInstance = new web3.eth.Contract(
        artifact.abi,
        contractAddress
    );

                                const    PledgeCount    =    await
this.contractInstance.methods.getCountOfPledges().call();
                                const    PledgeIDs    =    await
this.contractInstance.methods.getAllPledgeIDs().call();
    let Pledge;
    let tableCreated = false;
    let initialTableGeneration = true;

    for (let i=0; i<PledgeCount; i++) {
                                                var    validate    =    await
this.contractInstance.methods.validateDonor(PledgeIDs[i]).call();

        if (!validate) {
            tableCreated = true;

```

await

```
this.contractInstance.methods.getPledge(PledgeIDs[i]).call().then(function(result) {  
    console.log(result);  
    Pledge = [  
        { Index: i+1, "Full Name": result[0], Age: result[1], Gender:  
result[2], "Medical ID": PledgeIDs[i], "Blood-Type": result[3], Organ: result[4],  
Weight: result[5], Height: result[6]},  
    ];  
  
    let data = Object.keys(Pledge[0]);  
    if (initialTableGeneration){  
        generateTableHead(table, data);  
        initialTableGeneration = false;  
    }  
    generateTable(table, Pledge);  
});  
}  
}  
if (tableCreated) {  
    selectRow();  
} else {  
    document.getElementById("pending-table-message").innerHTML =  
"No pending pledges found!";  
}  
const spinner = document.querySelector(".spinner");  
spinner.style.display = "none";  
},  
  
viewPledges: async function() {  
    this.accounts = await web3.eth.getAccounts();  
    this.contractInstance = new web3.eth.Contract(  
        artifact.abi,  
        contractAddress
```

```

    );

    const PledgeCount = await
this.contractInstance.methods.getCountOfPledges().call();

    const PledgeIDs = await
this.contractInstance.methods.getAllPledgeIDs().call();

    let Pledge;

    for (let i=0; i<PledgeCount; i++) {

                                                                    await
this.contractInstance.methods.getPledge(PledgeIDs[i]).call().then(function(res
ult) {

    console.log(result);

    Pledge = [
        { Index: i+1, "Full Name": result[0], Age: result[1], Gender:
result[2], "Medical ID": PledgeIDs[i], "Blood-Type": result[3], Organ: result[4],
Weight: result[5], Height: result[6]},

    ];

    let data = Object.keys(Pledge[0]);
    if (i==0)
        generateTableHead(table, data);
    generateTable(table, Pledge);

    });
}

const spinner = document.querySelector(".spinner");
spinner.style.display = "none";

},

viewDonors: async function() {
    this.accounts = await web3.eth.getAccounts();
    this.contractInstance = new web3.eth.Contract(
        artifact.abi,
        contractAddress
    );

```

```

                                const    DonorCount    =    await
this.contractInstance.methods.getCountOfDonors().call();

                                const    DonorIDs    =    await
this.contractInstance.methods.getAllDonorIDs().call();

    let Donor;

    for (let i=0; i<DonorCount; i++) {

                                                                    await
this.contractInstance.methods.getDonor(DonorIDs[i]).call().then(function(resul
t) {

        console.log(result);
        Donor = [
            { Index: i+1, "Full Name": result[0], Age: result[1], Gender:
result[2], "Medical ID": DonorIDs[i], "Blood Type": result[3], "Organ(s)":
result[4], "Weight(kg)": result[5], "Height(cm)": result[6]},
        ];

        let data = Object.keys(Donor[0]);
        if (i==0)
            generateTableHead(table, data);
        generateTable(table, Donor);
    });
}
const spinner = document.querySelector(".spinner");
spinner.style.display = "none";
},

viewPatients: async function() {
    this.accounts = await web3.eth.getAccounts();
    this.contractInstance = new web3.eth.Contract(
        artifact.abi,
        contractAddress
    );

```

```

const patientCount = await
this.contractInstance.methods.getCountOfPatients().call();

const patientIDs = await
this.contractInstance.methods.getAllPatientIDs().call();

let patient;

for (let i=0; i<patientCount; i++) {

await
this.contractInstance.methods.getPatient(patientIDs[i]).call().then(function(res
ult) {

    console.log(result);
    patient = [
        { Index: i+1, "Full Name": result[0], Age: result[1], Gender:
result[2], "Medical ID": patientIDs[i], "Blood Type": result[3], "Organ(s)":
result[4], "Weight(kg)": result[5], "Height(cm)": result[6]},
    ];

    let data = Object.keys(patient[0]);
    if (i==0)
        generateTableHead(table, data);
    generateTable(table, patient);
    });
}
const spinner = document.querySelector(".spinner");
spinner.style.display = "none";
},

transplantMatch: async function() {
    this.accounts = await web3.eth.getAccounts();
    this.contractInstance = new web3.eth.Contract(
        artifact.abi,
        contractAddress
    );
    document.getElementById("transplantTable").innerHTML = null;

```

```

var patientCount = await
this.contractInstance.methods.getCountOfPatients().call();
var donorCount = await
this.contractInstance.methods.getCountOfDonors().call();
var patientIDs = await
this.contractInstance.methods.getAllPatientIDs().call();
var donorIDs = [];

await
this.contractInstance.methods.getAllDonorIDs().call().then(function(result){
    for (let i=0; i<donorCount; i++) {
        donorIDs[i] = result[i];
    }
});

let donor = [];
for (let i=0; i<donorCount; i++) {

    await
this.contractInstance.methods.getDonor(donorIDs[i]).call().then(function(result
){
    let organsArr = [];
    let temp = result[4];
    for (let o=0; o<temp.length; o++) {
        organsArr[o] = temp[o];
    }
    donorObj = { ID: donorIDs[i], name: result[0], bloodtype: result[3],
organs: organsArr, organcount: organsArr.length };
    donor[i] = donorObj;
});
}
console.log(donor);

let match;
console.log("Patient Count: " + patientCount);
console.log("Donor Count: " + donorCount);

```

```

let initialTableGeneration = true;

for (var i=0; i<patientCount; i++) {
    var patientname;
    var patientbloodtype;
    var patientorgans;

    await
this.contractInstance.methods.getPatient(patientIDs[i]).call().then(function(res
ult){
    patientname = result[0];
    patientbloodtype=result[3];
    patientorgans=result[4];
});
console.log("Checking patient: "+patientname);
for (var poi=0; poi < patientorgans.length; poi++) {
    console.log("Checking patient organ: "+patientorgans[poi]);
    for (var j=0; j<donorCount; j++) {
        let matchedOrgan = false;
        console.log("Checking donor: "+donor[j].name);
        console.log("Organ count: "+donor[j].organcount);
        for (let doi=0; doi < donor[j].organcount; doi++) {
            console.log("Checking donor organ: "+donor[j].organs[doi])
                if (patientbloodtype==donor[j].bloodtype &&
patientorgans[poi]==donor[j].organs[doi]) {
                    matchedOrgan = true;
                    console.log("Matched: "+patientname+"
"+patientorgans[poi]+"<->" +donor[j].name+" "+donor[j].organs[doi]);
                    match = [
                        { "Patient Name": patientname, "Patient Organ":
patientorgans[poi], "Patient Medical ID": patientIDs[i],"": "<=>", "Donor

```

```

Medical ID": donorIDs[j], "Donor Organ": donor[j].organs[doi], "Donor
Name": donor[j].name},

    ];

    let data = Object.keys(match[0]);
    if (initialTableGeneration){
        generateTableHead(table, data);
        initialTableGeneration = false;
    }
    generateTable(table, match);

    // Removing marked donor organ
    donor[j].organs[doi] = donor[j].organs[donor[j].organcount-1];
    donor[j].organs.pop();
    donor[j].organcount--;
    break;
    }
}
if (donor[j].organcount == 0) {
    donor[j] = donor[donorCount-1];
    donorCount--;
}
if (matchedOrgan) {
    break;
}
}
}
}
const spinner = document.querySelector(".spinner");
spinner.style.display = "none";
}
}

```

```
window.App = App;
```

```
window.addEventListener("load", function() {
```

```
  App.web3 = new Web3(
```

```
    new Web3.providers.HttpProvider("http://127.0.0.1:7545"),
```

```
  );
```

```
  App.start();
```

```
});
```