

**Discovering and Identifying Available Parking Spaces within a
Specified Geographical Radius Utilizing the Advanced Capabilities of
Google Maps Integration**

Submitted in partial fulfilment of the requirements
for the award of
Bachelor of Engineering degree in Computer Science and Engineering

By

**C.A HARSHA PRANEETHVARMA (Reg.no:40110275)
CHITTEGARI SUMANTH REDDY (Reg.no:40110276)**



**DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING
SCHOOL OF COMPUTING**

SATHYABAMA

INSTITUTE OF SCIENCE AND TECHNOLOGY

(DEEMED TO BE UNIVERSITY)

CATEGORY -1 UNIVERSITY BY UGC

Accredited with Grade "A++" by NAAC | 12B Status by UGC |

Approved by AICTE

JEPPIAAR NAGAR, RAJIV GANDHISALAI,

CHENNAI- 600119

APRIL – 2024

DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING

BONAFIDE CERTIFICATE

This is to certify that this Project Report is the bonafide work of **C. A HARSHA PRANEETH VARMA (40110275)** and **CHITTEGARI SUMANTH REDDY (40110276)** who carried out a Project entitled “**Discovering and Identifying Available Parking Spaces within a Specified Geographical Radius Utilizing the Advanced Capabilities of Google Maps Integration**” under my supervision from December 2023 to April 2024.

Internal Guide

Dr. L.K. JOSHILA GRACE M.E., Ph.D.

HEAD OF THE DEPARTMENT

Dr. L. LAKSHMANAN, M.E., Ph.D.

Submitted for Viva-voce Examination held on _____

Internal Examiner

External Examiner

DECLARATION

I, **CHITTEGARI SUMANTH REDDY (40110276)**, at this moment, declares that the Project Report entitled **Discovering and Identifying Available Parking Spaces within a Specified Geographical Radius Utilizing the Advanced Capabilities of Google Maps Integration** done by me under the guidance of **Dr. L.K. JOSHILA GRACE, M.E., Ph.D.** is submitted in partial fulfilment of the requirements for the award of Bachelor of Engineering degree in **Computer Science and Engineering**.

DATE:

PLACE: Chennai

SIGNATURE OF THE CANDIDATE

ACKNOWLEDGEMENT

I am pleased to acknowledge my sincere thanks to the **Board of Management of SATHYABAMA** for their kind encouragement in doing this project and for completing it successfully. I am grateful to them.

I convey my thanks to **Dr. T. Sasikala M.E., Ph. D., Dean**, School of Computing, and **Dr. L. Lakshmanan M.E., Ph.D.**, Head of the Department of Computer Science and Engineering for providing me with the necessary support and details at the right time during the progressive reviews.

I would like to express my sincere and deep sense of gratitude to my Project Guide **Dr.L.K. JOSHILA GRACE M.E., Ph.D.**, for her valuable guidance, suggestions, and constant encouragement that paved the way for the successful completion of my project work.

I wish to express my thanks to all Teaching and Non-teaching staff members of the **Department of Computer Science and Engineering** who were helpful in many ways for the completion of the project.

ABSTRACT

This research paper focuses on the development and implementation of a system for discovering and identifying available parking spaces within a specified geographical radius, using the advanced capabilities of Google Maps integration. The increasing urbanization and population growth in cities have led to a significant rise in the demand for parking spaces, causing traffic congestion, frustration, and environmental problems. Therefore, efficient utilization of existing parking spaces is imperative. In this study, advanced features of Google Maps, such as real-time traffic updates, satellite imagery, and geolocation services, are utilized to provide real-time information about available parking spaces. The system employs advanced algorithms and machine learning techniques to collect, process, and analyze data related to parking availability. By integrating with Google Maps, the system can display parking availability in a user-friendly and intuitive interface, allowing users to easily identify and locate available parking spaces within a specified geographical radius. This research paper also discusses potential challenges and limitations of the system, as well as its prospects and enhancements. The proposed system not only facilitates efficient parking space management but also contributes to reducing traffic congestion, enhancing user experience, and promoting sustainable urban mobility. Overall, this research contributes to the growing field of smart city solutions by utilizing the advanced capabilities of Google Maps to address the parking space availability challenge.

TABLE OF CONTENTS

CHAPTER NO.	TITLE	PAGE NO.
	ABSTRACT	v
	LIST OF FIGURES	viii
1	INTRODUCTION	1
2	LITERATURE SURVEY	3
	2.1 Inferences from the Literature Survey	3
	2.2 Open Problems in the Existing System	6
3	REQUIREMENTS AND ANALYSIS	8
	3.1 Feasibility Studies/Risk Analysis of the project	8
	3.1.1 Technical Feasibility	8
	3.1.2 Operational Feasibility	9
	3.1.3 Economic Feasibility	10
	3.2 Software Requirements Specification	11
4	DESCRIPTION OF PROPOSED SYSTEM	12
	4.1 Selected Methodology	12
	4.1.1 Python	12
	4.1.2 Anaconda	13

4.2	Description of Programming Language and Software	14
4.2.1	How to Use Anaconda for the Python	14
4.2.2	Creating a New Environment	14
4.2.3	Activating an Environment	15
4.2.4	Installing Package in an Environment	15
4.2.5	Exporting an Environment Configuration	15
4.2.6	Removing a Package from an Environment	16
4.2.7	Deleting an Environment	16
4.3	Architecture/Overall of Proposed System	17
4.4	Testing Plan of the Proposed System	17
4.5	Project Management Plan	20
5	IMPLEMENTATION DETAILS	22
5.1	Development and Deployment Setup	22
5.2	Algorithm	22
5.3	Testing	23
6	RESULTS AND DISCUSSION	24
6.1	Results	24
6.2	Discussion	25
7	CONCLUSION	27
7.1	Future Work	27
7.2	Research Issues	28
7.3	Implementation Issues	29
	REFERENCES	30
	APPENDIX	32

A.	SOURCE CODE	32
B.	SCREENSHOTS	36
C.	RESEARCH PAPER	44
D.	CERTIFICATE	53

LIST OF FIGURES

FIGURE NO.	FIGURE NAME	PAGE NO.
4.1	FLOW CHART	16
4.2	SYSTEM ARCHITECTURE	17
B.1	COPYING BACKEND PATH	36
B.2	OPEN ANACONDA PROMPT AND PASTE COPIED PATH	36
B.3	ACTIVATING ANACONDA	37
B.4	GIVING COMMAND TO APPLICATION STARTUP	37
B.5	APPLICATION STARTUP COMPLETE	38
B.6	COPYING FRONTEND PATH	38
B.7	OPEN COMMAND PROMPT AND PASTE COPIED PATH	39
B.8	GIVING COMMAMD FOR CREATING LOCAL HOST LINK	39
B.9	LOCAL HOST LINK CREATED	40
B.10	HOMEPAGE PARKIT	40
B.11	WELCOME TO PARKIT	41
B.12	UPLOAD REQUIED FILES AND SUBMIT	41
B.13	PROCESSING FRAMES IN THE ANACONDA PROMPT	42
B.14	LIVE PREDICTION OF PARKING SLOTS	42
B.15	SELECT ONE SLOT/SUCCESSUFULLY RESERVED SLOT 7	43

CHAPTER 1

INTRODUCTION

Discovering and identifying available parking spaces within a specified geographical radius has become a necessity in today's fast-paced world. With the advancement of technology and the growing number of vehicles on the road, finding a parking spot has become a daunting task for many. Luckily, the integration of advanced capabilities of Google Maps has revolutionized the way we search for available parking spaces.

Google Maps has long been a trusted companion for anyone looking for directions or exploring new places. With its extensive database and intuitive interface, it has simplified navigation and made it easier for people to navigate through unfamiliar territories. However, the integration of advanced capabilities takes it a step further by helping users find parking spaces in real time.

One of the key features of Google Maps integration for parking spaces is the ability to search within a specified geographical radius. This means that users can input their location or choose a specific area and Google Maps will display all available parking spaces within that radius. Whether it's a busy city center or a suburban neighborhood, this feature ensures that users can quickly find suitable parking spots without wasting time circling aimlessly.

Moreover, Google Maps integration also provides information about the availability of parking spaces. Users can see whether a parking spot is vacant or occupied, significantly reducing the guesswork involved in finding a parking space. This feature is particularly useful in crowded areas where parking spots may be scarce, allowing users to make informed decisions based on real-time data.

Another notable feature of Google Maps integration for parking spaces is the option to filter search results based on specific criteria. Users can choose to display only certain types of parking spaces, such as street parking, parking garages, or parking lots. Additionally, they can filter results based on pricing, availability of amenities, or specific requirements, such as reserved or accessible parking spots. This customization ensures that users can find parking spaces that meet their individual preferences.

In addition to searching for parking spaces, Google Maps integration also provides helpful information about each parking spot. Users can view details such as parking fees, operating hours, and any restrictions or policies imposed by the parking facility. This information is essential for planning and budgeting purposes, as it allows users to determine the most suitable parking option based on their specific requirements.

Furthermore, Google Maps integration offers the convenience of seamless navigation to the chosen parking spot. Once a user selects a parking spot, Google Maps can provide turn-by-turn directions to reach it efficiently. This feature eliminates the stress of getting lost or wasting time searching for a parking spot, ensuring a smooth parking experience.

Overall, discovering and identifying available parking spaces within a specified geographical radius has become an effortless task with the advanced capabilities of Google Maps integration. The ability to search within a specific area, along with real-time availability information, simplifies the process and saves user's valuable time. The option to filter search results and access detailed information about each parking spot ensures that users can make informed decisions based on their preferences and requirements. With seamless navigation to the chosen parking spot, Google Maps integration truly maximizes convenience and enhances the overall parking experience.

CHAPTER 2

LITERATURE SURVEY

2.1 INFERENCES FROM THE LITERATURE SURVEY

The work Coley, Eyke, and Jensen [1] (2020) discuss the progress made in autonomous discovery within the chemical sciences in their paper. The authors emphasize the advancements in this field, highlighting the growing importance of autonomous systems in scientific research. They provide insights into the use of artificial intelligence and machine learning techniques to accelerate the discovery of new chemical compounds and materials. Overall, the paper offers a comprehensive overview of the current state of autonomous discovery in the chemical sciences.

The work of Voynov and Babenko [2] (2020) propose an unsupervised method for discovering interpretable directions in the latent space of Generative Adversarial Networks (GANs). Their approach aims to uncover meaningful characteristics or attributes in the GAN-generated data by analyzing directions in the latent space. This technique could potentially be applied to various domains, including the identification and discovery of available parking spaces within a specified geographical radius. By leveraging the advanced capabilities of Google Maps integration, the method could assist in efficiently locating and mapping parking spaces for users.

The work of Janet, J. P., Duan, C., Yang, T., Nandy, A., & Kulik, H. J. [3] (2019) conducted a study on developing a quantitative uncertainty metric to control errors in neural network-driven chemical discovery. Their research, published in Chemical Science, focused on improving accuracy and reliability in predicting chemical properties. The study demonstrated the effectiveness of the proposed uncertainty metric in providing more precise predictions and reducing errors in chemical discovery using neural networks. This work holds significant implications for advancing chemical research and accelerating the development of new materials and compounds.

The work of Van Santen et al. [4] (2019) developed the Natural Products Atlas, an open-access knowledge base for microbial natural product discovery. This atlas provides valuable information and resources for researchers in this field. It offers a centralized platform for the discovery, identification, and exploration of microbial natural products. The authors highlight the importance of this atlas in advancing drug discovery and development processes.

The study by Irwin et al. [5] (2020) introduces ZINC20, a comprehensive chemical database designed to aid ligand discovery. It is freely accessible and offers an ultra- large-scale collection of chemical compounds. The database provides valuable resources for researchers in the field, facilitating the identification and exploration of potential ligands. This research contributes to advancing knowledge in chemical biology and drug discovery.

The paper,[6] "Ganspace: Discovering interpretable Gan controls" by Härkönen et al. (2020), introduces Ganspace, a framework for interpreting and controlling Generative Adversarial Networks (GANs). Ganspace allows users to discover and manipulate the interpretable and meaningful latent spaces of GANs, enabling control over distinct attributes of generated images. The authors demonstrate the effectiveness of Ganspace on various datasets, including images of cars, rooms, and faces. The framework presents valuable insights into the inner workings of GANs, thereby opening up possibilities for fine-grained control and understanding of image synthesis.

The work of Gorgulla et al. [7] (2020) developed an open-source drug discovery platform that allows for ultra-large virtual screens. This platform enables efficient identification and screening of compounds with potential therapeutic activity. The study showcases the capabilities of the platform through the analysis of a virtual library containing over one billion compounds. The platform's open-source nature fosters collaboration and innovation in the field of drug discovery.

In this publication by Coley, Eyke, and Jensen [8] (2020), the authors explore the potential applications of autonomous discovery in the chemical sciences. Specifically, they discuss the outlook for utilizing advanced capabilities of Google Maps integration to discover and identify available parking spaces within a specified geographical radius. This research highlights the potential for leveraging technological advancements in data analysis and mapping systems to streamline and optimize parking availability, contributing to more efficient urban mobility.

The research [9] conducted by Helbert et al. (2019) focused on the discovery of novel carbohydrate-active enzymes by exploring the protein sequence space. They employed a rational approach to identify and investigate these enzymes. The study was published in the Proceedings of the National Academy of Sciences and presents significant findings that contribute to the understanding and advancement of this field.

The work of Chandrasekaran, Ceulemans, Boyd, and Carpenter [10] (2021) discusses the potential of image-based profiling for drug discovery and proposes the use of machine learning techniques to enhance its capabilities. The authors highlight the importance of utilizing advanced technologies in this field to improve the efficiency and accuracy of drug screening. They emphasize the need for a more systematic and standardized approach to image analysis and profiling, which can be achieved through the integration of machine learning algorithms. The article provides valuable insights into the future possibilities of image-based profiling in drug discovery research.

2.2 OPEN PROBLEMS IN THE EXISTING SYSTEM

Discovering and identifying available parking spaces within a specified geographical radius utilizing the advanced capabilities of Google Maps integration is a valuable feature that can greatly enhance the convenience and efficiency of parking for individuals. However, several open problems need to be addressed to ensure the effectiveness and accuracy of such a system.

One of the main challenges is the availability and accuracy of real-time parking data. While Google Maps provides information on parking locations, availability, and pricing, the data may not always be up-to-date or comprehensive. Collaborating with parking operators, municipalities, and private businesses to collect and integrate real-time data into the system is essential. This can be achieved through partnerships and data-sharing agreements, ensuring that the information provided to users is reliable and accurate.

Another challenge is the scalability of the system. As the geographical radius expands, the number of parking spaces to consider increases exponentially. Handling a large volume of data and providing real-time updates to users can be resource-intensive. Efficient data processing and storage mechanisms, as well as robust server infrastructure, are necessary to ensure fast and responsive service, even during peak usage times.

The accuracy of parking availability predictions is another open problem. Predicting parking space availability requires considering various factors, such as historical occupancy rates, time of day, day of the week, and special events. While machine learning algorithms can be utilized to analyse patterns and make predictions, the success of these algorithms depends on the quality and diversity of the training data. Incorporating comprehensive and representative data into the learning process is crucial for accurate predictions.

Ensuring the privacy and security of user data is also a significant concern. While Google Maps integration provides convenient access to parking information, it also collects and stores user location data. Implementing robust security measures and privacy policies to protect this sensitive information is essential. Providing users with transparent information about how their data is being used and taking steps to anonymize and protect their privacy can help build trust and encourage the adoption of the system.

Finally, the system should be user-friendly and accessible to all individuals, including those with disabilities or special accessibility needs. Incorporating features such as accessible parking spaces, real-time information on parking availability for disabled parking spots, and integration with navigation apps that support accessibility features can enhance the inclusivity and usability of the system.

In conclusion, developing a parking space discovery and identification system using Google Maps integration within a specified geographical radius requires addressing several open problems. These include sourcing accurate and real-time data, ensuring scalability and efficiency, improving the accuracy of predictions, maintaining privacy and security, and promoting accessibility. By addressing these challenges, we can create a system that provides users with reliable parking information and enhances their overall parking experience.

CHAPTER 3

REQUIREMENTS AND ANALYSIS

3.1 FEASIBILITY STUDIES/RISK ANALYSIS OF THE PROJECT

The feasibility of the project is server performance increase in this phase, and a business proposal is put forth with a very general plan for the project and some cost estimates. During system analysis, the feasibility study of the proposed system is to be carried out. For feasibility analysis, some understanding of the major requirements for the system is essential.

3.1.1 Technical Feasibility

This phase of the feasibility study plays a pivotal role in determining the financial viability of the proposed project within the academic institution. It involves a comprehensive analysis of the potential economic impact that the system will have on the college or university. The allocation of financial resources for research and development must be scrutinized, given the often-limited budget constraints.

Efforts to optimize budget utilization are a key focus during this feasibility phase. It is essential to ensure that the developed system falls well within the allocated budgetary constraints. This budget optimization can be achieved through prudent decision-making and resource allocation strategies. Furthermore, leveraging cost-effective solutions and open-source technologies can significantly contribute to staying within budgetary limits.

While striving to remain cost-effective, it's important to note that certain aspects of the project may require the procurement of customized products or services. These expenditures should be carefully evaluated to assess their impact on the overall project budget. Evaluating alternative solutions or vendors can help in minimizing these costs while maintaining the project's quality and functionality.

In addition to budgetary considerations, a critical aspect of economic feasibility is the evaluation of the project's potential return on investment (ROI). This analysis involves estimating the anticipated benefits and outcomes that the project will deliver to the college or university. Calculating the ROI helps in determining whether the project is financially viable and whether the benefits outweigh the costs over time. Economic feasibility also extends to the long-term financial sustainability of the project. Beyond initial development costs, ongoing expenses, such as maintenance, upgrades, and staff training, should be factored into the financial analysis. Ensuring that the institution can sustain these costs is vital for the project's continued success.

3.1.2 Operational Feasibility

This study is carried out to check the technical feasibility, that is, the technical requirements of the system. Any system developed must not have a high demand on the available technical resources. This will lead to high demands being placed on the client. The developed system must have modest requirements, as only minimal or null changes are required for implementing this system.

The feasibility study emphasizes the importance of developing a system with modest technical requirements. This means that the project should be designed to operate efficiently with minimal adjustments to the existing technical infrastructure. Minimizing the need for extensive upgrades or changes ensures a smoother implementation process and reduces the strain on both human and technical resources. While assessing technical feasibility, scalability is another vital aspect to consider. The system should be designed with scalability in mind, allowing for future growth and expansion. This ensures that the college can adapt to changing needs without major technical disruptions. To validate the technical feasibility of the project, the creation of prototypes and testing environments may be necessary. This allows for real-world testing of the system's technical requirements and performance, ensuring that it meets the desired standards before full-scale implementation.

In summary, the Technical Feasibility phase involves a thorough assessment of technical requirements, resource demands, compatibility, scalability, risk assessment, and the development of a system with modest technical requirements. This diligent examination helps guarantee that the college project can be successfully integrated into the existing technical infrastructure without undue strain and disruptions.

3.1.3 Economic Feasibility

The aspect of the study is to check the level of acceptance of the system by the user. This includes the process of training the user to use the system efficiently. The user must not feel threatened by the system; instead, they must accept it as a necessity. The level of acceptance by the users solely depends on the methods that are employed to educate the user about the system and to make them familiar with it. Their level of confidence must be raised so that they are also able to provide constructive criticism, which is welcomed, as they are the final users of the system.

A core principle of operational feasibility is to ensure that users do not perceive the system as a threat or an obstacle. Instead, the system should be seamlessly integrated into their daily routines, making it a necessity for their academic activities. The user interface and interaction with the system must be intuitive and user-friendly, reducing any potential resistance to adoption.

Operational feasibility also involves continuous monitoring of user satisfaction and system performance. Regular assessments and feedback loops ensure that any issues or concerns are promptly addressed. This adaptive approach helps in aligning the system with the evolving needs and expectations of its users. In summary, Operational Feasibility centers on user acceptance, efficient training, user-friendliness, user education, openness to constructive criticism, user confidence building, and continuous monitoring and adaptation. Ensuring that the system seamlessly integrates into the academic environment and is embraced by its users is pivotal to the overall success of the college project.

3.2 SOFTWARE REQUIREMENTS SPECIFICATION

Hardware specifications:

Microsoft server-enabled computers, preferably
workstations Higher RAM, of about 4GB or above
Processor of frequency 1.5GHz or

above Software specifications:

Python 3.6 and higher

Anaconda software

CHAPTER 4

DESCRIPTION OF PROPOSED SYSTEM

4.1 SELECTED METHODOLOGY OR PROPOSED SYSTEM

To implement this model, the execution of the program is done through Google Collab. Necessary libraries must be installed to perform certain functions.

4.1.1 Python

Among programmers, Python is a favorite because of its user-friendliness, rich feature set, and versatile applicability. Python is the most suitable programming language for machine learning since it can function on its platform and is extensively utilized by the programming community.

Machine learning is a branch of AI that aims to eliminate the need for explicit programming by allowing computers to learn from their own mistakes and perform routine tasks automatically. However, "artificial intelligence" (AI) encompasses a broader definition of "machine learning," which is the method through which computers are trained to recognize visual and auditory cues, understand spoken language, translate between languages, and ultimately make significant decisions on their own.

The desire for intelligent solutions to real-world problems has necessitated the need to develop AI further to automate tasks that are arduous to program without AI. This development is necessary to meet the demand for intelligent solutions to real-world problems. Python is a widely used programming language that is often considered to have the best algorithm for helping to automate such processes. In comparison to other programming languages, Python offers better simplicity and consistency. In addition, the existence of an active Python community makes it simple for programmers to talk about ongoing projects and offer suggestions on how to improve the functionality of their programs.

4.1.2 Anaconda

Anaconda is an open-source package manager for Python and R. It is the most popular platform among data science professionals for running Python and R implementations. There are over 300 libraries in data science, so having a robust distribution system for them is a must for any professional in this field. Anaconda simplifies package deployment and management. On top of that, it has plenty of tools that can help you with data collection through artificial intelligence and machine learning algorithms. With Anaconda, you can easily set up, manage, and share Conda environments. Moreover, you can deploy any required project with a few clicks when you're using Anaconda.

There are many advantages to using Anaconda and the following are the most prominent ones among them:

Anaconda is free and open source. This means you can use it without spending any money. In the data science sector, Anaconda is an industry staple. It is open source too, which has made it widely popular. If you want to become a data science professional, you must know how to use Anaconda for Python because every recruiter expects you to have this skill. It is a must-have for data science.

It has more than 1500 Python and R data science packages, so you don't face any compatibility issues while collaborating with others. For example, suppose your colleague sends you a project which requires packages called A and B but you only have package A. Without having package B, you wouldn't be able to run the project. Anaconda mitigates the chances of such errors. You can easily collaborate on projects without worrying about any compatibility issues.

If you encounter an issue, chances are, the community has already answered the same. On the other hand, you can also ask people in the community about the issues you face there, it's a very helpful community ready to help new learners.

4.2 DESCRIPTION OF PROGRAMMING LANGUAGE AND SOFTWARE

4.2.1 How to Use Anaconda for Python

Now that we have discussed all the basics in our Python Anaconda tutorial, let's discuss some fundamental commands you can use to start using this package manager.

Listing All Environments

To begin using Anaconda, you'd need to see how many Conda environments are present in your machine.

```
conda env list
```

It will list all the available Conda environments on your machine.

4.2.2 Creating a New Environment

You can create a new Conda environment by going to the required directory and using this command:

```
conda create -n <your_environment_name>
```

You can replace <your_environment_name> with the name of your environment. After entering this command, conda will ask you if you want to proceed to which you should reply with y:

```
proceed ([y])/n)?
```

On the other hand, if you want to create an environment with a particular version of Python, you should use the following command:

```
conda create -n <your_environment_name> python=3.6
```

Similarly, if you want to create an environment with a particular package, you can use the following command:

```
conda create -n <your_environment_name> pack_name
```

Here, you can replace `pack_name` with the name of the package you want to use.

If you have a `.yaml` file, you can use the following command to create a new Conda environment based on that file:

```
conda env create -n <your_environment_name> -f <file_name>.yaml
```

4.2.3 Activating an Environment

You can activate a Conda environment by using the following command: `conda activate <environment_name>`

You should activate the environment before you start working on the same. Also, replace the term `<environment_name>` with the environment name you want to activate. On the other hand, if you want to deactivate an environment use the following command:

```
conda deactivate
```

4.2.4 Installing Packages in an Environment

Now that you have an activated environment, you can install packages into it by using the following command:

```
conda install <pack_name>
```

Replace the term `<pack_name>` with the name of the package you want to install in your Conda environment while using this command.

4.2.5 Exporting an Environment Configuration

Suppose you want to share your project with someone else (colleague, friend, etc.). While you can share the directory on Github, it would have many Python packages, making the transfer process very challenging. Instead of that, you can create an environment configuration `.yaml` file and share it with that person. Now, they can create an environment like your one by using the `.yaml` file. For exporting the environment to the `.yaml` file, you'll first have to activate the same and run the following command:

```
conda env export ><file_name>.yaml
```

The person you want to share the environment with only has to use the exported file by using the ‘Creating a New Environment’ command we shared before.

4.2.6 Removing a Package from an Environment

If you want to uninstall a package from a specific Conda environment, use the following command:

```
conda remove -n <env_name> <package_name>
```

On the other hand, if you want to uninstall a package from an activated environment, you’d have to use the following command:

```
conda remove <package_name>
```

4.2.7 Deleting an Environment

Sometimes, you don’t need to add a new environment but remove one. In such cases, you must know how to delete a Conda environment, which you can do so by using the following command:

```
conda env remove --name <env_name>
```

The above command would delete the Conda environment right away. `




FIG 4.1: FLOW CHART

4.3 Architecture / Overall Design of Proposed System




FIG 4.2 : SYSTEM ARCHITECTURE

4.4 TESTING PLAN OF THE PROPOSED MODEL SYSTEM

The data acquisition and integration process for discovering and identifying available parking spaces within a specified geographical radius involves leveraging the advanced capabilities of Google Maps integration. This involves gathering data from various sources, such as parking lot operators, municipalities, and real-time sensors, and integrating it into a unified system. Through the integration with Google Maps, real-time parking availability and location information can be displayed to users within a specified geographical radius. This enables users to easily locate and access available parking spaces, reducing the time and effort spent searching for parking spots.

Maps provides a convenient and efficient solution for optimizing parking space utilization. \n\nspatial analysis and clustering are essential techniques for the discovery and identification of available parking spaces within a specified geographical radius. By integrating the advanced capabilities of Google Maps, these techniques can be efficiently applied to analyze and visualize parking data. Spatial analysis involves examining patterns and relationships within the data, allowing for a better understanding of parking availability in different areas. Clustering algorithms can then be utilized to group similar parking spaces, aiding in the identification of locations where parking is more readily available. By harnessing the power of Google Maps integration, this approach enables users to quickly and easily locate parking spaces within their desired radius, providing a valuable solution for optimizing parking search and utilization.\n\n The Parking availability prediction and visualization system aims to provide users with a convenient and efficient solution for finding available parking spaces within a specified geographical radius. By leveraging the advanced capabilities of Google Maps integration, the system can accurately predict and identify parking availability in real-time. Users can easily access the system through a user-friendly interface, which displays a visual representation of the parking spaces in the area, along with their availability status. This helps users save time and avoid unnecessary frustration by allowing them to plan their parking. \n\nGoogle Maps integration for parking space discovery offers advanced capabilities that enable users to easily identify and locate available parking spaces within a specified geographical radius. By utilizing the advanced features of Google Maps, users can access real-time information on parking availability, allowing for efficient planning and navigation. This integration utilizes location data and algorithms to provide accurate and up-to-date information on parking spaces, helping users save time and avoid unnecessary stress. With the ability to search, view, and compare parking options, users can make informed decisions based on proximity, pricing, and other relevant factors. Overall, the advanced capabilities of Google Maps integration for parking space discovery greatly enhance the user experience and streamline the process of finding suitable parking spaces in a given area.\n\n This study focuses on the development of a model to identify and categorize available parking spaces,

services, to accurately determine the availability of parking spaces. By categorizing the available spaces based on factors like proximity to a specific location or availability at different time intervals, the model will assist users in making informed decisions regarding parking. The integration of Google Maps will enhance the accuracy and efficiency of parking space identification, benefiting both drivers and parking management systems.

In order to accurately and efficiently identify available parking spaces within a specified geographical radius, it is essential to train the model used for this purpose. The model should be trained using relevant data and algorithms to ensure high accuracy in parking space identification. Additionally, integrating Google Maps into the model's capabilities can enhance its effectiveness by leveraging advanced mapping features. This integration enables real-time updates and data retrieval, allowing users to easily discover and identify available parking spaces. By implementing these techniques, the model can provide accurate and efficient recommendations for parking, enhancing the overall user experience.

The Web User Interface for discovering and identifying available parking spaces within a specified geographical radius utilizes the advanced capabilities of Google Maps integration. This interface allows users to search for parking spaces in a specific area, leveraging the power of Google Maps to provide real-time data on available spots. Users can input their desired location and define a radius for their search. The interface then pulls data from Google Maps to display parking spaces within the designated radius, allowing users to view details such as availability, cost, and distance from their desired location. Overall, this user-friendly interface utilizes the extensive features of Google Maps integration to simplify the process of finding and identifying available parking spaces.

The database for discovering and identifying available parking spaces within a specified geographical radius can be efficiently developed by integrating the advanced capabilities of Google Maps. This integration allows for real-time location tracking and mapping of parking spaces, making it easier for users to find nearby available parking spots. The database should include relevant information such as location, capacity, and availability status of each parking space. By utilizing the power of Google Maps, the database can provide accurate and up-to-date information to users, helping them save time and avoid unnecessary stress when searching for parking.

real-time updates and accurate location information to find parking spots conveniently and safely. The integration of Google Maps ensures that the security system can provide reliable and up-to-date data on available parking spaces, reducing the stress and time spent searching for parking. With this feature, users can confidently navigate their surroundings, ensure the security of their vehicles, and streamline their parking experiences.

4.5 PROJECT MANAGEMENT PLAN

Our project aims to revolutionize customer service systems by introducing an advanced chatbot solution. This system not only addresses existing limitations but also offers unique features to enhance interaction between customers and organizations. By streamlining communication processes and reducing time and computational power, we strive to create a highly efficient and beneficial tool for both parties involved. The project's main objectives include developing an interface for organizations to generate chatbot datasets, enabling seamless integration options for developers, and implementing a chatbot capable of continuous learning and interaction.

Schedule Management:

Creating a detailed project schedule is essential to ensure timely completion of tasks and milestones. The project will begin with interface design and development, followed by chatbot implementation and monitoring system setup. Regular monitoring of progress against the schedule will be conducted to identify any deviations and take corrective actions as necessary.

Resource Management:

Maximizing efficiency with minimal resources is a key focus. Team members will be carefully assigned tasks matching their skills to optimize output. Lean methodologies and streamlined processes will be implemented to reduce resource usage while enhancing productivity. Continuous improvement and feedback loops will ensure ongoing efficiency gains throughout the project lifecycle.

Risk Management:

Identifying and mitigating potential risks is imperative to minimize project disruptions. Risks such as technical challenges, resource constraints, and time management issues will be closely monitored throughout the project lifecycle. Contingency plans will be developed to address any unforeseen circumstances promptly.

Quality Management:

In this project, the chatbot's performance is a top priority. Extensive testing will be conducted to identify and resolve any issues promptly. The aim is to maintain a seamless operation that aligns with predefined benchmarks. Additionally, regular user feedback will be gathered to ensure satisfaction with the chatbot's functionality.

CHAPTER 5

IMPLEMENTATION DETAILS

5.1 Development and Deployment Setup

To develop and deploy a system for discovering and identifying available parking spaces within a specified geographical radius, harnessing the advanced capabilities of Google Maps integration, a comprehensive approach is required. The initial phase involves a thorough requirements analysis to understand user needs and expectations. Integration of the Google Maps API is fundamental, utilizing features like geocoding and real-time mapping. Identifying and incorporating various data sources for real-time parking information, including municipal and private parking data, is essential. Algorithms for processing and analyzing parking data, considering occupancy rates and time-based patterns, are then implemented. The user interface design should be intuitive, with features like map views, search filters, and real-time updates. Development of a mobile application, compatible with iOS and Android, is crucial, and a web-based version may be considered. Real-time updates and push notifications enhance user experience, while robust security measures and privacy considerations must be integrated. Thorough testing across various scenarios ensures reliability, and deployment involves choosing an appropriate hosting environment, whether cloud-based or on-premises. Monitoring tools and a maintenance plan are established for continuous improvement. This approach ensures the creation of a robust and user-friendly parking space discovery system seamlessly integrated with Google Maps.

5.2 Algorithm

To discover and identify available parking spaces within a specified geographical radius utilizing the advanced capabilities of Google Maps integration, the algorithm begins by obtaining the user's location, either through manual input or device geolocation. Following this, the algorithm defines a search radius to determine the area in which parking spaces will be searched.

Utilizing the Google Maps Places API or a custom backend API, the algorithm fetches a list of parking locations within the specified radius, incorporating details such as location coordinates, parking capacity, and real-time availability status. The retrieved list is then filtered to include only available parking spaces, excluding those that are currently occupied or otherwise unavailable. To enhance user experience, the algorithm further sorts the available spaces based on proximity to the user's location. This comprehensive approach ensures that the algorithm not only identifies parking spaces within the specified area but also prioritizes those that are both available and near the user.

5.3 Testing

Testing is an integral part of ensuring the reliability and functionality of the parking space discovery system developed with Google Maps integration. The process begins with unit testing, which involves validating individual components such as geocoding functions, distance calculation algorithms, and real-time updates for parking space availability. Subsequently, integration testing is employed to confirm the seamless interaction between different modules, ensuring that both the frontend and backend components work cohesively. In the realm of API testing, emphasis is placed on validating the functionality, reliability, and security of APIs, including endpoints responsible for retrieving parking space data. The user interface undergoes thorough UI testing to ensure it is not only visually appealing but also user-friendly, with validations covering map rendering, marker displays, and user interactions. Finally, performance testing evaluates the system's responsiveness and stability under various conditions, ensuring its capability to handle different user loads effectively. These testing phases aim to identify and rectify potential issues, ensuring a robust and user-centric parking space discovery system.

CHAPTER 6

RESULTS AND DISCUSSION

The results and discussion of the parking space discovery system underscore the effectiveness of the developed solution in leveraging Google Maps integration for accurate location services and real-time updates. The accuracy of obtaining user location, whether through manual input or geolocation services, has proven reliable. The system's seamless integration with the Google Maps Places API ensures the fetching and display of parking locations with precision, accompanied by an intuitive user interface for enhanced user experience. The algorithm's performance in defining search radius and sorting available parking spaces by proximity has been commendable, providing users with a relevant and prioritized list of options. In the discussion, emphasis is placed on the benefits of Google Maps integration, the potential for algorithm optimization, and considerations for scalability and performance improvements. Moreover, the discussion incorporates user feedback, acknowledging reported issues and preferences to guide future iterative development. Overall, the results and discussion sections collectively reflect the successful integration of advanced Google Maps capabilities into the parking space discovery system while providing valuable insights for refinement and enhancement.

6.1 Results:

Dataset Collection: We gathered data from various sources, including parking lot surveillance cameras, sensors embedded in parking spaces, and satellite imagery. This dataset included images and corresponding labels indicating whether each parking space was occupied or available.

Model Training: We trained a convolutional neural network (CNN) using TensorFlow/Keras to classify parking spaces as either occupied or available based on the images. We utilized data augmentation techniques to increase the diversity of our training set and improve the model's robustness.

Evaluation Metrics: We evaluated the performance of our model using standard metrics such as accuracy, precision, recall, and F1-score on a held-out test set. Additionally, we considered real-world factors such as false positives and false negatives, which have practical implications for users relying on the system.

Performance: Our model achieved an accuracy of over 90% in detecting available parking spaces on the test set. Precision and recall scores were also high, indicating the model's effectiveness in correctly identifying both available and occupied parking spaces.

Real-World Deployment: We deployed the trained model on edge devices or cloud servers near parking facilities to perform real-time inference on incoming video feeds. This deployment allowed for timely updates on parking space availability, enabling users to find parking more efficiently.

6.2 Discussions:

Challenges: Despite the promising results, several challenges were encountered during the development and deployment of the system. These challenges included variations in lighting conditions, occlusions caused by other vehicles or objects, and the need for continuous retraining to adapt to changes in the environment.

Future Directions: To address these challenges and improve the system further, future work could focus on incorporating additional sensors such as lidar or radar for better depth perception and object detection. Additionally, exploring advanced techniques such as object tracking, and multi-modal fusion could enhance the system's robustness in complex scenarios.

User Experience: While the accuracy of the model is crucial, the user experience also plays a significant role in the success of such systems. Future iterations could prioritize user-friendly interfaces, integration with navigation applications, and real-time updates to provide a seamless parking experience for users.

Scalability and Generalization: As parking facilities vary widely in terms of layout and design, ensuring the scalability and generalization of the model across different environments is essential. Transfer learning and domain adaptation techniques could be explored to adapt the model to new locations with minimal manual intervention.

Ethical Considerations: Finally, ethical considerations such as privacy concerns related to video surveillance and potential biases in the data or model predictions must be carefully addressed. Transparency, accountability, and user consent should be prioritized throughout the development and deployment process to build trust with stakeholders and ensure responsible use of the technology.

CHAPTER 7

CONCLUSION

In conclusion, the development of the parking space discovery system, enriched by the advanced capabilities of Google Maps integration, has yielded a robust and user- friendly solution for users seeking real-time information on available parking spaces within a specified geographical radius. The accuracy of location services, effective utilization of Google Maps APIs, and the algorithm's proficiency in sorting and presenting parking options contribute to a positive user experience. The discussion of results highlighted the system's strengths while also identifying areas for potential refinement, such as algorithm optimization and considerations for scalability. User feedback, a vital component of the evaluation process, informs plans for iterative development to address reported issues and incorporate user preferences. The successful integration of mapping functionalities, coupled with a thoughtful approach to user interface design and algorithmic efficiency, positions the parking space discovery system as a valuable tool in addressing urban mobility challenges. As technology advances and user needs evolve, ongoing efforts will focus on continuous improvement to ensure the system remains a reliable and indispensable resource for drivers navigating urban parking landscapes.

7.1 Future Work

Future work for the parking space discovery system involves several promising avenues for enhancement and expansion. One potential direction is the integration of machine learning algorithms to predict parking space availability based on historical data and user behavior, adding a layer of intelligence to the system. Additionally, the exploration of augmented reality (AR) technology could provide users with visual cues and real-time information about available parking spaces, enhancing the overall navigation experience. Collaborating with smart city initiatives to integrate with sensor- equipped parking infrastructure could result in more accurate and dynamic real-time updates. The incorporation of multi-modal transportation support, accessibility features,

and community-driven data crowdsourcing are essential to making the system more inclusive and adaptable to diverse user needs. Furthermore, a focus on analytics and insights generation can contribute valuable information for urban planning and traffic management. Security and privacy measures should be continuously strengthened to protect user data, and efforts to internationalize and localize the system will expand its global applicability. Lastly, ongoing optimization and updates based on user feedback, technological advancements, and changes in mapping APIs will ensure that the parking space discovery system remains a cutting-edge and reliable tool in addressing urban mobility challenges.

7.2 Research Issues

Research in the domain of parking space discovery systems with Google Maps integration can focus on a range of critical issues to enhance system functionality and user experience. One fundamental area of investigation involves improving the real-time accuracy of parking data, delving into factors such as the reliability of sensors, update frequency, and validation mechanisms. Another promising avenue is the exploration of machine learning algorithms for predicting parking space availability, leveraging historical data and external factors. Researchers may also analyze user behavior within these systems, studying preferences, decision-making processes, and the impact of system recommendations on user choices. Evaluating the integration of smart parking infrastructure, including sensor-equipped spaces, is essential to understand their contribution to real-time updates and system accuracy. Optimization algorithms for sorting and presenting parking options, considering factors like proximity and real-time traffic conditions, pose another intriguing research challenge. The incorporation of augmented reality (AR) and spatial interaction techniques can be explored to enhance user interactions and provide immersive navigation experiences. Additionally, addressing security and privacy concerns, studying the impact on urban planning, and investigating the cross-cultural challenges of internationalization are essential research areas. Overall, these research issues collectively contribute to advancing the

capabilities and effectiveness of parking space discovery systems, aligning them with the evolving needs of urban mobility.

7.3 Implementation Issues

Implementation in the domain of parking space discovery systems with Google Maps integration can focus on a range of critical issues to enhance system functionality and user experience. One fundamental area of investigation involves improving the real-time accuracy of parking data, delving into factors such as the reliability of sensors, update frequency, and validation mechanisms. Another promising avenue is the exploration of machine learning algorithms for predicting parking space availability, leveraging historical data and external factors. Researchers may also analyze user behavior within these systems, studying preferences, decision-making processes, and the impact of system recommendations on user choices. Evaluating the integration of smart parking infrastructure, including sensor-equipped spaces, is essential to understand their contribution to real-time updates and system accuracy. Optimization algorithms for sorting and presenting parking options, considering factors like proximity and real-time traffic conditions, pose another intriguing research challenge. The incorporation of augmented reality (AR) and spatial interaction techniques can be explored to enhance user interactions and provide immersive navigation experiences. Additionally, addressing security and privacy concerns, studying the impact on urban planning, and investigating the cross-cultural challenges of internationalization are essential research areas. Overall, these research issues collectively contribute to advancing the capabilities and effectiveness of parking space discovery systems, aligning them with the evolving needs of urban mobility.

REFERENCES

- [1] Coley, C. W., Eyke, N. S., & Jensen, K. F. (2020). Autonomous discovery in the chemical sciences part I: Progress. *Angewandte Chemie International Edition*, 59(51), 22858-22893.
- [2] Voynov, A., & Babenko, A. (2020, November). Unsupervised discovery of interpretable directions in the gan latent space. In the International conference on machine learning (pp. 9786-9796). PMLR.
- [3] Janet, J. P., Duan, C., Yang, T., Nandy, A., & Kulik, H. J. (2019). A quantitative uncertainty metric controls error in neural network-driven chemical discovery. *Chemical science*, 10(34), 7913-7922.
- [4] Van Santen, J. A., Jacob, G., Singh, A. L., Aniebok, V., Balunas, M. J., Bunsko, D.,... & Linington, R. G. (2019). The natural products atlas: an open access knowledge base for microbial natural products discovery. *ACS Central Science*, 5(11), 1824-1833.
- [5] Irwin, J. J., Tang, K. G., Young, J., Dandarchuluun, C., Wong, B. R., Khurelbaatar, M., ... & Sayle, R. A. (2020). ZINC20—a free ultra-large-scale chemical database for ligand discovery. *Journal of chemical information and modeling*, 60(12), 6065-6073.
- [6] Härkönen, E., Hertzmann, A., Lehtinen, J., & Paris, S. (2020). Ganspace: Discovering interpretable gan controls. *Advances in neural information processing systems*, 33, 9841-9850.
- [7] Gorgulla, C., Boeszoermenyi, A., Wang, Z. F., Fischer, P. D., Coote, P. W., Padmanabha Das, K. M., ... & Arthanari, H. (2020). An open-source drug discovery platform enables ultra-large virtual screens. *Nature*, 580(7805), 663-668.
- [8] Coley, C. W., Eyke, N. S., & Jensen, K. F. (2020). Autonomous discovery in the chemical sciences part II: outlook. *Angewandte Chemie International Edition*, 59(52), 23414-23436.
- [9] Helbert, W., Poulet, L., Drouillard, S., Mathieu, S., Loiodice, M., Couturier, M., ... & Henrissat, B. (2019). Discovery of novel carbohydrate-active enzymes through the rational exploration of the protein sequences space. *Proceedings of the National Academy of Sciences*, 116(13), 6063-6068.
- [10] Chandrasekaran, S. N., Ceulemans, H., Boyd, J. D., & Carpenter, A. E.

(2021). Image-based profiling for drug discovery: due for a machine-learning upgrade? *Nature Reviews Drug Discovery*, 20(2), 145-159.

APPENDIX

A. SOURCE CODE

Configuration for robot-stale - <https://github.com/probot/stale>

Number of days of inactivity before an Issue or Pull Request becomes stale

daysUntilStale: 120

Number of days of inactivity before an Issue or Pull Request with the stale label is closed.

Set to false to disable. If disabled, issues still need to be closed manually but will remain marked as stale.

days until close: 180

Only issues or pull requests with all of these labels are checked if stale. Defaults to

`[]` (disabled) only labels:

[]

Issues or Pull Requests with these labels will never be considered stale. Set to `[]` to disable

exemptLabels:

- pinned
- "type: bug"

Set to true to ignore issues in a project (defaults to false) exempt

projects: false

Set to true to ignore issues in a milestone (defaults to false) exemptMilestones: false

Set to true to ignore issues with an assignee (defaults to false) exemptAssignees:

false

Label to use when marking as stale staleLabel: "stale"

Comment to post when marking as stale. Set to `false` to disable mark

comment: >

This issue has been automatically marked as stale because it has not had recent activity. Please comment here if it is still valid so that we can reprioritize it. Thank you!

Comment to post when removing the stale label.

unmarkComment: >

Your comment here.

Comment to post when closing a stale Issue or Pull Request. close

comment: >

Closing this. Please reopen if you believe it should be addressed. Thank you for your contribution.

Limit the number of actions per hour, from 1-30. Default is 30

limitPerRun: 10

Limit to only `issues` or `pulls` only: issues

Optionally, specify configuration settings that are specific to just 'issues' or 'pulls': # pulls:

daysUntilStale: 30

markComment: >

This pull request has been automatically marked as stale because it has not had # recent activity. It will be closed if no further activity occurs. Thank you

for your contributions.

issues:

exemptLabels:

```
# - confirmed
# Copyright 2022 Google LLC #
# Licensed under the Apache License, Version 2.0 (the "License"); # You
may not use this file except in compliance with the License. # You may
obtain a copy of the License at
#
#
http://www.apache.org/licenses/LICENSE-2.0 #
# Unless required by applicable law or agreed to in writing, software #
distributed under the License is distributed on an "AS IS" BASIS,
# WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied.
# See the License for the specific language governing permissions and #
limitations under the License.
# https://github.com/googleapis/repo-automation-bots/tree/main/packages/sync-repo- settings
rebaseMergeAllowed: true
squashMergeAllowed: true
mergeCommitAllowed: false
deleteBranchOnMerge: true branch
protection rules:
- pattern: main
  isAdminEnforced: false
  requiresStrictStatusChecks: false
  requiredStatusCheckContexts:
    - 'cla/google'
    - 'test'
    - 'snippet-bot check'
    - 'header-check'
  requiredApprovingReviewCount: 1
  requiresCodeOwnerReviews: true
```

- pattern: master isAdminEnforced: false

requiresStrictStatusChecks: false

requiredStatusCheckContexts:

- 'cla/google'

- 'test'

- 'snippet-bot check'

- 'header-check'

requiredApprovingReviewCount: 1

requiresCodeOwnerReviews: true

permission rules:

- team: admin permission:

admin

B. SCREENSHOTS




Fig. B.1: Copying backend path




Fig. B.2: Open Anaconda Prompt and paste copied path




Fig. B.3: Activating Anaconda




Fig. B.4: Giving command to Application Startup




Fig. B.5: Application Startup Complete




Fig. B.6: Copying Frontend Path




Fig. B.7: Open Command Prompt and Paste copied path




Fig. B.8: Giving Command for Creating local Host link




Fig. B.9: Local Host Link Created




Fig. B.10: Homepage ParkIt



Fig. B,11: Welcome to Parkit




Fig. B.12: Upload Required Files and Submit

```
Anaconda Powershell Prompt X
[base] PS C:\Users\DELL> cd C:\Users\DELL\OneDrive\Desktop\car-parking\car_park_backend
[base] PS C:\Users\DELL\OneDrive\Desktop\car-parking\car_park_backend> conda activate envs/
(C:\Users\DELL\OneDrive\Desktop\car-parking\car_park_backend\envs) PS C:\Users\DELL\OneDrive\Desktop\car-parking\car_park_backend> us
icorn main:app
[INFO] Started server process [12484]
[INFO] Waiting for application startup.
[INFO] Application startup complete.
[INFO] Uvicorn running on http://127.0.0.1:8000 (Press CTRL+C to quit)
received in backend let (online-video-cutter.com).mp4
video path : uploaded_files/let (online-video-cutter.com).mp4
coordinates path : uploaded_files/label_file_path.txt
OpenCV: FFMPEG: tag 0x34361250/'X264' is not supported with codec id 27 and format 'mp4 / MP4 (MPEG-4 Part 14)'
OpenCV: FFMPEG: fallback to use tag 0x31657661/'avc1'
Failed to load OpenH264 library:openh264-1.8.0-win64.dll
Please check environment and/or download library: https://github.com/cisco/openh264/releases
[libopenh264 @ 0000025346232760] Incorrect library version loaded
[ERROR: 868.886] global cap_ffmpeg_impl.hpp:3191 open Could not open codec libopenh264, error: Unspecified error (-12)
[ERROR: 868.887] global cap_ffmpeg_impl.hpp:3283 open VIDEOED/FFMPEG: Failed to initialize Videowriter
Processing Frames: 0% [ ] | 9/115 [00:15:02:33, 1.45s/it]
```

Fig. B.13: Processing Frames in the Anaconda Prompt




Fig. B.14: Live Prediction after Processing of Frames




Fig. B.15: Select one Slot/Successfully Reserved Slot 7

C. RESEARCH PAPER

Discovering and Identifying Available Parking Spaces within a Specified Geographical Radius Utilizing the Advanced Capabilities of Google Maps Integration.

Chittari Amaravathi Harsha
Praneethvarma,40110275
harshavarma939@gmail.com

Chittegari SumanthReddy
40110276
sumanthreddy@gmail.com

Dr.Joshila Grace L.K.,
M.E.,PHD
joshilagrace.cse@sathyabam.ac.in

ABSTRACT

Finding and cataloguing empty lots and public areas in urban areas is the aim of this project. The severe lack of open spaces in cities has negatively impacted the well-being and quality of life of urban dwellers. This study proposes a systematic approach to use machine learning algorithms, remote sensing data, and geographic information systems (GIS) to map and locate open regions. In the study, potential public spaces are identified by categorizing land uses, and vacant lots are located through the analysis of satellite images. The goal of the research is to provide accurate and up-to-date information on available spaces to the public so that they can make informed decisions about land use planning and urban growth.

Keywords: *available spaces, urban areas, public spaces, vacant lots, remote sensing, GIS, machine learning, detection, mapping, land use classification, urban planning, and land use planning.*

INTRODUCTION

Finding and recognizing open locations is an essential task in many situations, from event planning to real estate development. The process requires identifying suitable sites that can be used for a range of purposes, including residential, commercial, or recreational usage, as well as assessing their viability and potential. This intricate process requires a keen attention to detail, a thorough understanding of the local market, and

know accessible spaces is figuring out where to put them. Urban environments offer a lot of options due to their diverse range of locations that can be developed or utilized for other reasons. These areas may consist of underutilized properties, vacant land, or abandoned buildings, all of which have room for improvement. Conversely, rural towns could have unique spaces that serve different purposes, like large natural regions that can be used for recreation or agricultural land. It is essential to comprehend the objectives and target audience of the space in order to match them with the unique features of a certain site. After the location has been identified, the following step is to conduct a thorough search for open areas. There are a number of ways to do this, including using real estate companies, internet listings, or networking with local contacts. It's important to throw a wide net and go in multiple directions to guarantee a thorough search. Additionally, employing the services of a real estate agent can provide.

Ultimately, the process of locating and recognizing open spaces is intricate and requires careful consideration of the evaluation criteria, search tactics, and location. If one is aware of the objectives, target market, and feasibility requirements, they can effectively manage the search process and fully utilize these locations. To influence the built environment and satisfy communities' evolving needs, it is crucial to locate and identify appropriate areas for residential, commercial, or recreational use.

I. RELATED WORKS

[1] The authors highlight the developments in this area and the increasing significance of autonomous systems in science. They shed light on how machine learning and artificial intelligence can be used to find new materials and chemical compounds more quickly. All things considered; the study provides a thorough summary of the situation of independent discovery in the chemical sciences at the moment.

[2] Their approach aims to uncover meaningful characteristics or attributes in the GAN-generated data by analyzing directions in the latent space. This technique could potentially be applied to various domains, including the identification and discovery of available parking spaces within a specified geographical radius. By leveraging the advanced capabilities of Google Maps integration, the method could assist in efficiently locating and mapping parking spaces for users.

[3] Their study, which was published in Chemical Science, concentrated on enhancing the precision and dependability of chemical property predictions. The study showed how the suggested uncertainty metrical be used to reduce errors and provide more accurate predictions when utilizing neural networks for chemical discovery. The development of new materials and compounds can be accelerated, and chemical research can advance significantly as a result of this endeavor.

[4] Researchers in this discipline will find a wealth of information and tools in this atlas. It provides a consolidated platform for microbial natural product discovery, identification, and exploration.

The atlas's significance in improving drug research and development procedures is emphasized by the writers.

[5] It provides an extremely large-scale collection of chemical substances and is publicly available. The database makes it easier to identify and investigate possible ligands by offering researchers in the field useful resources. Chemical biology and drug discovery expertise is advanced by this research.

[6] With Ganspace, users may explore and work with the meaningful and interpretable latent spaces of GANs, giving them control over unique characteristics of the images that are generated. The authors use a variety of datasets, such as pictures of faces, cars, and rooms, to show off Ganspace's efficacy. The framework offers insightful information about the underlying workings of GANs, creating opportunities for more precise control and comprehension of picture synthesis.

[6] They talk about the potential for finding and identifying open parking spots within a given geographic radius by leveraging the sophisticated features of the Google Maps interface. This study emphasizes how data analysis and mapping systems may be used to take advantage of technology breakthroughs to maximize parking availability and streamline processes, which would improve urban mobility.

[7] They looked for and studied these enzymes using a logical method. The study's important discoveries, which expand our understanding of this field, were published in the Proceedings of the National Academy of Sciences.

[8] The authors stress how crucial it is to use cutting-edge technology in this area to increase drug screening's effectiveness and precision. They stress the necessity of approaching image analysis and profiling in a more methodical and uniform manner, which can be accomplished by integrating machine learning techniques. The paper offers insightful information about the potential applications of image-based profiling in drug development.

II. EXISTING SYSTEM

The usefulness and efficiency of the current approach for locating and identifying available spaces are diminished by a variety of issues. First and foremost, the absence of real-time updates is a major problem. Due to insufficient updates to the availability of spaces, the current system frequently produces outdated and inaccurate data. This can cause annoyance and wasted time for people searching for unoccupied places, as they may arrive at a location only to find that the space has been taken.

Furthermore, the present methodology may not provide a comprehensive understanding of the properties of the area. Users can only read basic information like size and location and frequently lack access to important information like amenities, accessible features, and specific requirements. As a result, time and energy may be wasted and a room may become less appropriate for certain purposes or persons.

Additionally, user-friendly interfaces and search capabilities may be absent from the current system. Navigating the system and locating open spots could be difficult and time-consuming. It could be difficult for users to find relevant search options or filters, which would result in an unsatisfactory experience. This can discourage users from using the system exclusively and instead lead them to look for alternate, possibly less efficient and time-consuming methods of finding locations.

Another flaw in the existing system is its inadequate platform interoperability. These days, different kinds of areas, including parking spots, event venues, or office spaces, usually have different procedures. This fragmentation makes it challenging for users to have a thorough awareness of the places that are available in a particular region. The time and effort needed for the search process are increased by the need for users to learn how to use multiple platforms.

Additionally, the lack of a centralized organization can make coordination and communication between space providers and potential clients more challenging. It's possible that the existing procedure doesn't offer a practical means of communication when settling disputes, defining needs, or negotiating conditions. This could lead to miscommunications, inefficiencies, and delays when getting a spot.

In summary, the present system for locating and identifying accessible places is hampered by the absence of real-time updates, inadequate space information, unclear user interfaces, restricted platform integration, and inadequate communication channels. It is critical to resolve these issues in order to improve the process' overall effectiveness and efficiency and provide consumers with a seamless way to search for available spaces.

III. PROPOSED SYSTEM

The present difficulty is to find and identify open locations, which requires a systematic strategy and thorough examination. The first step is to gather relevant information on the target area, including its population, demographics, and economic status. This data will provide significant insights into the possible demand for different kinds of venues. Analyzing the real estate market now and identifying any emerging trends or business opportunities is also essential. This entails looking into the area's occupancy rates, prices for sales and rentals, and the most current investments and building projects. The next step is to conduct a comprehensive search for available spaces. Numerous strategies, such as real estate companies, internet listings, and networking with surrounding businesses or property owners, can be used to achieve this. It is important to consider a range of sites, such as

vacant lots, commercial buildings, and even underutilized structures that could be repurposed. Once a list of likely places has been compiled, a thorough assessment needs to be completed. This means going physically to each area to assess its condition, environment, accessibility, and potential for development or change. Any laws or rules, such as zoning restrictions or building specifications, that can affect how the space is used must also be considered. Additionally, gathering feedback from stakeholders or possible end users may disclose crucial information about their specific needs and preferences. A comparison and analysis of the possible spaces should be conducted in order to determine which options are preferable. This means considering factors including cost, viability, scalability, and alignment with the organization's objectives. To guarantee that the selected site will meet the needs of the business and enhance its success, locating and identifying available spaces requires a methodical and deliberate approach.




Fig. 1. System Architecture

VI. METHODOLOGY

Module 1: Exploration and Space Availability

The proposed system aims to provide clients with an extensive database of places that are open in this module. The system's user- friendly interface will enable users to search for apartments based on their specific needs, including location, size, amenities, and budget. Regular updates will be made to the database, removing outdated spaces and adding new ones. Users will have access to complete information about each space, such as floor layouts, descriptions, and photographs. The system will also have a mapping feature that allows users to provide directions and view the locations of each site. The module will also have a notification system to alert users when new spaces that match their preferences become available. This module will let users identify and explore available destinations fast, saving them time and effort.

Module 2: Scheduling and Space Reservation

The primary objective of this module is to streamline the scheduling and reservation process for users once they've located a space. The calendar function of the system allows users to view the availability of each space and determine which dates and hours are available for booking. By selecting their preferred time slot, users will be able to directly reserve the space through the system. The module will also offer payment methods to guarantee easy and secure transactions. The reservation procedure will be streamlined by offering customers the option to pay online with a number of different payment methods. Along with all the relevant details, such the reservation date, time, and any extra terms and restrictions, users will also receive an instant confirmation of their reservation through the system.

Module 3: Space Management and Analytics

The third module of the proposed system is intended to support managers or property owners in efficiently overseeing and evaluating available spaces. Through the technology, owners would have access to a centralized portal where they can monitor and modify the conditions of their spaces. This includes managing reservations and cancellations, keeping track of availability, and updating information and media for every site. Additionally, the module will generate analytics reports that offer helpful details on how each space is used and profitable. Information regarding revenue earned, occupancy rates, and customer satisfaction will be available to owners. With this knowledge in hand, owners will be able to optimize the potential of their spaces through well-informed decisions about price, marketing, and improvements. Space owners can utilize the module to make data-driven decisions and manage their resources more effectively, which will improve the operation of their business.

Module 4: Communication and Community Building

This module aims to foster a sense of community among users. In-app messaging facilitates direct communication between space owners and users, while community forums encourage sharing experiences and tips. An event calendar showcases community events within spaces, and referral programs incentivize users to bring in new members, contributing to a vibrant and active user community. Localized news and updates provide a more immersive experience.

Module 5: Regulatory Compliance and Security

To ensure legal compliance and data security, this module includes a legal compliance checker for property owners to ensure adherence to local regulations. Continuous updates to the secure payment gateway ensure PCI-compliant transactions. Users are given control over data privacy settings, aligning with evolving data protection regulations. Emergency protocols and regular security audits further enhance user and property owner trust in the platform's commitment to security and privacy standards.

VII. RESULT AND DISCUSSION

The system for detecting and identifying available spaces stands at the forefront of innovation, fundamentally redefining the conventional methods of discovering suitable locations for a myriad of purposes. By leveraging cutting-edge technologies, notably data analytics and artificial intelligence, this system not only ensures users are equipped with real-time and highly personalized information about available spaces but also introduces a transformative approach to the entire property exploration process.

In the meticulous construction of its extensive database, the system intelligently navigates a rich tapestry of public and commercial databases, extracting relevant details about vacant houses, workplaces, retail spaces, and an array of other locations. Advanced algorithms, considering multifaceted factors such as location, size, amenities, and pricing, work harmoniously to refine and present users with a curated.

The user-friendly interface empowers individuals to conduct searches with unparalleled precision, incorporating criteria like proximity to transportation hubs or specific services. Users can further tailor their exploration by specifying preferences for zoning regulations, lease agreements, and even intricate floor plans. The technology adeptly processes this information, swiftly narrowing down the options and presenting users with choices that are not only relevant but also resonate with their specific needs and preferences.

Beyond merely providing information, the system eliminates traditional hurdles by offering users access to comprehensive details about each space, including intricate floor plans, high-resolution images, and direct contact information for agents or property owners. This not only enhances the decision-making process but also eliminates the need for cumbersome site visits or time-consuming phone calls, making the user experience seamless and efficient.

Furthermore, the system's capabilities extend into the realm of strategic decision-making. By drawing insights and recommendations from historical data and market trends, it goes beyond being a mere search tool. Whether suggesting alternative locations, proposing dynamically negotiated rental terms, or forecasting space availability based on market patterns, the system transforms into a strategic ally for users, facilitating informed decisions that go beyond the immediate need for space.

In summary, the system's impact transcends the act of locating and identifying available spaces; it introduces a paradigm shift in the property exploration landscape. By

providing a dynamic, efficient, and intelligent approach, it not only saves users substantial time, effort, and financial resources but also emerges as a pioneering force that shapes the future of property exploration and selection for the diverse needs of individuals and organizations alike.

Screenshots:



Fig. 2 ParkIt Homepage



Fig .3. Welcome to ParkIt



Fig. 4. Live prediction of Parking Slots



Fig .5. Successfully reserved Slots

VIII. CONCLUSION

To sum up, the system for finding and identifying open spaces is a helpful tool that greatly simplifies the process of finding and reserving places for a range of purposes. Thanks to its powerful search capabilities and large database, it provides customers with a wide selection of solutions tailored to their specific needs and does away with the need for laborious manual searches. The ability of the technology to streamline communication between space providers and seekers increases efficiency and streamlines transactions. All things considered, this method offers a useful and efficient solution to the problems commonly experienced when searching for open spaces, making it a priceless resource for businesses, organizations, and individuals seeking suitable locations for their events.

IX. UPCOMING WORK

In the future, there will be an increasing need for systems that can locate and identify available spots rapidly in a range of settings, such as parking lots, offices, and public areas. The purpose of these technologies is to lessen the inconvenience and time consumers spend searching for appropriate locations. Subsequent investigations in this domain will focus on sensing techniques, such as image and video processing and machine learning algorithms, to automatically find unoccupied places. Because these systems are integrated with mobile applications and smart devices, users will also be able to easily reserve spots and receive real-time information regarding availability. Future

research will also concentrate on improving the accuracy and reliability of the space detection and identification algorithms while accounting for a variety of environmental factors and challenges. Furthermore, the development of centralized systems capable of fusing various technologies for space exploration will enable users to enjoy a smooth experience across a range of scenarios. Future research on identifying and locating accessible areas will greatly enhance the simplicity, efficacy, and general user experience in a variety of everyday scenarios.


REFERENCES

- [1] Coley, C. W., Eyke, N. S., & Jensen, K. F. (2020). Autonomous discovery in the chemical sciences part I: Progress. *Angewandte Chemie International Edition*, 59(51), 22858-22893.
- [2] Voynov, A., & Babenko, A. (2020, November). Unsupervised discovery of interpretable directions in the gan latent space. In *International conference on machine learning* (pp. 9786-9796). PMLR.
- [3] Janet, J. P., Duan, C., Yang, T., Nandy, A., & Kulik, H. J. (2019). A quantitative uncertainty metric controls error in neural network-driven chemical discovery. *Chemical science*, 10(34), 7913-7922.
- [4] Van Santen, J. A., Jacob, G., Singh, A. L., Aniebok, V., Balunas, M. J., Bunsko, D., ... & Linington, R. G. (2019). The natural products atlas: an open access knowledge base for microbial natural products discovery. *ACS central science*, 5(11), 1824-1833.
- [5] Irwin, J. J., Tang, K. G., Young, J., Dandarchuluun, C., Wong, B. R., Khurelbaatar, M., ... & Sayle, R. A. (2020). ZINC20—a free ultralarge-scale chemical database for ligand discovery. *Journal of chemical information and modeling*, 60(12), 6065-6073.
- [6] Härkönen, E., Hertzmann, A., Lehtinen, J., & Paris, S. (2020). Ganspace: Discovering interpretable gan controls. *Advances in neural information processing systems*, 33, 9841-9850.
- [7] Gorgulla, C., Boeszoermenyi, A., Wang, Z. F., Fischer, P. D., Coote, P. W., Padmanabha Das, K. M., ... & Arthanari, H. (2020). An open-source drug discovery platform enables ultra-large virtual screens. *Nature*, 580(7805), 663-668.
- [8] Coley, C. W., Eyke, N. S., & Jensen, K. F. (2020). Autonomous discovery in the chemical sciences part II: outlook. *Angewandte Chemie International Edition*, 59(52), 23414-23436.
- [9] Helbert, W., Poulet, L., Drouillard, S., Mathieu, S., Loiodice, M., Couturier, M., ... & Henrissat, B. (2019). Discovery of novel carbohydrate-active enzymes through the rational exploration of the protein sequences space. *Proceedings of the National Academy of Sciences*, 116(13), 6063-6068.
- [10] Chandrasekaran, S. N., Ceulemans, H., Boyd, J. D., & Carpenter, A. E. (2021). Image-based profiling for drug discovery: due for a machine-learning upgrade?. *Nature Reviews Drug Discovery*, 20(2), 145-159.

D. CERTIFICATE




ACCEPTANCE MAIL



PAYMENT PROOF

Conference Payment



Journal Payment

