

POTHOLE DETECTION AND ALERTING

Submitted in partial fulfillment of the
Requirements for the award of
Bachelor of Technology Degree in Information Technology

By

JAGADEESH V (40120038)

AVINASH K (40120014)

ALOYSIUS JOSEPH (40120009)



**DEPARTMENT OF INFORMATION TECHNOLOGY
SCHOOL OF COMPUTING**

SATHYABAMA

INSTITUTE OF SCIENCE AND TECHNOLOGY

(DEEMED TO BE UNIVERSITY)

Category-1 University by UGC

Accredited with Grade "A++" by NAAC | 12B Status by UGC |

Approved by AICTE

**JEPPIAR NAGAR, RAJIV GHANDHISALAI,
CHENNAI-600119**

APRIL - 2024



SATHYABAMA

INSTITUTE OF SCIENCE AND TECHNOLOGY

(DEEMED TO BE UNIVERSITY)

Accredited "A++" Grade by NAAC | 12B Status by UGC | Approved by AICTE

www.sathyabama.ac.in

BONAFIDE CERTIFICATE

This is to certify that this Project Report is the bonafide work of **Avinash k (40120014)**, **Jagadeesh V (40120038)**, **Aloysius Joseph (40120009)** who carried out the Project entitles "**Pothole Detection and Alerting**" under my supervision from January 2024 to April 2024.

Internal Guide

Ms. J. MERLIN MARY JENITHA M. Tech.,

Head of the Department

Dr. R. SUBHASHINI M.E., Ph.D.,

Submitted for Viva voce Examination held on 17/04/2024

Internal Examiner

External Examiner

DECLARATION

I, Jagadeesh V (40120038), hereby declare that the Project Phase-2 Report entitled "Pothole Detection and Alerting" done by me under the guidance of Ms. MERLIN MARY JENITHA M. Tech., is submitted in partial fulfillment of the requirements for the award of Bachelor of Technology degree in Information Technology.

DATE: 17/04/2024

PLACE: Chennai

Jagadeesh . V

SIGNATURE OF THE CANDIDATE

ACKNOWLEDGEMENT

I am pleased to acknowledge my sincere thanks to **Board of Management** of **SATHYABAMA INSTITUTE OF SCIENCE AND TECHNOLOGY** for their kind encouragement in doing this project and for completing it successfully. I am grateful to them.

I convey my thanks to **Dr. T. SASIKALA M.E., Ph. D.**, Dean, School of Computing, **DR. R. SUBHASHINI M.E., Ph. D.**, Head of the Department of Information Technology for providing me necessary support and details at the right time during the progressive reviews.

I would like to express my sincere and deep sense of gratitude to my Project Guide **Ms. J. Merlin Mary Jenitha M. Tech.**, for her valuable guidance, suggestions and constant encouragement paved way for the successful completion of my project work.

I wish to express my thanks to all Teaching and Non-teaching staff members of the **Department of Information Technology** who were helpful in many ways for the completion of the project.

ABSTRACT

Pothole Alert and Detection is a cutting-edge system designed to address the growing issue of road deterioration and its implications on public safety. By incorporating live Google Maps integration and an email report system, this innovative solution aims to provide real-time information about pothole locations, assisting authorities in efficiently addressing road maintenance. The system utilizes advanced detection techniques, such as computer vision and sensor technology, to identify and monitor road conditions. By generating alerts on the live Google Maps platform, users can be promptly notified about potholes in their vicinity, promoting safer driving experiences. Additionally, the email report system allows users to report and provide detailed information about potholes they encounter, facilitating a streamlined communication channel between the public and relevant authorities. Furthermore, this system enables easy analysis of pothole data, enabling authorities to prioritize and plan road repairs more effectively. Overall, Pothole Alert and Detection with live Google Maps integration and email report system revolutionizes the way pothole detection and reporting are handled, promoting road safety and efficient road maintenance practices.

TABLE OF CONTENTS

Chapter No	TITLE	Page No
	ABSTRACT	iv
	LIST OF FIGURES	Vii
1	INTRODUCTION	1
2	LITERATURE SURVEY	3
2.1	Inferences from Literature Survey	3
2.2	Existing System and Proposed System	7
2.2.1	Existing System	7
2.2.2	Proposed System	7
2.3	Open problems in Existing System	8
2.4	Feasibility Study	9
2.4.1	Economic Feasibility	9
2.4.2	Technical Fesibility	9
2.4.3	Operational Feasibility	9
3	METHODOLOGY	10
3.1	FLOW CHART	11
3.2	SELECTED METHODOLOGY OR PROCESS MODEL	12
3.2.1	Pothole Alert and Detection	12
3.2.2	Live Google Maps Integration	12

	3.2.3	Email Report System	12
	3.3	COMPONENTS OF POTHOLE DETECTION SYSTEM	13
	3.3.1	Sensor Array	13
	3.3.2	Data Processing Unit	13
	3.3.3	Communication Network	13
	3.3.4	Central Server	14
	3.3.5	User Interface and Alerting Mechanism	14
	3.4	ARCHITECTURE	14
	3.5	DEVELOPMENT DETAILS	15
	3.5.1	Hardware Configuration	15
	3.5.2	Software Configuration	16
	3.5.3	Algorithm	17
4		RESULTS AND DISCUSSIONS	19
5		CONCLUSION AND FUTURE WORK	22
	5.1	CONCLUSION	22
	5.2	FUTURE WORK	22
6		REFERENCES	25
		APPENDICES	27
	A	SOURCE CODE	27
	B	SCREENSHOTS	35
	C	RESEARCH PAPER	40

LIST OF FIGURES

FIGURE NO.	FIGURE NAME	PAGE NO
3.1	Flow Chart	11
3.2	System Architecture	14
4.1	Performance metrics	19
4.2	Accuracy Graph	19
4.3	Loss Graph	20
4.4	Confusion Matrix	20
4.5	ROC Graph	21

CHAPTER 1

INTRODUCTION

Introducing Pothole Alert and Detection, an innovative solution designed to address the persistent problem of potholes on our roads. With its live Google Maps integration and email report system, this cutting-edge technology aims to revolutionize the way we detect and report potholes, enabling faster repairs and safer road conditions.

Potholes are a common nuisance that can cause significant damage to vehicles, pose risks to drivers and pedestrians, and result in costly repairs for local authorities. Pothole Alert and Detection combines advanced sensor technology with real-time mapping to detect and locate potholes accurately. By using data from various sources such as vehicle-mounted sensors, cameras, and GPS, this system can identify and pinpoint potholes on road surfaces.

The live Google Maps integration feature allows users to visualize the location and severity of potholes in real-time. By overlaying this valuable information onto the familiar Google Maps interface, motorists can plan their routes accordingly, avoiding areas with a high concentration of potholes and minimizing potential damages to their vehicles. This integration also aids local authorities in identifying problem areas that require immediate attention, streamlining the repair process and improving road safety overall.

Additionally, Pothole Alert and Detection incorporates an email report system to simplify the reporting of potholes by the public. Users can easily capture images of potholes using their smartphones and send them directly to the system via email. The system then generates a comprehensive report that includes the exact location, severity, and timestamps of each reported pothole. This automated process eliminates the need for manual data entry, reduces administrative workload, and ensures that every reported pothole is recorded accurately.

The email report system also serves as a valuable tool for local authorities to prioritize and plan pothole repairs. By receiving real-time reports, they can quickly assess the severity and scale of the pothole problem. The system provides key insights into the

maintenance performance of road networks and enables authorities to allocate resources effectively, focusing on areas with the highest need for repairs.

In conclusion, Pothole Alert and Detection combines the power of live Google Maps integration and an efficient email report system to tackle the persistent issue of potholes. By providing accurate and real-time information, this solution empowers motorists to navigate safer roads, while also assisting local authorities in prioritizing repairs and allocating resources effectively. With Pothole Alert and Detection, we are taking a significant step towards creating smoother, more reliable road networks for everyone to enjoy.

The state of our road infrastructure has a direct impact on road safety, vehicular maintenance costs, and overall transportation efficiency. Potholes, in particular, represent a ubiquitous problem on road networks worldwide. These depressions or holes in the road surface are not only a nuisance for drivers but also a significant hazard, leading to accidents, vehicle damage, and increased maintenance costs for both individuals and governments. Addressing the issue of potholes is crucial not only for the safety of road users but also for optimizing transportation systems and minimizing the economic burden they impose. Over the years, various approaches have been employed to detect and address potholes.

Traditional methods involve manual inspection, which is not only time consuming and labour-intensive but also prone to human error. Furthermore, the frequency of inspections may not be sufficient to identify potholes in a timely manner, especially in vast road networks. As a result, there is a pressing need for innovative and automated solutions that can expedite the detection of potholes, enable swift repairs, and provide real-time alerts to motorists and road maintenance authorities. The advent of technology, particularly in the domains of computer vision, sensor networks, and data analytics, has opened up new possibilities for addressing the pothole problem.

CHAPTER 2 LITERATURE SURVEY

2.1 INFERENCE FROM LITERTURE SURVEY

[1] Kaushik, V., & Kalyan, B. S. (2022, September). Pothole Detection System: A Review of Different Methods Used for Detection. In 2022 Second International Conference on Computer Science, Engineering and Applications (ICCSEA) (pp. 1-4). IEEE.

This survey serves as a comprehensive examination of the various techniques and technologies employed in pothole detection systems. It aims to provide a thorough understanding of the methods used to detect potholes on roads. By reviewing and analyzing these diverse approaches, the survey sheds light on their strengths, weaknesses, and real-world applicability. This knowledge is crucial for researchers, engineers, and policymakers seeking to enhance road safety and maintenance. The survey's insights can guide the development of more effective and efficient pothole detection systems, ultimately contributing to safer and more reliable road infrastructure.

[2] Bhatlawande, S., Deshpande, A., Deshpande, S., & Shilaskar, S. (2022, May). Proactive detection of Pothole and walkable path for safe mobility of visually challenged. In 2022 3rd International Conference for Emerging Technology (INCET) (pp. 1-5). IEEE.

This survey places a strong emphasis on enhancing the safety and mobility of visually challenged individuals by proactively detecting potholes and identifying safe pathways. It delves into the methods and technologies specifically designed to address the unique challenges faced by people with visual impairments. By examining proactive detection strategies and their integration with accessibility solutions, this survey contributes to making urban environments more inclusive and navigable for individuals with disabilities.

[3] Chougule, S., & Barhatte, A. S. (2022). Survey on Pothole Detection Methods. Grenze International Journal of Engineering & Technology (GIJET), 8(2).

This survey undertakes a comprehensive exploration of the wide array of techniques and methodologies used for pothole detection. It aims to provide a detailed overview

of the current landscape of pothole detection methods. By summarizing and evaluating these methods, it offers valuable insights into their effectiveness, reliability, and practicality in real-world scenarios. This survey is a valuable resource for researchers, engineers, and practitioners involved in road maintenance and infrastructure management, as it helps them make informed decisions about the selection and implementation of pothole detection technologies.

[4] Sathya, R., & Saleena, B. (2022). A framework for designing unsupervised pothole detection by integrating feature extraction using deep recurrent neural network. *Wireless Personal Communications*, 126(2), 1241-1271.

This survey introduces a novel framework for pothole detection, highlighting its unique unsupervised nature and its integration of feature extraction through deep recurrent neural networks. The framework's emphasis on unsupervised learning makes it particularly intriguing, as it reduces the need for labeled data, which can be a significant challenge in developing pothole detection systems. By exploring the technical aspects of this approach, including deep learning techniques, it provides valuable insights into the potential of cutting-edge technology for improving road safety and infrastructure maintenance.

[5] Arulananth, T. S., Baskar, M., Thrishma, K., Srilekha, N., supraja, S., & Ravalika, C. (2022). Pothole Detection Using Arduino and Ultrasonic Sensors. In *Advanced Techniques for IoT Applications: Proceedings of EAIT 2020* (pp. 435-442). Springer Singapore.

This survey centers on a distinctive method of pothole detection that utilizes readily available and cost-effective technologies, namely Arduino microcontrollers and ultrasonic sensors. It delves into the mechanics of this approach, explaining how these components can be employed to detect potholes effectively. By offering an accessible and affordable solution, this survey aims to contribute to the widespread adoption of pothole detection systems, potentially leading to safer roads and reduced maintenance costs. It highlights the practicality and feasibility of using such technologies, making it relevant to both researchers and practitioners in the field of transportation and road maintenance.

[6] Bhavana, K., Munappa, S., Bhavani, K. D., Deshmanth, P., Swathi, A., & Vanga, S. R. (2023, March). Automatic Pothole and Humps on Roads Detection and Notification Alert. In 2023 Second International Conference on Electronics and Renewable Systems (ICEARS) (pp. 1-6). IEEE.

This survey focuses on automating the detection of both potholes and road humps, accompanied by real-time notification alerts. Its primary goal is to enhance road safety by promptly alerting drivers or relevant authorities to road hazards. By integrating detection and notification systems, this survey aims to improve response times and mitigate potential accidents or damage to vehicles. It addresses the need for proactive road maintenance and monitoring, especially in areas prone to potholes and road irregularities. Researchers and transportation officials can benefit from the insights presented in this survey to develop more efficient and safer road infrastructure.

[7] Rajan, D. R., Faizan, M. K., Kundelu, R., Nandal, N., & Gunda, V. S. (2023, March). Deep Learning Based Pothole Detection. In 2023 International Conference on Emerging Smart Computing and Informatics (ESCI) (pp. 1-5). IEEE.

This survey delves into the application of deep learning techniques for pothole detection. It explores the use of advanced neural networks and deep learning algorithms to enhance the accuracy and efficiency of pothole detection systems. Deep learning has shown promise in various fields, including computer vision, and this survey assesses its potential in improving road safety. By examining the nuances and challenges of implementing deep learning for pothole detection, it provides valuable guidance for researchers and engineers seeking to harness the power of artificial intelligence in transportation and infrastructure management.

[8] Anandhi, R. J., Baswaraju, S., Silpa, S., Nandagopalan, S. P., & Rao, S. J. (2022, February). Survey on IOT Based Pothole Detection. In 2022 IEEE Delhi Section Conference (DELCON) (pp. 1-6). IEEE.

This survey offers a comprehensive overview of pothole detection methods that leverage the Internet of Things (IoT) technology. It explores how IoT devices and connectivity can be used to enhance the monitoring and reporting of potholes on roads. By examining the integration of IoT sensors and data analytics in road maintenance, this survey addresses the growing interest in smart and connected

infrastructure. It provides valuable insights into the potential benefits and challenges of adopting IoT-based solutions for more efficient and responsive road maintenance practices. Researchers, policymakers, and infrastructure professionals can use this survey to explore innovative approaches to pothole detection and road safety.

[9] SB, B. K., Guhan, S., Kishore, M., & Santhosh, R. (2023, March). Real-time Pothole Detection using YOLOv5 Algorithm: A Feasible Approach for Intelligent Transportation Systems. In 2023 Second International Conference on Electronics and Renewable Systems (ICEARS) (pp. 1678-1683). IEEE.

This survey highlights a real-time pothole detection approach that leverages the YOLOv5 algorithm, specifically tailored for intelligent transportation systems. It underscores the feasibility and practicality of this approach in enhancing road safety and infrastructure management. YOLOv5 is a state-of-the-art deep learning algorithm known for its real-time object detection capabilities, and this survey explores its potential in the context of pothole detection. By emphasizing its relevance to intelligent transportation systems, it addresses the need for advanced technology solutions in modern road networks. Researchers, transportation professionals, and technology enthusiasts can gain valuable insights into the application of cutting-edge algorithms for safer and more efficient roads.

[10] Musa, A., Hamada, M., & Hassan, M. (2022). A Theoretical Framework Towards Building a Lightweight Model for Pothole Detection using Knowledge Distillation Approach. In SHS Web of Conferences (Vol. 139, p. 03002). EDP Sciences.

This survey introduces a theoretical framework for developing a lightweight model dedicated to pothole detection, employing a knowledge distillation approach. Knowledge distillation is a technique that focuses on transferring knowledge from a larger, more complex model to a smaller, more efficient one. This survey explores the potential benefits of applying knowledge distillation in the field of pothole detection, aiming for a balance between accuracy and computational efficiency. By providing a theoretical foundation for this approach, it offers guidance to researchers and practitioners looking to optimize pothole detection systems, making them more resource-efficient while maintaining high accuracy. This theoretical framework is a valuable contribution to the ongoing efforts to enhance road.

2.2 EXISTING AND PROPOSED SYSTEM

2.2.1 EXISTING SYSTEM

The existing system for Pothole Alert and Detection with live Google Maps integration and email report system has several disadvantages. Firstly, the reliance on live Google Maps integration can be problematic as it heavily relies on the accuracy and real-time updates of the map data. Any discrepancy or delay in the map data can lead to incorrect or outdated information about the location and severity of potholes, which can hinder the effectiveness of the system in alerting drivers and authorities. Additionally, the system's dependence on internet connectivity poses a significant disadvantage. In areas with poor or no internet connection, the real-time reporting and alerting features may not function properly, rendering the system ineffective in those regions. Moreover, the email report system utilized by the existing system may not be the most efficient means of communication.

2.2.2 PROPOSED SYSTEM

The proposed work aims to develop a Pothole Alert and Detection system that integrates live Google Maps and incorporates an email report system. The primary objective is to detect potholes on roads in real-time and alert drivers, local authorities, and road maintenance teams, ensuring prompt repairs and enhancing road safety. The system will utilize image recognition and computer vision techniques to detect and identify potholes accurately. It will be trained with a vast database of labeled images of various road conditions, allowing it to distinguish between regular road surfaces and potholes with precision. To ensure real-time monitoring, the system will be integrated with Google Maps API, accessing street view images and actively scanning for pothole patterns. Any identified potholes will be marked on the map, providing drivers with valuable information about the road ahead.

2.3 PROBLEMS IN EXISTING SYSTEM

1.Accuracy and False Positives: Many current systems rely on sensors and cameras to detect potholes, but they often generate false positives due to factors like poor weather conditions, road markings, or minor road imperfections. Improving the accuracy of detection while reducing false alarms remains a significant challenge.

2.Real-time Data Processing: Timely detection of potholes is crucial for effective alerting. Processing the vast amount of data from sensors and cameras in real-time to provide immediate alerts to drivers or authorities is a complex task that needs optimization.

3.Integration with Navigation Systems: Seamless integration with GPS and navigation systems is essential for alerting drivers about potholes in their path. Ensuring compatibility with various navigation apps and vehicle models is a challenge.

4.Data Privacy and Security: Pothole detection systems often collect a wealth of data, including video footage of roads. Ensuring the privacy and security of this data while transmitting and storing it is a critical concern.

5.Infrastructure and Maintenance Deploying and maintaining the necessary infrastructure for widespread pothole detection is expensive and requires coordination with local authorities. Ensuring the long-term sustainability of these systems is an open problem.

6.Adverse Weather Conditions: Potholes can be especially dangerous during adverse weather conditions like heavy rain or snow. Developing detection methods that work reliably in all weather scenarios is a challenge.

7.Cost Efficient: Making pothole detection and alerting system cost-effective for widespread adoption, especially in economical disadvantaged areas, is a persistent problem.

2.4 FEASIBILITY STUDY

The feasibility of the project is server performance increase in this phase and a business proposal is put forth with a very general plan for the project and some cost estimates. During system analysis, the feasibility study of the proposed system is to be carried out. For feasibility analysis, some understanding of the major requirements for the system is essential.

Three key considerations involved in the feasibility analysis are

- Economical feasibility
- Technical feasibility
- Operational feasibility

2.4.1 ECONOMICAL FEASIBILITY

This study is carried out to check the economic impact that the system will have on the organization. The amount of funds that the company can pour into the research and development of the system is limited. The expenditures must be justified. Thus the developed system as well within the budget and this was achieved because most of the technologies used are freely available. Only the customized products had to be purchased.

2.4.2 TECHNICAL FEASIBILITY

This study is carried out to check the technical feasibility, that is, the technical requirements of the system. Any system developed must not have a high demand on the available technical resources. This will lead to high demands being placed on the client. The developed system must have modest requirements, as only minimal or null changes are required for implementing this system.

2.4.3 OPERATIONAL FEASIBILITY

The aspect of the study is to check the level of acceptance of the system by the user. This includes the process of training the user to use the system efficiently. The user must not feel threatened by the system, instead must accept it as a necessity. The level of acceptance by the users solely depends on the methods that are employed to educate the user about the system and to make him familiar with it.

CHAPTER 3

METHODOLOGY

The proposed work aims to develop a Pothole Alert and Detection system that integrates live Google Maps and incorporates an email report system. The primary objective is to detect potholes on roads in real-time and alert drivers, local authorities, and road maintenance teams, ensuring prompt repairs and enhancing road safety.

The system will utilize image recognition and computer vision techniques to detect and identify potholes accurately. It will be trained with a vast database of labeled images of various road conditions, allowing it to distinguish between regular road surfaces and potholes with precision. To ensure real-time monitoring, the system will be integrated with Google Maps API, accessing street view images and actively scanning for pothole patterns. Any identified potholes will be marked on the map, providing drivers with valuable information about the road ahead.

Additionally, an alert mechanism will be implemented to notify drivers immediately when approaching a road segment with identified potholes. This notification can be delivered through a dedicated mobile application, SMS, or even through voice assistance systems in vehicles. This will help drivers take precautionary measures and avoid potential damage to their vehicles.

Furthermore, the proposed system will include an email report system that sends automated reports to relevant authorities and road maintenance teams. These reports will include the location, severity, and other important details about detected potholes. The email alerts will ensure that concerned authorities are promptly informed, enabling them to take appropriate actions such as scheduling repairs, redirecting traffic, or implementing temporary measures to prevent accidents.

The integration of Google Maps not only provides accurate location information but also enhances the overall user experience. Users can easily access the map, view the marked potholes, and plan alternative routes to avoid them.

The live integration ensures that the system remains up-to-date with ever-changing road conditions, offering a comprehensive and efficient solution to address the pothole problem.

In conclusion, the proposed Pothole Alert and Detection system with live Google Maps integration and email report system will contribute significantly to road safety by detecting and alerting users about potholes in real-time. By employing advanced image recognition techniques and leveraging the power of Google Maps, this system ensures accurate pothole identification and provides valuable information to drivers, local authorities, and road maintenance teams. The proactive nature of this system will result in timely repairs and an overall improvement in road conditions, ultimately creating safer and more efficient transportation networks.

3.1 FLOW CHART




Figure 3.1: flow chart

3.2 SELECTED METHODOLOGY OR PROCESS MODEL

3.2.1 Pothole Alert and Detection Module:

The first module of the proposed system is the Pothole Alert and Detection module. This module is responsible for detecting and alerting the presence of potholes on roads. It utilizes advanced sensors and cameras to identify the size, depth, and location of potholes accurately. These sensors can be fitted on vehicles, such as cars or public transport buses, which constantly capture real-time data about road conditions. The captured data is then processed using image processing and deep learning algorithms to identify potential potholes. Once a pothole is detected, an alert is generated, notifying the relevant authorities about its presence. This module plays a crucial role in the overall system as it forms the basis for identifying and addressing road damage efficiently.

3.2.2 Live Google Maps Integration:

The second module of the proposed system is the Live Google Maps integration. This module is responsible for integrating the pothole data with Google Maps, providing real-time information about the location and severity of potholes. By integrating with Google Maps, users can access this information directly from their smartphones or other devices. Users will be able to view a live map on their devices, which will display the location of potholes as detected by the system. This module not only enables individuals to plan their routes more effectively but also provides valuable information to authorities responsible for road maintenance. By having this integration with Google Maps, users can benefit from accurate and up-to-date data regarding potholes, leading to improved road safety and better decision-making.

3.2.3 Email Report System:

The third module of the proposed system is the Email Report System. This module is responsible for generating comprehensive reports about the identified potholes and sending them to the relevant stakeholders via email. These stakeholders may include

local government agencies, road maintenance departments, or even individual users who have reported potholes. The reports generated by this module will include detailed information about each pothole, such as its location, size, severity, and the date it was detected. Additionally, the reports can also include photographic evidence of the potholes to provide a visual representation. By providing these detailed reports, the system enables efficient communication and coordination between all parties involved in road maintenance and repair. This module ensures that all stakeholders have access to accurate and comprehensive information, facilitating prompt action and reducing the time required to address pothole-related issues.

3.3 COMPONENTS OF POTHOLE DETECTION SYSTEM

A comprehensive PDAS consists of several key components that work together to detect, report, and address potholes effectively.

3.3.1 Sensor Array

The sensor array is responsible for collecting data about road conditions. It can include accelerometers, Lidar sensors, infrared sensors, and cameras. These sensors are strategically placed on vehicles, roadside infrastructure, or embedded in the road surface.

3.3.2 Data Processing Unit

The data processing unit receives data from the sensor array. It preprocesses the data and applies machine learning algorithms to identify potential potholes. This unit is often equipped with IoT connectivity for real-time data transmission.

3.3.3 Communication Network

A robust communication network is essential for transmitting data from the data processing unit to a central server or cloud-based platform. This network ensures that data is relayed in real time for analysis and action.

3.3.4 Central Server or Cloud Platform

The central server or cloud platform serves as the brain of the PDAS. It receives data from multiple sources, performs advanced analytics, and generates alerts when potholes are detected. It also stores historical data for trend analysis and maintenance planning.

3.3.5 User Interface and Alerting Mechanisms

PDAS typically includes user interfaces for various stakeholders. Motorists may receive real-time alerts through mobile apps or in-vehicle systems. Road maintenance authorities and city planners can access dashboards and reports for infrastructure planning and repairs.

3.4 ARCHITECTURE




Figure 3.2: Architecture

3.5 DEVELOPMENT AND DEPLOYMENT DETAILS

3.5.1 Hardware Configuration

The hardware configuration plays a critical role in the success of a Pothole Detection and Alerting system. The selected components should be capable of capturing high-quality images or video frames, processing them in real-time, and communicating alerts effectively. Here's a detailed breakdown of the hardware components:

Camera Module:

The camera module is a key component responsible for capturing images or video footage of the road surface. High-resolution cameras with good low-light performance are essential to ensure accurate detection of potholes under various lighting conditions. Consideration is given to the field of view, image clarity, and frame rate to capture real-time information.

Microcontroller/Embedded System:

A powerful microcontroller or embedded system is employed to process the captured images and make decisions regarding the presence of potholes. This system should have sufficient computational power and memory to run image processing algorithms efficiently. Popular choices include Raspberry Pi, Arduino, or custom-designed embedded systems.

Communication Module:

A communication module is integrated to enable the system to send alerts to relevant stakeholders. This module can include technologies such as GSM, Wi-Fi, or other wireless communication protocols. The choice of communication technology depends on factors such as the deployment environment and the range of communication required.

3.5.2 Software Configuration

The software stack is designed to complement the hardware configuration and facilitate the seamless functioning of the Pothole Detection and Alerting system. A well-optimized software setup is crucial for efficient image processing, accurate algorithm execution, and reliable communication. Key software components include:

Operating System:

Selecting an appropriate operating system is crucial for embedded systems. Lightweight and real-time operating systems are often preferred for resource-constrained devices. Common choices include Raspbian for Raspberry Pi or custom-built Linux distributions tailored for embedded systems.

-Image Processing Libraries:

State-of-the-art image processing libraries, such as OpenCV (Open Source Computer Vision Library), are utilized for implementing algorithms that detect potholes. These libraries provide a rich set of tools for image manipulation, feature extraction, and pattern recognition.

Communication Protocols:

Robust communication protocols are implemented to ensure reliable transmission of alerts. The system may use protocols like HTTP, MQTT, or custom protocols depending on the requirements. Encryption and security measures are considered to protect the integrity of transmitted data.

User Interface:

An intuitive user interface is developed to allow users to configure system settings, view alerts, and monitor the system's status. This can be a web-based interface, a mobile application, or a combination of both. User experience considerations are taken into account to make the interface accessible and user-friendly. This setup lays the foundation for accurate pothole detection, efficient communication, and user-friendly interaction. The subsequent sections will delve into the algorithms employed for pothole detection and the testing methodologies used to validate the system's performance.

3.5.3 ALGORITHMS

1. Image Acquisition:

- The process begins with the acquisition of images or video frames from the connected camera module. A continuous stream of visual data is fed into the algorithm for real-time analysis.

2. Pre-processing:

- To enhance the quality of the captured images, pre-processing techniques are applied. This may include noise reduction, contrast adjustment, and image normalization to improve the clarity of potential potholes.

3. Feature Extraction:

- Computer vision techniques are employed to extract relevant features from the pre-processed images. Features indicative of potholes may include variations in color, texture, or depth. The algorithm aims to identify unique patterns associated with the presence of road irregularities.

4. Machine Learning Classification:

- The extracted features are fed into a machine learning classifier, often utilizing convolutional neural networks (CNNs) for their effectiveness in image-related tasks. The classifier is trained on a dataset that includes images with and without potholes. During operation, it determines the likelihood of a detected feature corresponding to a pothole.

5. Decision-Making:

- The final step involves decision-making based on the output of the machine learning classifier. If the algorithm determines a high likelihood of a pothole, an alert is triggered. The algorithm ensures a balance between sensitivity and specificity to minimize false positives and negatives.

The Alerting Algorithm complements pothole detection by determining when and how to communicate detected potholes to relevant stakeholders.

6. Detection Confirmation:

- To enhance accuracy, the system may implement mechanisms for confirmation of detected potholes. This can involve multiple frames or images confirming the presence of a pothole, reducing false positives.

7. Alert Prioritization:

- Detected potholes are prioritized based on their severity. The algorithm may consider factors such as the size of the pothole, the depth, and the potential danger it poses to vehicles. This information is crucial for determining the urgency of the alert.

8. User Notification:

- Once a pothole is confirmed and prioritized, the system triggers real-time alerts to users or relevant authorities. Communication channels may include mobile applications, SMS, or other appropriate means. The alert includes information about the detected pothole, its location, and severity.

9. Communication Protocol:

- The system utilizes a robust communication protocol to ensure the reliable transmission of alerts. Measures such as error checking and redundancy are implemented to maintain the integrity of alert messages.

The algorithms work in tandem to detect potholes accurately and communicate alerts efficiently. The Pothole Detection Algorithm leverages advanced computer vision and machine learning techniques, while the Alerting Algorithm ensures timely and prioritized notifications to users and authorities. In the subsequent section, the report will delve into the testing methodologies employed to validate the performance of these algorithms in real-world scenarios.

CHAPTER 4

RESULTS AN DISCUSSION

4.1 OVERVIEW

The Results and Discussion chapter is a critical section in our project report, providing an in-depth analysis of the outcomes of your Pothole Detection and Alerting system. This chapter is an opportunity to present the findings, draw conclusions, and engage in a meaningful discussion regarding the performance, effectiveness, and implications of the implemented system.

Accuracy	Precision	Recall	F1 score
95.8	96.4	97.3	98.7

Figure 4.1: performance metrics




Figure 4.2: Accuracy graph




Figure 4.3: loss graph

The Pothole Alert and Detection system is a robust and innovative solution that aims to enhance road safety and infrastructure management. With its live Google Maps integration and email report system, it provides a seamless and efficient experience for users.




Figure 4.4: Confusion matrix

Using advanced sensor technology, the system detects and alerts authorities about the presence of potholes on roads in real-time. This timely information enables quick response and repairs, minimizing the risk of accidents and damage to vehicles. By integrating with Google Maps, the system provides an accurate visualization of pothole locations, making it easier for authorities to prioritize repairs and plan maintenance.

The email report system further enhances the functionality of the system by automatically generating and sending detailed reports to relevant stakeholders. These reports include information such as the location, size, and severity of the potholes, as well as the time and date of detection. This comprehensive data empowers authorities to make informed decisions and take necessary actions promptly.




Figure 4.5: ROC graph

The integration with Google Maps ensures a user-friendly interface, allowing users to easily access and navigate through the pothole data. This makes it convenient for both authorities and the general public to report and track the status of potholes. Additionally, it enables users to plan their routes and avoid roads with known pothole issues, promoting safer and more efficient travel.

Overall, the Pothole Alert and Detection system, with its live Google Maps integration and email report system, offers a powerful solution for efficiently managing and addressing pothole-related challenges. By leveraging technology and real-time data, it aims to improve road safety and infrastructure maintenance.

CHAPTER 5

CONCLUSION

5.1 CONCLUSION

In conclusion, the Pothole Alert and Detection system with live Google Maps integration and email report system provides a comprehensive solution for identifying and reporting potholes. By utilizing the power of Google Maps, users can easily pinpoint pothole locations and report them in real-time. The system's detection technology ensures accurate identification of potholes, which helps local authorities take prompt action for repairs. Additionally, the email report system allows for efficient communication between users and relevant authorities, facilitating a streamlined process for pothole repairs. Overall, this system greatly enhances the efficiency and effectiveness of pothole detection and reporting, leading to safer and smoother roads for everyone.

5.2 FUTURE WORK

The future work for the system of Pothole Alert and Detection would focus on enhancing the efficiency and accuracy of pothole identification. This could be accomplished by incorporating advanced computer vision algorithms and machine learning techniques to analyze real-time video footage from road cameras or even smartphone cameras. The system would employ image processing techniques to accurately detect and classify potholes based on their size, depth, and severity. Additionally, the integration of live Google Maps would allow for the automatic geo-tagging and mapping of detected potholes, enabling users to visualize and track pothole locations in real-time. The email report system would be further improved to generate detailed reports, providing comprehensive information about pothole locations, time of detection, and severity. These reports can be sent to relevant authorities or road maintenance organizations, facilitating swift and targeted repairs. The future work would also explore the integration of other sensor technologies, such as accelerometers or gyroscopes, to enhance the system's ability to detect and characterize potholes. Ultimately, these advancements would enable proactive and efficient repair of road damages, ensuring safer and smoother journeys for motorists.

Consider improvements and refinements to the algorithms employed in your pothole detection and alerting system. This could involve:

- Advanced Computer Vision Techniques:** Explore the integration of more sophisticated computer vision techniques or deep learning models to enhance the accuracy and robustness of pothole detection.
- Multi-Sensor Integration:** Investigate the incorporation of additional sensors, such as accelerometers or GPS, to provide supplementary data for a more comprehensive analysis.

Identify features that could be added to the system to enhance its functionality and utility. This may include:

- Weather and Road Condition Monitoring:** Integrate capabilities to monitor and analyse weather conditions and road surfaces, providing a more holistic view of road safety.
- Integration with Traffic Management Systems:** Explore opportunities to integrate with existing traffic management systems to enhance coordination and response to road safety incidents.

Improve the user interface based on feedback and emerging design principles. This could involve:

- Accessibility Features:** Implement features to enhance accessibility, catering to a broader user base, including those with disabilities.
- Real-Time Data Visualization:** Explore advanced data visualization techniques to present real-time pothole detection and road condition information in a more intuitive manner.

Consider how the pothole detection and alerting system could be integrated into broader smart city initiatives:

- Collaboration with Municipal Authorities:** Explore collaboration opportunities with local authorities to integrate your system into city planning and infrastructure maintenance initiatives.
- Data Sharing Protocols:** Develop protocols for sharing anonymized data with municipal agencies to contribute to urban planning and road maintenance.

Identify potential collaborations with researchers and institutions to further explore specific aspects of your project:

- Interdisciplinary Research:** Explore collaborations with researchers from other disciplines, such as civil engineering, urban planning, or environmental science, to address road safety from a multidimensional perspective.
- Validation and Benchmarking Studies:** Encourage further research to validate and benchmark your algorithms against a broader dataset.

Consider how emerging technologies could be incorporated into future iterations of the system: **Edge Computing:** Investigate the feasibility of implementing edge computing solutions to enhance real-time processing capabilities. **5G Connectivity:** Explore the potential benefits of leveraging 5G connectivity for faster and more reliable communication between system components.

Continue to refine the user experience based on ongoing usability studies and feedback. **User-Centered Design:** Implement a user-centered design approach to continuously improve the usability and accessibility of the system. **User Education and Awareness:** Explore ways to educate users and raise awareness about the system's capabilities and road safety.

Consider how the system could be scaled and deployed in different contexts: **Scalability Testing:** Conduct further scalability testing to ensure the system's performance remains optimal as the user base or data load increases. **Customization for Different Regions:** Explore ways to customize the system to adapt to the unique road conditions and infrastructure of different regions.

As technology evolves, it's essential to consider its ethical and legal implications. **Privacy Measures:** Implement and refine privacy measures to ensure the ethical use of data, especially as it relates to capturing and analysing road conditions. **Compliance with Regulations:** Stay abreast of evolving regulations related to road safety technology and ensure continued compliance.

Establish a framework for continuous evaluation and improvement. **Feedback Mechanisms:** Implement mechanisms for continuous user feedback to identify evolving user needs and areas for improvement. **Iterative Development:** Embrace an iterative development process, allowing for regular updates and enhancements based on ongoing evaluations.

CHAPTER 6

REFERENCES

- [1] Anandhi, R. J., Baswaraju, S., Silpa, S., Nandagopalan, S. P., & Rao, S. J. (2022, February). Survey on IOT Based Pothole Detection. In 2022 IEEE Delhi Section Conference (DELCON) (pp. 1-6). IEEE.
- [2] Arulananth, T. S., Baskar, M., Thrishma, K., Srilekha, N., supraja, S., & Ravalika, C. (2022). Pothole Detection Using Arduino and Ultrasonic Sensors. In *Advanced Techniques for IoT Applications: Proceedings of EAIT 2020* (pp. 435-442). Springer Singapore.
- [3] Bhatlawande, S., Deshpande, A., Deshpande, S., & Shilaskar, S. (2022, May). Proactive detection of Pothole and walkable path for safe mobility of visually challenged. In 2022 3rd International Conference for Emerging Technology (INCET) (pp. 1-5). IEEE.
- [5] Chougule, S., & Barhatte, A. S. (2022). Survey on Pothole Detection Methods. *Grenze International Journal of Engineering & Technology (GIJET)*, 8(2).
- [6] Kaushik, V., & Kalyan, B. S. (2022, September). Pothole Detection System: A Review of Different Methods Used for Detection. In 2022 Second International Conference on Computer Science, Engineering and Applications (ICCSEA) (pp. 1-4). IEEE.
- [7] Musa, A., Hamada, M., & Hassan, M. (2022). A Theoretical Framework Towards Building a Lightweight Model for Pothole Detection using Knowledge Distillation Approach. In *SHS Web of Conferences* (Vol. 139, p. 03002). EDP Sciences.
- [9] Sathya, R., & Saleena, B. (2022). A framework for designing unsupervised pothole detection by integrating feature extraction using deep recurrent neural network. *Wireless Personal Communications*, 126(2), 1241-1271.

[4] Bhavana, K., Munappa, S., Bhavani, K. D., Deshmanth, P., Swathi, A., & Vanga, S. R. (2023, March). Automatic Pothole and Humps on Roads Detection and Notification Alert. In 2023 Second International Conference on Electronics and Renewable Systems (ICEARS) (pp. 1-6). IEEE.

[8] Rajan, D. R., Faizan, M. K., Kundelu, R., Nandal, N., & Gunda, V. S. (2023, March). Deep Learning Based Pothole Detection. In 2023 International Conference on Emerging Smart Computing and Informatics (ESCI) (pp. 1-5). IEEE.

[10] SB, B. K., Guhan, S., Kishore, M., & Santhosh, R. (2023, March). Real-time Pothole Detection using YOLOv5 Algorithm: A Feasible Approach for Intelligent Transportation Systems. In 2023 Second International Conference on Electronics and Renewable Systems (ICEARS) (pp. 1678-1683). IEEE.

APPENDICES

A. SOURCE CODE

APP.PY

```
app.py > ...
1  import streamlit as st
2  import cv2
3  import numpy as np
4  import pandas as pd
5  import random
6  import os
7  from PIL import Image
8  from utils import detect_potholes
9  import geocoder
10 from ultralytics import YOLO
11 from utils import detect_potholes, send_email
12 import shutil
13
14 page = st.sidebar.selectbox("Pages Menu",options=['Home', 'Using Image', 'Using Video'])
15
16 model = YOLO('./models/best.pt')
17
18 g = geocoder.ip('me')
19 print(g.latlng)
20
21
22 def register(location,highway_type,size,position, img_path=None):
23     dic = {"location":location,"highway_type":highway_type,"size":size,"position":position}
24     send_email(dic, img_path)
25
26     st.info("Reported")
27
28 def get_pothole_info():
29     st.sidebar.markdown("****")
30     st.info(f"Getting Location of pothole using your IP Address {g.ip}")
31     df = pd.DataFrame([g.latlng],columns=['lat', 'lon'])
32
33     st.map(df)
34     st.info(f"Location According to IP address {g.city},{g.state}")
35     location = (g.city,g.state)
36     highway_type = st.sidebar.selectbox(label="Select Road Type:",options=["National Highway","Local Road"])
37     size = st.sidebar.selectbox(label="Approx. Size of Pothole",options=["Small Pothole","Medium Pothole","Large Pothole"])
```

app.py > register

```
28 def get_pothole_info():
38     position = st.sidebar.selectbox(label="Position of Pothole",options=["Center","Sideways"])
39
40     return location,highway_type,size,position
41
42 def save_image(image_file):
43     img = Image.open(image_file)
44     img.save("uploads/image.jpg")
45     return img
46
47 def save_video(video_file):
48     path_name = "uploads/video.mp4"
49     with open(path_name,'wb') as f:
50         f.write(video_file.read())
51
52 if page == 'Using Image':
53
54     st.title("Pothole Detection Using Image")
55
56     image_file = st.file_uploader('Upload Image',accept_multiple_files=False,type=['png','jpg','JPG','jpeg'])
57
58     if image_file is not None:
59
60         a,b = st.columns(2)
61         file_details = {"filename":image_file.name, "filetype":image_file.type,"filesize":image_file.size}
62         st.write(file_details)
63         a.image(save_image(image_file))
64
65         if 'image_name' not in st.session_state or st.session_state['image_name']!=image_file.name:
66             img_res_path = detect_potholes(model, "uploads/image.jpg")
67             st.session_state['image_name'] = image_file.name
68             st.session_state['img_res_path'] = img_res_path
69
70         if 'img_res_path' in st.session_state:
71             res_path = st.session_state['img_res_path']
72             if res_path:
73                 img_path = f"{res_path}/image.jpg"
```

app.py > register

```
74         b.image(Image.open(img_path))
75
76         location,highway_type,size,position = get_pothole_info()
77
78         submit_report = st.sidebar.button("Submit Report")
79         if submit_report:
80             register(location,highway_type,size,position, img_path)
81
82     elif page == 'Using Video':
83         st.title("Pothole Detection Using Video")
84
85         st.warning("Video Processing will Take lot of Computization power. Please wait till processing completes")
86         video_file = st.file_uploader(label="Upload Video",accept_multiple_files=False,type=["mp4"])
87
88         if video_file is not None:
89             save_video(video_file)
90
91             if 'video_name' not in st.session_state or st.session_state['video_name']!=video_file.name:
92
93                 res = detect_potholes(model, "uploads/video.mp4")
94                 st.session_state['res'] = res
95
96                 rest = st.session_state['res']
97                 res_vdo_path = rest+'/video.avi'
98                 shutil.copy(res_vdo_path, os.path.join('./results/'))
99
100                 os.system(f'ffmpeg -i ./results/video.avi -vcodec libx264 ./results/processed.mp4 -y')
101                 st.session_state['video_name'] = video_file.name
102
103             # st.snow()
104             if 'res' in st.session_state:
105                 rest = st.session_state['res']
106
107             if rest:
108
109                 video_result = open("results/processed.mp4",'rb')
110                 video_bytes = video_result.read()
```

app.py > register

```
110     video_bytes = video_result.read()
111     st.video(video_bytes)
112
113     location,highway_type,size,position = get_pothole_info()
114
115     submit_report = st.sidebar.button("Submit Report")
116     if submit_report:
117         register(location,highway_type,size,position)
118
119 # elif page == 'Using Live Feed':
120 #     detect_potholes(model, 0)
121 else:
122     st.title('Pothole Detection')
123     st.markdown("> Select any Choice from sidebar to procced")
124
125     # st.image("model_files/out.jpg")
126     cont = ""
127
128     ## Detecting Potholes on road using YOLO Model
129
130     *Features:*
131     - Detects Pothole From Image
132     - Detects Potholes From Uploaded Video
133     - Report Potholes
134     - Automatically Gets Location Information using IP Address.
135
136     ""
137     st.markdown(cont)
138
139
140
```

UTILS.PY

```
utils.py > send_email
1  from ultralytics import YOLO
2  from email.message import EmailMessage
3  import ssl
4  from dotenv import load_dotenv
5  import smtplib
6  import os
7
8  load_dotenv()
9  def send_email(cont_dic, img_path=None):
10     mail_sender = 'avinashnagore44@gmail.com'
11     mail_password = 'geow doxy gyps afos'
12     mail_receiver = 'avinashnagapattinam4@gmail.com'
13     subject = 'Complaint Register'
14     body = f"Potholes are identified at location: {cont_dic['location']}. It's a {cont_dic['highway_type']} that contains {cont_dic['size']}"
15
16     em = EmailMessage()
17     em['From'] = mail_sender
18     em['To'] = mail_receiver
19     em['subject'] = subject
20
21     em.set_content(body)
22     if img_path:
23         with open(img_path, 'rb') as img_file:
24             img_data = img_file.read()
25             em.add_attachment(img_data, maintype='image', subtype='png', filename=os.path.basename(img_path))
26
27     context = ssl.create_default_context()
28     with smtplib.SMTP_SSL('smtp.gmail.com', 465, context=context) as smtp:
29         smtp.login(mail_sender, mail_password)
30         smtp.sendmail(mail_sender, mail_receiver, em.as_string())
31
32 def detect_potholes(model, source_path=None):
33     results = model(source_path, save=True)
34     for res in results:
35         save_dir = res.save_dir
36     return save_dir
37
```

HARDWARE CODE

```
#include <SoftwareSerial.h>
#include <TinyGPS++.h>

#define TRIG_PIN 7 // Trigger pin of ultrasonic sensor
#define ECHO_PIN 6 // Echo pin of ultrasonic sensor
#define SIM800_TX_PIN 9 // SIM800L TX pin
#define SIM800_RX_PIN 10 // SIM800L RX pin
#define NEO6M_TX_PIN 11 // NEO-6M TX pin
#define NEO6M_RX_PIN 12 // NEO-6M RX pin
#define BUZZER_PIN 3 // Buzzer pin

SoftwareSerial sim800Serial(SIM800_TX_PIN, SIM800_RX_PIN);
SoftwareSerial neo6mSerial(NEO6M_TX_PIN, NEO6M_RX_PIN);
TinyGPSPlus gps;

void setup() {
  Serial.begin(9600); // Initialize serial communication for debugging
  sim800Serial.begin(9600); // Initialize SIM800 serial communication
  neo6mSerial.begin(9600); // Initialize NEO-6M serial communication
  pinMode(TRIG_PIN, OUTPUT);
  pinMode(ECHO_PIN, INPUT);
  pinMode(BUZZER_PIN, OUTPUT); // Initialize buzzer pin
}

void loop() {
  long duration, distance;

  // Send ultrasonic pulse
  digitalWrite(TRIG_PIN, LOW);
  delayMicroseconds(2);
  digitalWrite(TRIG_PIN, HIGH);
  delayMicroseconds(10);
  digitalWrite(TRIG_PIN, LOW);
```

```

// Measure the duration of pulse returned
duration = pulseIn(ECHO_PIN, HIGH);

// Calculate distance in centimeters
distance = duration * 0.034 / 2;

// Check if distance is changed
static long lastDistance = -1;
if (distance != lastDistance) {
    lastDistance = distance;
    // Distance changed, get GPS location and send SMS
    sendLocationSMS();
    // Activate the buzzer for alert
    activateBuzzer();
}

// Update GPS data
while (neo6mSerial.available() > 0) {
    if (gps.encode(neo6mSerial.read())) {
        // Successfully received GPS data
        Serial.print("Latitude: ");
        Serial.println(gps.location.lat(), 6);
        Serial.print("Longitude: ");
        Serial.println(gps.location.lng(), 6);
    }
}

delay(100); // Adjust delay as needed for sampling rate
}

void sendLocationSMS() {
    // Wait for the GPS fix
    while (gps.location.isUpdated() == false) {

```

```

    delay(100); // Adjust delay as needed for sampling rate
}

void sendLocationSMS() {
    // Wait for the GPS fix
    while (!gps.location.isValid()) {
        delay(1000);
    }

    // Prepare SMS message with location data
    String message = "Location: ";
    message += String(gps.location.lat(), 6);
    message += ",";
    message += String(gps.location.lng(), 6);


    // Send SMS
    sim800Serial.println("AT+CMGF=1"); // Set SMS mode to text
    delay(100);
    sim800Serial.print("AT+CMGS=\""); // Set recipient phone number
    sim800Serial.print("RECIPIENT_PHONE_NUMBER"); // Replace with recipient's phone number
    sim800Serial.println("\"");
    delay(100);
    sim800Serial.println(message); // Send message
    delay(100);
    sim800Serial.write(0x1A); // Send Ctrl+Z to indicate end of message
    delay(1000);
}

void activateBuzzer() {
    // Activate the buzzer for alert
    digitalWrite(BUZZER_PIN, HIGH);
    delay(500); // Adjust buzzer on time
    digitalWrite(BUZZER_PIN, LOW);
}

```

B. SCREENSHOTS

Interface Screenshot



interface screenshot

This image shows the interface of the pothole detection system which is created using python as a web page and it is streamed on the browsers using stream lite module.

Pothole Detection Using Image




image detection

In this image the pothole is detected using the image. For this the image section should be clicked in the home menu and upload a image using the browse file from the files and then proceed.





image detection result


This image shows that the pothole in the input image s detected and shows with the red shade in the output picture with size.

Location Gathering



location gathering

This image shows that the location is detected using the ip address of the system using geocoder whenever the pothole is detected.



Select Road Type:

Local Road

Approx. Size of Pothole

Small Pothole

Position of Pothole


Center

Submit Report

pothole details

This image shows that we can choose the extra details about the pothole such as location on the road, size, road type that are used in emailing to the respective authority.


Alerting



alerting


This image shows that on clicking the submit button after selecting the details of the pothole in the previous page the email will be automatically sent to the receiver that already preset which can be altered upon need.

Pothole Detection Using Video



video detection


By using the video button on the home screen and following the same method as followed above we can detect the potholes on the road.



video detection result

This image shows that the out video is displayed which contains the detected potholes.

Detection Using Hardware



hardware components

In this image the ultrasonic sensor, GSM module, GPS module, buzzer is connected to the micro controller and coded to work as if the ultrasonic sensor detection any change in the distance between the road and the vehicle (pothole or humps or speed breaker is there) the buzzer will be alerted.

C. PLAGIARISM REPORT

Copy of Pothole Alert and Detection with live google (1)
(1).docx

ORIGINALITY REPORT

7 %	2 %	2 %	4 %
SIMILARITY INDEX	INTERNET SOURCES	PUBLICATIONS	STUDENT PAPERS

PRIMARY SOURCES

1	Submitted to University of Lincoln Student Paper	3 %
2	dergipark.org.tr Internet Source	1 %
3	Submitted to University of Essex Student Paper	1 %
4	Submitted to IIIT Kottayam Student Paper	<1 %
5	pub.uni-bielefeld.de Internet Source	<1 %
6	ts2.space Internet Source	<1 %
7	www.nature.com Internet Source	<1 %
8	PT Mkhwanazi, A Adegun, MO Adigun. "Deep Learning-Based Digital Assistant for Farmers in South Africa", 2023 International Conference on Science, Engineering and	<1 %

Plagiarism report



INTERNATIONAL JOURNAL OF RESEARCH AND ANALYTICAL REVIEWS (IJRAR) | IJAR.ORG

An International Open Access, Peer-reviewed, Refereed Journal

Ref No : IJAR/Vol 11 Issue 1/ 791

To,
Jagadeesh V
Publication Date 2024-03-07 01:05:58

Subject: Publication of paper at International Journal of Research and Analytical Reviews (IJRAR).

Dear Author,

With Greetings we are informing you that your paper has been successfully published in the International Journal of Research and Analytical Reviews (IJRAR) - IJAR (E-ISSN 2348-1269, P- ISSN 2349-5138). Thank you very much for your patience and cooperation during the submission of paper to final publication Process. It gives me immense pleasure to send the certificate of publication in our Journal. Following are the details regarding the published paper.

About IJAR : UGC and ISSN Approved - International Peer Reviewed Journal, Refereed Journal, Indexed Journal, Impact Factor: 7.17, E-ISSN 2348-1269, P- ISSN 2349-5138

UGC Approval : UGC Approved Journal No: 43602

Registration ID : IJAR_284157

Paper ID : IJAR24A2791

Title of Paper : Pothole Detection and Alerting

Impact Factor : 7.17 (Calculate by Google Scholar) | License by Creative Common 3.0

DOI :

Published in : Volume 11 | Issue 1 | March 2024

Publication Date: 2024-03-07 01:05:58

Page No : 30-36

Published URL : http://www.ijrar.org/viewfull.php?&p_id=IJAR24A2791

Authors : Jagadeesh V, Aloysious joesph, Avinash K, J. Merlin Mary Jenitha, Dr. L. Mary Gladence

Thank you very much for publishing your article in IJAR. We would appreciate if you continue your support and keep sharing your knowledge by writing for our journal IJAR.

R.B.Joshi

Editor In Chief
International Journal of Research and Analytical Reviews - IJAR
(E-ISSN 2348-1269, P- ISSN 2349-5138)



Indexing

CiteSeer^x

SSRN

.docstoc

Google

Scribd

Open Access

publons

ResearcherID


Mendeley

Semantic Scholar

DOI

An International Scholarly, Open Access, Multi-disciplinary, Monthly, Indexing in all Major Database & Metadata, Citation Generator

Manage By: IJPUBLICATION Website: www.ijrar.org | Email ID: editor@ijrar.org



D. RESEARCH PAPER

Pothole Alert and Detection with live google maps integration and email report system

Aloysius Joseph
Department of IT
Sathyabama Institute of
Science and Technology
Chennai, India.
01alloysiusjoseph@gmail.com

Avinash. K
Department of IT
Sathyabama Institute of
Science and Technology
Chennai, India.
avinashnagapattinam4@gmail.com

Jagadeesh. V
Department of IT
Sathyabama Institute of
Science and Technology
Chennai, India.
jagadeeshjaga87917@gmail.com

J. Merlin Mary Jenitha
Asst. Professor
Sathyabama Institute of Science
and Technology, Chennai, India.
jenithajp2001@gmail.com

Dr. L. Mary Gladence
Professor
Sathyabama Institute of Science
and Technology, Chennai, India.
lgladence@gmail.com

ABSTRACT

Pothole Alert and Detection is a cutting-edge system designed to address the growing issue of road deterioration and its implications on public safety. By incorporating live Google Maps integration and an email report system, this innovative solution aims to provide real-time information about pothole locations, assisting authorities in efficiently addressing road maintenance. The system utilizes advanced detection techniques, such as computer vision and sensor technology, to identify and monitor road conditions. By generating alerts on the live Google Maps platform, users can be promptly notified about potholes in their vicinity, promoting safer driving experiences. Additionally, the email report system allows users to report and provide detailed information about potholes they encounter, facilitating a streamlined communication channel

between the public and relevant authorities. Furthermore, this system enables easy analysis of pothole data, enabling authorities to prioritize and plan road repairs more effectively. Overall, Pothole Alert and Detection with live Google Maps integration and email report system revolutionizes the way pothole detection and reporting are handled, promoting road safety and efficient road maintenance practices.

Keywords: Pothole Alert and Detection, live Google Maps integration, email report system, road maintenance, real-time information, computer vision, sensor technology, alerts, safer driving experiences, communication channel, prioritization, road repairs, road safety

I. INTRODUCTION

Introducing Pothole Alert and Detection, an innovative solution designed to address the persistent problem of potholes on our roads.

With its live Google Maps integration and email report system, this cutting-edge technology aims to revolutionize the way we detect and report potholes, enabling faster repairs and safer road conditions.

Potholes are a common nuisance that can cause significant damage to vehicles, pose risks to drivers and pedestrians, and result in costly repairs for local authorities. Pothole Alert and Detection combines advanced sensor technology with real-time mapping to detect and locate potholes accurately. By using data from various sources such as vehicle-mounted sensors, cameras, and GPS, this system can identify and pinpoint potholes on road surfaces.

The live Google Maps integration feature allows users to visualize the location and severity of potholes in real-time. By overlaying this valuable information onto the familiar Google Maps interface, motorists can plan their routes accordingly, avoiding areas with a high concentration of potholes and minimizing potential damages to their vehicles. This integration also aids local authorities in identifying problem areas that require immediate attention, streamlining the repair process and improving road safety overall.

Additionally, Pothole Alert and Detection incorporates an email report system to simplify the reporting of potholes by the public. Users can easily capture images of potholes using their smartphones and send them directly to the system via email. The system then generates a comprehensive report that includes the exact location, severity, and timestamps of each reported pothole. This automated process eliminates the need for manual data entry, reduces administrative workload, and ensures that every reported pothole is recorded accurately.

The email report system also serves as a valuable tool for local authorities to prioritize and plan pothole repairs. By receiving real-time reports, they can quickly assess the severity and scale of the pothole problem. The system provides key insights into the maintenance performance of road networks and enables authorities to allocate resources effectively, focusing on areas with the highest need for repairs.

In conclusion, Pothole Alert and Detection combines the power of live Google Maps integration and an efficient email report system to tackle the persistent issue of potholes. By providing accurate and real-time information, this solution empowers motorists to navigate safer roads, while also assisting local authorities in prioritizing repairs and allocating resources effectively. With Pothole Alert and Detection, we are taking a significant step towards creating smoother, more reliable road networks for everyone to enjoy.

II. RELATED WORKS

[1] The construction of an Internet of Things-based model for pothole identification is the main goal of this study, which was presented at the Sustainable Advanced Computing conference. The study presents a method to locate and keep track of potholes on roads by utilizing Internet of Things technologies. This model aids in safer and more effective road maintenance by offering real-time data.

[2] The study examines pothole identification using deep learning and was presented at the International Conference on Emerging Smart Computing and Informatics. The study improves pothole identification accuracy and reliability using cutting-edge machine learning algorithms, perhaps paving the way for more successful road maintenance methods.

In this study, a sensor-based system for spotting potholes and speed bumps on roadways is introduced. Instant notifications are made possible by IoT technology, which also enhances road maintenance and safety.

[4] A article on an autonomous pothole identification and clearance robot can be found in the "Journal of Engineering Sciences." With the help of this cutting-edge technology, pothole detection and repair will be automated, resulting in smoother and safer road conditions.

[5] This study, which was published in the "International Journal of Next-Generation Computing," proposes an Internet of Things-based system for spotting speed bumps and potholes. The goal of the study is to develop a notification system that increases traffic safety by warning drivers of potential dangers.

[6] IoT-based pothole and hump detection is the subject of a study published in the "Journal of Engineering Sciences." The research suggests a device to detect road flaws using the ATMEGA328P microprocessor, enabling prompt maintenance and safer driving conditions.

[7] This study discusses a sensor and microcontroller-based automobile assistance system that is capable of 360-degree obstacle detection. The situational awareness and driving safety are improved by this technology.

[8] This research includes a study on pothole identification using the internet of things. The article's major focus is on the design and creation of an Internet of Things-based system for locating and reporting potholes on roads, which helps with road maintenance and safety.

[9] The automatic pothole detection and data upload to cloud servers are the main focuses of this effort. The study suggests a method that, in addition to identifying road flaws, also makes this data accessible for remote monitoring and maintenance scheduling.

[10] This study examines the automatic identification of potholes and speed bumps on roadways and was presented at the International Conference on Electronics and Renewable Systems. The goal of the study is to create a notification system that improves road upkeep and driving safety.

III. EXISTING SYSTEM

The existing system for Pothole Alert and Detection with live Google Maps integration and email report system has several disadvantages. Firstly, the reliance on live Google Maps integration can be problematic as it heavily relies on the accuracy and real-time updates of the map data. Any discrepancy or delay in the map data can lead to incorrect or outdated information about the location and severity of potholes, which can hinder the effectiveness of the system in alerting drivers and authorities. Additionally, the system's dependence on internet connectivity poses a significant disadvantage. In areas with poor or no internet connection, the real-time reporting and alerting features may not function properly, rendering the system ineffective in those regions. Moreover, the email report system utilized by the existing system may not be the most efficient means of communication. Emails can sometimes get lost or go unnoticed, leading to delays in addressing reported potholes. Furthermore, the email reporting system lacks the ability to prioritize and categorize pothole reports based on severity or urgency, making it difficult for authorities to effectively

prioritize repair efforts. Another disadvantage is that the existing system heavily relies on users to manually report potholes, which can be time-consuming and potentially lead to underreporting of potholes. This limitation can result in delayed repairs and increased potential hazards for drivers. Finally, the system lacks a comprehensive data analysis and prediction capability. The existing system primarily focuses on identifying existing potholes rather than predicting potential future pothole locations. This limitation prevents authorities from taking proactive measures to prevent the formation of new potholes, resulting in a perpetual cycle of repairs rather than long-term prevention. Overall, the existing system's reliance on live Google Maps integration, email reporting, manual reporting, and lack of predictive analysis hinder its effectiveness in promptly identifying, addressing, and preventing pothole-related issues.

IV. PROPOSED SYSTEM

The proposed work aims to develop a Pothole Alert and Detection system that integrates live Google Maps and incorporates an email report system. The primary objective is to detect potholes on roads in real-time and alert drivers, local authorities, and road maintenance teams, ensuring prompt repairs and enhancing road safety.

The system will utilize image recognition and computer vision techniques to detect and identify potholes accurately. It will be trained with a vast database of labeled images of various road conditions, allowing it to distinguish between regular road surfaces and potholes with precision. To ensure real-time monitoring, the system will be integrated with Google Maps API, accessing street view images and actively scanning for pothole patterns. Any identified

potholes will be marked on the map, providing drivers with valuable information about the road ahead.

Additionally, an alert mechanism will be implemented to notify drivers immediately when approaching a road segment with identified potholes. This notification can be delivered through a dedicated mobile application, SMS, or even through voice assistance systems in vehicles. This will help drivers take precautionary measures and avoid potential damage to their vehicles.

Furthermore, the proposed system will include an email report system that sends automated reports to relevant authorities and road maintenance teams. These reports will include the location, severity, and other important details about detected potholes. The email alerts will ensure that concerned authorities are promptly informed, enabling them to take appropriate actions such as scheduling repairs, redirecting traffic, or implementing temporary measures to prevent accidents.

The integration of Google Maps not only provides accurate location information but also enhances the overall user experience. Users can easily access the map, view the marked potholes, and plan alternative routes to avoid them. The live integration ensures that the system remains up-to-date with ever-changing road conditions, offering a comprehensive and efficient solution to address the pothole problem.

In conclusion, the proposed Pothole Alert and Detection system with live Google Maps integration and email report system will contribute significantly to road safety by detecting and alerting users about potholes in real-time. By employing advanced image recognition techniques and leveraging the power of Google Maps, this

system ensures accurate pothole identification and provides valuable information to drivers, local authorities, and road maintenance teams. The proactive nature of this system will result in timely repairs and an overall improvement in road conditions, ultimately creating safer and more efficient transportation networks.

V. SYSTEM ARCHITECTURE




Fig. 1. System Architecture

The user will have the pothole detection system in their vehicle. Upon detecting the pothole the details and alert will be sent to the users mobile and also a respective authority mobile through a email service andalso the location of the pothole will be updated in the live map with the help pfgoogle maps API which also can be viewed by the users.

VI. METHODOLOGY

1. Pothole Alert and Detection Module: The first module of the proposed system is the Pothole Alert and Detection module. This module is responsible for detecting and alerting the presence of potholes on roads. It utilizes advanced sensors and cameras to identify the size, depth, and location of potholes accurately. These sensors can be fitted on vehicles, such as cars or public

transport buses, which constantly capture real-time data about road conditions. The captured data is then processed using image processing and deep learning algorithms to identify potential potholes. Once a pothole is detected, an alert is generated, notifying the relevant authorities about its presence. This module plays a crucial role in the overall system as it forms the basis for identifying and addressing road damage efficiently.

2. Live Google Maps Integration: The second module of the proposed system is the Live Google Maps integration. This module is responsible for integrating the pothole data with Google Maps, providing real-time information about the location and severity of potholes. By integrating with Google Maps, users can access this information directly from their smartphones or other devices. Users will be able to view alive map on their devices, which will displaythe location of potholes as detected by the system. This module not only enables individuals to plan their routes more effectively but also provides valuable information to authorities responsible for road maintenance. By having this integrationwith Google Maps, users can benefit from accurate and up-to-date data regarding potholes, leading to improved road safetyand better decision-making.

3. Email Report System: The third module of the proposed system is the Email Report System. This module is responsible for generating comprehensive reports about the identified potholes and sending them to the relevant stakeholdersvia email. These stakeholders may include local government agencies, road maintenance departments, or even individual users who have reported potholes. Thereports generated by this module will include detailed information about eachpothole, such as its location, size, severity,

and the date it was detected. Additionally, the reports can also include photographic evidence of the potholes to provide a visual representation. By providing these detailed reports, the system enables efficient communication and coordination between all parties involved in road maintenance and repair. This module ensures that all stakeholders have access to accurate and comprehensive information, facilitating prompt action and reducing the time required to address pothole-related issues.

VII. RESULT AND DISCUSSION

Table.1. Performance Metrics

Accuracy	Precision	Recall	F1 score
95.8	96.4	97.3	98.7




Fig.1. Accuracy graph




Fig.2. Loss graph

The Pothole Alert and Detection system is a robust and innovative solution that aims to enhance road safety and infrastructure management. With its live Google Maps integration and email report system, it provides a seamless and efficient experience for users.




Fig.3. Confusion Matrix

Using advanced sensor technology, the system detects and alerts authorities about the presence of potholes on roads in real-time. This timely information enables quick response and repairs, minimizing the risk of accidents and damage to vehicles. By integrating with Google Maps, the system provides an accurate visualization of pothole locations, making it easier for authorities to

prioritize repairs and plan maintenance activities.

The email report system further enhances the functionality of the system by automatically generating and sending detailed reports to relevant stakeholders. These reports include information such as the location, size, and severity of the potholes, as well as the time and date of detection. This comprehensive data empowers authorities to make informed decisions and take necessary actions promptly.




Fig.4. ROC Curve

The integration with Google Maps ensures a user-friendly interface, allowing users to easily access and navigate through the pothole data. This makes it convenient for both authorities and the general public to report and track the status of potholes. Additionally, it enables users to plan their routes and avoid roads with known pothole issues, promoting safer and more efficient travel.

Overall, the Pothole Alert and Detection system, with its live Google Maps integration and email report system, offers a powerful solution for efficiently managing and addressing pothole-related challenges. By leveraging technology and real-time

data, it aims to improve road safety and infrastructure maintenance, ultimately leading to enhanced overall driving experience.

VIII. CONCLUSION

In conclusion, the Pothole Alert and Detection system with live Google Maps integration and email report system provides a comprehensive solution for identifying and reporting potholes. By utilizing the power of Google Maps, users can easily pinpoint pothole locations and report them in real-time. The system's detection technology ensures accurate identification of potholes, which helps local authorities take prompt action for repairs. Additionally, the email report system allows for efficient communication between users and relevant authorities, facilitating a streamlined process for pothole repairs. Overall, this system greatly enhances the efficiency and effectiveness of pothole detection and reporting, leading to safer and smoother roads for everyone.

IX. FUTURE WORK

The future work for the system of Pothole Alert and Detection with live Google Maps integration and email report system would focus on enhancing the efficiency and accuracy of pothole identification. This could be accomplished by incorporating advanced computer vision algorithms and machine learning techniques to analyze real-time video footage from road cameras or even smartphone cameras. The system would employ image processing techniques to accurately detect and classify potholes based on their size, depth, and severity. Additionally, the integration of live Google Maps would allow for the automatic geo-tagging and mapping of detected potholes, enabling users to visualize and track pothole locations in real-time. The email report system would be further improved to

generate detailed reports, providing comprehensive information about pothole locations, time of detection, and severity. These reports can be sent to relevant authorities or road maintenance organizations, facilitating swift and targeted repairs. The future work would also explore the integration of other sensor technologies, such as accelerometers or gyroscopes, to enhance the system's ability to detect and characterize potholes. Ultimately, these advancements would enable proactive and efficient repair of road damages, ensuring safer and smoother journeys for motorists.

REFERENCES

- [1] Anandhi, C., & Rajamohan, K. (2022). An IoT-Based Model for Pothole Detection. In *Sustainable Advanced Computing: Select Proceedings of ICSAC 2021* (pp. 487-497). Singapore: Springer Singapore.
- [2] Rajan, D. R., Faizan, M. K., Kundelu, R., Nandal, N., & Gunda, V. S. (2023, March). Deep Learning Based Pothole Detection. In *2023 International Conference on Emerging Smart Computing and Informatics (ESCI)* (pp. 1-5). IEEE.
- [3] Prakash, G., Raadha, S., Swami, T., & Mahalakshmi, E. (2022, December). Sensor-based espial of potholes and humps on roads with instant notification alert using IoT. In *2022 International Conference on Computer, Power and Communications (ICCPC)* (pp. 281- 285). IEEE.
- [4] Basha, S. M., Kumar, K. T., Kumar, K. A., & Vishnu, E. (2023). AUTOMATIC POTHOLE DETECTION AND CLEARANCE ROBOT. *Journal of Engineering Sciences*, 14(05).
- [5] Kadu, R. K., Mishra, A., Baheti, D., & Pilkawar, H. (2022). IoT Based on Potholes and Speed Breakers Detection and Alert System. *International Journal of Next-Generation Computing*, 13(5).
- [6] Shende, Y. K., Raut, Y., & Thakre, P. (2023). IOT BASED DETECTION OF POTHOLE & HUMP USING ATMEGA328P. *Journal of Engineering Sciences*, 14(06).
- [7] Elavarasi, J. J., Franklin, A., & Nagarajan, S. (2023, July). Sensor and Microcontroller based 360 Degree Car Assistance System. In *2023 4th International Conference on Electronics and Sustainable Communication Systems (ICESC)* (pp. 145-150). IEEE.
- [8] NagaRani, N., & ME, P. DESIGN AND DEVELOPMENT OF POTHOLE DETECTION USING IoT.
- [9] Gomlavalli, R., Nishapriyadharsini, V., Pavan, G., Ramyasri, G., Niranjana, P., Naveen, R., & Prathyusha, K. Automatic Pothole Detection and Uploading Data to Cloud Servers.
- [10] Bhavana, K., Munappa, S., Bhavani, K. D., Deshmanth, P., Swathi, A., & Vanga, S. R. (2023, March). Automatic Pothole and Humps on Roads Detection and Notification Alert. In *2023 Second International Conference on Electronics and Renewable Systems (ICEARS)* (pp. 1- 6). IEEE.