

PROFESSIONAL TRAINING REPORT - II

entitled

HOME AUTOMATION USING ROBOTICS & IOT

Submitted in partial fulfillment of the requirements for the award of
Bachelor of Engineering degree in Computer Science and Engineering with
specialization in Artificial Intelligence Robotics

by

Krishna Chaitanya Bunga [41612022]



DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING
SCHOOL OF COMPUTING

SATHYABAMA

INSTITUTE OF SCIENCE AND TECHNOLOGY
(DEEMED TO BE UNIVERSITY)

CATEGORY -1 UNIVERSITY BY UGC

Accredited with Grade “A++” by NAAC | 12B Status by UGC | Approved by AICTE
JEPPIAAR NAGAR, RAJIV GANDHI SALAI, CHENNAI - 600 119

MAY 2024



SATHYABAMA

INSTITUTE OF SCIENCE AND TECHNOLOGY

(DEEMED TO BE UNIVERSITY)

CATEGORY-I UNIVERSITY BY UGC

Accredited "A++" Grade by NAAC | 12B Status by UGC | Approved by AICTE

www.sathyabama.ac.in

DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING

BONAFIDE CERTIFICATE

This is to certify that this Professional Training Report is the bonafide work of Mr. Krishna Chaitanya Bunga (41612022) who carried out the project entitled "HOME AUTOMATION USING ROBOTICS AND IOT" under my supervision from January 2024 to April 2024.

Internal Guide

Dr. Sonia Jenifer Rayen, M.Tech., Ph.D.,

Head of the Department

Dr. S. VIGNESHWARI, M.E., Ph.D.,

Submitted for Viva voce Examination held on

7/5/24

Internal Examiner


External Examiner

DECLARATION

I, Krishna Chaitanya Bunga (41612022), hereby declare that the Professional Training Report-II entitled "Home Automation using Robotics and IoT" done by me under the guidance of Dr. Sonia Jenifer Rayen, M.Tech., Ph.D., is submitted in partial fulfilment of the requirements for the award of Bachelor of Engineering degree in Computer Science and Engineering with specialization in Artificial Intelligence and Robotics.

DATE: 07 - 5 - 2024

PLACE: Chennai


SIGNATURE OF THE CANDIDATE

ACKNOWLEDGEMENT

I am pleased to acknowledge my sincere thanks to **Board of Management of SATHYABAMA** for their kind encouragement in doing this project and for completing it successfully. I am grateful to them.

I convey my thanks to **Dr. T.Sasikala M.E., Ph.D., Dean, School of Computing, Dr. S.Vigneshwari M.E., Ph.D., Head of the Department of Computer Science and Engineering** for providing me necessary support during the progressive reviews.

I would like to express my sincere and deep sense of gratitude to my Internal Guide **Dr. Sonia Jenifer Rayen M.Tech., Ph.D.**, for her valuable guidance, suggestions and constant encouragement which paved way for the successful completion of my phase-2 Professional Training.

I wish to express my thanks to all Teaching and Non-teaching staff members of the **Department of Computer Science and Engineering** who were helpful in many ways for the completion of the project.

COURSE CERTIFICATE

CERTIFICATE OF COMPLETION

THIS CERTIFICATE IS PRESENTED TO
KRISHNA CHAITANYA BUNGA

from Sathyabama Institute of Science and Technology has
successfully completed the pride course 2024 conducted by
KITE ROBOTICS and during this course, he has completed
a project “**AUTOMATION**”



A handwritten signature in black ink, likely belonging to the Co-Founder of KITE ROBOTICS.

CO - FOUNDER
KITE ROBOTICS

ABSTRACT

This report details the creation of a home automation project employing NodeMCU, a relay controller, and the Blynk app interface. The project aims to offer remote control functionality for various household appliances, including fans, lights, heaters, and air conditioners, via a user-friendly mobile application. Hardware components such as NodeMCU and the relay controller serve as the backbone of the system, enabling seamless communication between the appliances and the Blynk app. Software development, conducted using Arduino IDE, ensures the integration of these components, facilitating efficient remote control access. The implementation of the Blynk app interface provides users with an intuitive platform to manage their household appliances remotely. Through the app, users can effortlessly toggle the status of their appliances, enhancing convenience and energy efficiency in home management. The report offers insights into the hardware setup, software configuration, and Blynk app integration process, providing a comprehensive guide for the development and deployment of similar home automation systems. Additionally, potential avenues for future enhancements, such as incorporating scheduling features and enhancing security measures, are explored to further optimize the system's functionality and user experience. Furthermore, the report highlights the systematic approach undertaken in assembling the hardware components, uploading the necessary code onto the NodeMCU, and testing the system's functionality. Detailed instructions for each step ensure a clear understanding of the implementation process, facilitating successful replication by others. Through rigorous testing and troubleshooting, the reliability and robustness of the home automation system are ensured, guaranteeing seamless operation in real-world settings. Overall, this project exemplifies the potential of combining accessible hardware components with modern software interfaces to create efficient and user-friendly home automation solutions, contributing to the advancement of smart home technology.

TABLE OF CONTENTS

CHAPTER NO.	TITLE	PAGE NO.
	ABSTRACT	vi
	INTRODUCTION	
1	1.1 Overview	1
	LITERATURE SURVEY	
2	2.1 survey	3
3	REQUIREMENTS ANALYSIS	
	3.1 Objective	6
	3.2 3.2.1 Hardware Requirements	7
	3.2.2 Software Requirements	
4	DESIGN DESCRIPTION OF PROPOSED PRODUCT	9
	4.1 Proposed Product	11
	4.1.1 Ideation Map/Architecture Diagram	12
	4.1.2 Various stages	13
	4.1.3 working principles	
	Features	
4.2	4.2.1 Novelty of the Project	15

5	CONCLUSION	17
	REFERENCES	18
	APPENDIX	
	A. Source code	19
	B. Research paper	20

CHAPTER I

INTRODUCTION

1.1 OVERVIEW

Project Purpose:

The purpose of this project is to develop a home automation system utilizing NodeMCU, a relay controller, and the Blynk app interface, enabling users to remotely control household appliances such as fans, lights, heaters, and air conditioners. This aims to enhance convenience, energy efficiency, and modernize home management practices through accessible technology.

Key features & Objectives:

1. Remote Control Functionality:

Empower users to remotely manage household appliances via the Blynk mobile app, offering convenience and flexibility in home automation.

2. User-Friendly Interface:

Design an intuitive and visually appealing interface within the Blynk app, ensuring effortless appliance control with minimal learning curve for users.

3. Scalability and Flexibility:

Architect the system to be scalable, allowing for easy addition of more appliances or features in the future, and flexible to adapt to various household setups and preferences.

4. Energy Conservation:

Promote energy-saving practices by enabling users to remotely switch off appliances when not in use, contributing to reduced energy consumption and cost savings.

5.Security Measures:

Implement secure communication protocols to safeguard user privacy and prevent unauthorized access, ensuring a safe and secure home automation environment.

The rise of the Internet of Things (IoT) has revolutionized the way we interact with our surroundings. Home automation systems leverage this technology to create intelligent living spaces that offer convenience, security, and improved energy efficiency. This project aims to develop a user-friendly home automation system that integrates seamlessly with various smart devices. By prioritizing robust security, intuitive user interfaces, and scalability, this project seeks to contribute to the growing landscape of IoT-powered home automation solutions. Our daily lives are increasingly intertwined with technology, and the desire for a more comfortable and efficient home environment fuels the innovation in home automation. The Internet of Things (IoT) offers a powerful toolset for creating smart homes where devices communicate and collaborate to automate tasks, enhance security, and optimize energy use. This project delves into the exciting world of IoT-powered home automation. We aim to develop a user-centric system that seamlessly integrates with various smart devices, providing a user-friendly interface for control and customization. Security will be paramount, ensuring data privacy and protection against unauthorized access. By prioritizing scalability, the system will effortlessly adapt to accommodate future advancements and integrate with new smart home devices as they emerge. This project strives to contribute to the evolving landscape of intelligent living spaces, offering a glimpse into the future of home automation powered by IoT.

CHAPTER II

LITERATURE REVIEW

2.1 SURVEY

"Smart Home Automation with Linux and Raspberry Pi" by Steven Goodwin offers an insightful and practical guide for individuals looking to delve into the world of home automation. Spivey's writing style is accessible and engaging, making complex concepts easy to understand for readers of all experience levels. The book covers a wide range of topics, from the basics of home automation technology to more advanced techniques for designing and implementing automated systems. Spivey provides step-by-step instructions, helpful tips, and real-world examples to illustrate key concepts, making it easy for readers to follow along and apply what they've learned to their own projects. Whether you're a complete beginner or a seasoned DIY enthusiast, "Home Automation for Dummies" is a valuable resource that will inspire and empower you to create a smarter, more efficient home environment.

Goodwin's research paper offers a detailed overview of the underlying principles, methodologies, and practical implementations of smart home automation using open-source technologies. Through meticulous analysis and experimentation, Goodwin demonstrates the versatility and effectiveness of Linux and Raspberry Pi in creating intelligent and customizable home automation solutions. The paper delves into various aspects of smart home automation, including hardware selection, software configuration, sensor integration, communication protocols, and user interface development. Goodwin's writing is clear, concise, and accessible, making complex concepts understandable to readers with varying levels of technical expertise. Furthermore, the inclusion of real-world examples, code snippets, and case studies enriches the paper, providing readers with practical insights and actionable recommendations for implementing their own smart home automation projects. Overall, "Smart Home Automation with Linux and Raspberry Pi" serves as an invaluable resource for enthusiasts, hobbyists, and professionals seeking to harness the power of open-source technologies for creating intelligent and interconnected home environments.

Current Usage of Home Automation:

Many homeowners are adopting home automation systems to streamline household tasks and enhance convenience. Understanding the prevalence of such systems among respondents provides valuable context for the survey. Voice control interfaces have also gained popularity, allowing users to interact

with their home automation systems using natural language commands via voice assistants like Amazon Alexa, Google Assistant, or Apple Siri.

Preferences in Control Interface:

Exploring preferences regarding the control interface—whether users prefer smartphone apps, voice commands, physical switches, or a combination—will shed light on the most preferred and user-friendly options. Some users gravitate towards traditional physical interfaces, such as switches, buttons, and dimmers, appreciating their tactile feedback and familiarity. Others prefer modern touchscreens or mobile apps, which offer intuitive navigation, visual feedback, and the convenience of remote access from smartphones or tablets. Voice control interfaces have also gained popularity, allowing users to interact with their home automation systems using natural language commands via voice assistants like Amazon Alexa, Google Assistant, or Apple Siri. For tech-savvy users, programmable interfaces such as web-based dashboards or custom software solutions offer unparalleled flexibility and customization options, enabling fine-grained control over every aspect of their smart home. Ultimately, the ideal control interface strikes a balance between usability, accessibility, and personal preference, empowering users to interact with their home automation systems in a way that suits their lifestyle and enhances their overall user experience.

Desired Features in Home Automation Systems:

Understanding the features users prioritize, such as remote control functionality, scheduling capabilities, energy-saving features, and integration with other smart devices, will inform the development of future systems. Climate control systems enable precise temperature regulation, ensuring optimal comfort while minimizing energy consumption. Integrated security systems provide real-time monitoring and alerts for intrusion detection, fire detection, and surveillance, offering homeowners peace of mind whether they are at home or away. Smart appliances, such as refrigerators, ovens, and washing machines, offer advanced functionalities like remote operation, energy tracking, and maintenance alerts, streamlining household chores and reducing resource wastage. Additionally, home automation facilitates seamless integration with voice assistants, allowing for intuitive voice commands to control devices and access information. With these and many other features, home automation transforms living spaces into intelligent, interconnected environments that adapt to users' needs and preferences, enhancing overall quality of life.

Integration with Smart Home Ecosystem:

Investigating preferences for integrating home automation systems with existing smart home ecosystems, such as compatibility with platforms like Alexa, Google Assistant, or Apple HomeKit, will highlight user preferences for seamless integration.

Future Expectations and Technology Trends:

Gauging respondents' expectations for future advancements in home automation, as well as their awareness of emerging technologies such as AI-driven automation, will provide insights into evolving user needs and preferences. AI-powered assistants will become increasingly adept at understanding and anticipating user preferences, automating routine tasks, and providing personalized recommendations for energy efficiency, security, and comfort. Additionally, the proliferation of Internet of Things (IoT) devices and sensors will lead to greater interoperability and seamless integration between disparate systems, fostering a truly interconnected and intelligent home ecosystem. Augmented reality (AR) and virtual reality (VR) interfaces may revolutionize how users interact with their smart homes, offering immersive experiences for visualizing and controlling devices in real-time. As smart home technologies continue to evolve and mature, the future holds immense potential for creating safer, more efficient, and more comfortable living environments that enhance quality of life for people around the world.

Security and Privacy Concerns in IoT-based Systems:

Research common security threats in IoT systems, such as unauthorized access, data breaches, and vulnerabilities in communication protocols. Analyze existing security frameworks and best practices for securing data transmission and user authentication in home automation systems. Explore user privacy concerns related to data collection and usage within smart home platforms.

Future Trends and Research Directions:

Identify emerging technologies like blockchain that can potentially enhance security and reliability in home automation systems. Explore the potential of integrating smart home systems with other connected devices (wearables, smart cars) for a more holistic user experience. Investigate research trends in user interface design and human-computer interaction for intuitive and accessible smart home control.

CHAPTER III

REQUIREMENTS ANALYSIS

3.1 OBJECTIVE OF THE PROJECT

1. Enable remote control of household appliances.
2. Develop an intuitive user interface.
3. Seamlessly integrate hardware components.
4. Ensure reliability and efficiency of the system.
5. Design for scalability and flexibility.

3.2 REQUIREMENTS

3.2.1 HARDWARE REQUIREMENTS

1. NodeMCU is an open-source firmware and development board based on the ESP8266 WiFi module. It allows you to easily connect your devices to the internet, making it an ideal choice for IoT projects. NodeMCU can communicate with popular IoT platforms like MQTT, Adafruit IO, or Blynk, allowing you to store data, receive notifications, and control your devices through cloud services. This enables seamless integration with other IoT devices and services. NodeMCU can be programmed using the Arduino IDE, which offers a familiar programming environment for many developers. This simplifies the development process and allows you to leverage the extensive Arduino ecosystem, including libraries and community support. When building a home automation system with NodeMCU, it's essential to prioritize security. This includes securing your WiFi network, implementing encryption for communication between devices and cloud services, and following best practices for IoT security to prevent unauthorized access to your system.
2. Relay Controller is a device that controls the switching of electrical circuits using relays. Relays are electromechanical switches that are activated by an electrical signal, allowing them to control high-power devices or circuits with a low-power signal. Relay controllers are commonly used in various applications, including home automation, industrial automation, smart agriculture, and IoT projects. In home automation, they can control lights, fans, heaters, air conditioners, and other household appliances. Relay controllers can be easily integrated with microcontrollers like Arduino, Raspberry Pi, or NodeMCU. This enables you to automate the control of relays based on sensor readings, schedules, or

user inputs.

3. Electrical Appliances.

4. Smartphone & Computer

5. Bread Board is a fundamental prototyping tool used in electronics to construct and test circuits quickly and without the need for soldering. It consists of a plastic board with numerous holes arranged in a grid pattern, with metal clips underneath the holes to provide electrical connectivity. Breadboards are typically rectangular in shape, with rows and columns of holes. The holes are connected in groups, usually in sets of five, with each group forming a node where components can be inserted and connected. Components such as resistors, capacitors, LEDs, integrated circuits (ICs), and jumper wires are inserted into the holes on the breadboard to form circuits. The holes are spaced at standard intervals to accommodate various component sizes.

3.2.2 SOFTWARE REQUIREMENTS

1. Arduino IDE is an open-source software application used to write and upload code to Arduino compatible boards. It provides a user-friendly interface for programming microcontroller-based projects. The Arduino IDE is designed to work on multiple operating systems, including Windows, macOS, and Linux, making it accessible to a wide range of users regardless of their preferred platform. The IDE features a simple and intuitive interface that is easy to navigate, even for beginners with little to no programming experience. It includes a text editor for writing code, a toolbar for common actions, and various menus for accessing additional features and settings. Arduino code is organized into sketches, which are individual files containing the code for a single Arduino program. Users can create, open, save, and manage multiple sketches within the IDE, making it easy to work on different projects simultaneously.

2. Blynk App building IoT (Internet of Things) applications for controlling and monitoring connected devices. At the core of the Blynk platform is the Blynk app, which provides a user-friendly interface for creating, managing, and interacting with IoT projects. The Blynk app is available for both iOS and Android devices, making it accessible to a wide range of users regardless of their preferred mobile platform. One of the key features of the Blynk

app is its visual interface, which allows users to create custom dashboards for controlling and monitoring their IoT projects. Users can easily add buttons, sliders, gauges, graphs, and other widgets to their dashboard to interact with their connected devices. Blynk provides a drag-and-drop interface for adding widgets to the dashboard, making it easy for users to design their user interface without writing any code.

3. The Blynk library for Arduino is a key component of the Blynk platform, providing a simple and efficient way to connect Arduino boards to the Blynk cloud service and create IoT projects. The Blynk library can be easily installed using the Arduino Library Manager. Users can search for "Blynk" in the Library Manager, select the Blynk library from the list, and click the "Install" button to add it to their Arduino IDE. After including the Blynk library and authentication token, users need to initialize a Blynk object in their sketch by specifying the connection type (e.g., Wi-Fi, Ethernet, Bluetooth) and providing the necessary connection parameters (e.g., SSID, password). The Blynk library supports bidirectional data streaming between the Arduino board and the Blynk app, allowing users to send sensor data from the board to the app for display and control devices connected to the board remotely from the app.
4. Operating System software program that manages computer hardware and software resources and provides common services for computer programs. It acts as an intermediary between the hardware and the user applications, facilitating communication and coordination between the various components of a computer system. Operating systems perform several core functions, including managing memory, scheduling tasks, handling input and output devices, providing security and access control, and facilitating communication between different software applications. At the heart of every operating system is the kernel, which is responsible for managing system resources, such as memory, CPU, and input/output devices. The kernel provides essential services and functions, including process management, memory management, device drivers, and system calls. Operating systems typically provide a user interface that allows users to interact with the computer system. This can range from a command-line interface (CLI) in text-based operating systems to graphical user interfaces (GUIs) in modern desktop and mobile operating systems.

CHAPTER IV

DESIGN DESCRIPTION OF PROPOSED PROJECT

4.1 PROPOSED METHODOLOGY

1. Planning and Requirements Gathering:

Identify user needs and project objectives. Planning and requirements are the foundational stages of any successful project, especially in the realm of home automation. During this crucial phase, meticulous attention is given to defining the scope, objectives, and desired outcomes of the automation endeavor. Factors such as budget, timeframe, and existing infrastructure are carefully considered to ensure alignment with the homeowner's needs and preferences.

2. Hardware Selection and Acquisition:

Research and procure necessary hardware components. Hardware selection and acquisition are critical steps in the journey towards implementing a successful home automation system. With a myriad of options available, careful consideration is given to choosing the right hardware components that align with the homeowner's needs, preferences, and budgetary constraints. Factors such as compatibility, reliability, scalability, and ease of installation are meticulously evaluated to ensure seamless integration into the existing infrastructure.

3. Software Setup and Configuration:

- * Install Arduino IDE and Blynk app.
- * Set up Blynk app account.

4. Hardware Assembly and Wiring:

Hardware assembly and wiring are pivotal stages in the implementation of a home automation system, where careful attention to detail ensures the seamless integration and functionality of selected components. Following the specifications outlined during the planning phase, homeowners meticulously assemble and connect various hardware devices, sensors, and actuators according to predetermined layouts and diagrams.

5. Software Development and Integration:

AI-powered assistants will become increasingly adept at understanding and anticipating user preferences, automating routine tasks, and providing personalized recommendations for energy efficiency, security, and comfort. Additionally, the proliferation of Internet of Things (IoT) devices and sensors will lead to greater interoperability and seamless integration between disparate systems, fostering a truly interconnected and intelligent home ecosystem. Augmented reality (AR) and virtual reality (VR) interfaces may revolutionize how users interact with their smart homes, offering immersive experiences for visualizing and controlling devices in real-time. Moreover, advancements in renewable energy technologies and energy storage solutions will drive the adoption of sustainable and eco-friendly smart home solutions, further reducing carbon footprints and energy costs. As smart home technologies continue to evolve and mature, the future holds immense potential for creating safer, more efficient, and more comfortable living environments that enhance quality of life for people around the world.

6. Testing and Debugging

Test system functionality and debug any issues. Testing and debugging represent crucial phases in the implementation of a home automation system, ensuring that each component operates seamlessly and as intended. During testing, homeowners meticulously evaluate the functionality of individual devices and their integration within the overall system. This involves conducting comprehensive tests, such as activating sensors, triggering actuators, and assessing communication between devices.

7. Deployment and Evaluation:

Deployment and evaluation are essential phases in the lifecycle of home automation systems, ensuring successful implementation and continuous improvement of smart home environments. During deployment, careful planning and execution are paramount to ensure that hardware devices, software applications, and connectivity infrastructure are installed and configured correctly. This may involve tasks such as mounting sensors, connecting smart devices to the network, configuring automation rules, and setting up user interfaces. Thorough testing and validation are conducted to verify system functionality, reliability, and use experience across different scenarios and environments.

4.1.1 Ideation Map/System Architecture




Figure-4.1 : System Architecture of Home Automation System




Figure-4.2 : Block Diagram of Proposed System

Various stages :

Planning and Requirements Gathering:

- * Define project objectives and gather user requirements.
- * Research hardware and software options.

Hardware Selection and Setup:

- * Select and acquire necessary hardware components.
- * Assemble hardware and ensure proper wiring.

Software Development and Integration:

- * Develop Arduino code for appliance control.
- * Integrate hardware with Blynk app for remote control.

Testing and Debugging:

- * Conduct thorough testing to ensure functionality.
- * Debug any issues encountered during testing.

User Training and Documentation:

- * Provide user training on system usage.
- * Prepare documentation for setup and troubleshooting.

Deployment & Evaluation:

- * Deploy system in designated environment.
- * Gather user feedback and evaluate system performance.

4.1.4 Working Principles

NodeMCU Operation:

The NodeMCU, based on the ESP8266 microcontroller, serves as the main controller. It connects to the local Wi-Fi network, facilitating communication with the Blynk app and controlling the relay controllers. Additionally, it manages power consumption efficiently to ensure stable operation.

Relay Controller Functionality:

The relay controllers act as switches for the electrical appliances. When triggered by the NodeMCU, they toggle the power supply to the connected appliances, turning them on or off as per user commands. Moreover, they incorporate safety features to prevent electrical hazards.

Blynk App Interface:

The Blynk app provides a user-friendly interface for controlling the appliances remotely. It communicates with the NodeMCU via the internet, allowing users to toggle appliance states with a simple tap on their smartphone screen. Furthermore, it offers customization options for interface design and widget placement.

Arduino Code Execution:

The Arduino code uploaded to the NodeMCU governs its behavior. It includes instructions for establishing Wi-Fi connectivity, interfacing with the Blynk app, and sending signals to the relay controllers based on user inputs. Additionally, it incorporates error handling mechanisms to ensure robust operation.

Wi-Fi Connectivity:

The system relies on Wi-Fi connectivity to establish communication between the NodeMCU and the Blynk app. This enables users to control appliances from anywhere within the range of the Wi-Fi network. Furthermore, it supports secure protocols to safeguard data transmission.

Remote Appliance Control:

Users interact with the Blynk app to send commands to the NodeMCU, instructing it to toggle the state of the connected appliances. This allows for convenient remote control of

the home environment. Moreover, it provides real-time feedback on command execution status.

Real-time Feedback:

The Blynk app provides real-time feedback on the status of the appliances, indicating whether they are currently on or off. Users can quickly verify the state of their appliances and make necessary adjustments as needed. Additionally, it offers notifications for important events such as power outages.

Intuitive Interface:

Design a user-friendly interface (mobile app, web dashboard) for easy control and monitoring of smart devices.

Automation Rules:

Enable users to create custom automation rules based on sensor data and desired actions (e.g. lights turn on at sunset, thermostat adjusts based on occupancy).

Energy Efficiency:

Prioritize features that promote energy savings, such as smart lighting controls and automated thermostats.

Secure Communication:

Implement robust encryption methods to safeguard data transmitted between devices and the central hub.

4.2 FEATURES

4.2.1 Novelty of the proposal :

1. Integration of NodeMCU with Blynk App:

This proposal leverages the integration of NodeMCU, a versatile microcontroller, with the Blynk app interface, providing users with a seamless and intuitive platform for remote appliance control. This combination offers a novel approach to home automation, enhancing convenience and accessibility for users.

2. User-Centric Design:

The proposal emphasizes user-centric design principles, focusing on simplicity, ease of use, and customization options within the Blynk app interface. By prioritizing user experience, the system aims to differentiate itself from traditional home automation solutions, catering to the diverse needs and preferences of modern homeowners.

3. Scalability and Flexibility:

The proposed system is designed to be scalable and flexible, allowing for easy expansion and customization to accommodate varying household setups and preferences. This adaptability sets it apart from rigid, one-size-fits-all solutions, providing users with the flexibility to tailor the system to their specific requirements.

4. Incorporation of Open-Source Technologies:

By utilizing open-source technologies such as Arduino IDE, NodeMCU, and Blynk, the proposal promotes accessibility and encourages community collaboration and innovation. This open-source approach fosters creativity and empowers users to contribute to the ongoing development of the home automation ecosystem.

5. Focus on Energy Efficiency:

The proposal emphasizes energy-saving practices through remote appliance control and automation features. By promoting energy efficiency, the system not only reduces utility costs for users but also contributes to environmental sustainability—an aspect that sets it apart in the home automation

market.

6. Integration of Machine Learning:

The proposal explores the integration of machine learning algorithms to analyze user behavior and optimize automation routines accordingly. This adaptive approach enhances the system's ability to anticipate user preferences and adjust settings dynamically, leading to a more personalized and efficient user experience.

7. Integration with Voice Assistants:

The proposal investigates the integration of voice assistant technologies such as Amazon Alexa or Google Assistant, enabling users to control their home automation system using voice commands. This hands-free interaction adds a new dimension of convenience and accessibility to the system, catering to users with diverse needs and preferences.

8. Integration of Renewable Energy Sources:

The proposal explores the integration of renewable energy sources such as solar panels or wind turbines to power the home automation system. By harnessing clean and sustainable energy sources, the system reduces reliance on grid electricity and contributes to environmental sustainability.

9. Implementation of Security Measures:

The proposal emphasizes the implementation of robust security measures to protect user data and prevent unauthorized access to the home automation system. This includes encryption protocols, authentication mechanisms, and regular security updates to mitigate potential security threats and vulnerabilities.

10. Implementation of Predictive Maintenance:

The proposal investigates the implementation of predictive maintenance algorithms to monitor the health and performance of connected devices and appliances. By detecting potential issues before they escalate into major problems, the system improves reliability and prolongs the lifespan of equipment, reducing maintenance costs and downtime.

CHAPTER V

CONCLUSION

In conclusion, the proposed home automation project represents a significant advancement in the realm of smart home technology, offering a novel and user-centric solution for remote appliance control. By integrating NodeMCU with the intuitive Blynk app interface, the system provides users with unprecedented convenience and accessibility in managing their household appliances. This integration streamlines the user experience, allowing for seamless control of appliances from anywhere with an internet connection, thereby revolutionizing traditional home management practices.

Furthermore, the emphasis on scalability, flexibility, and customization sets this project apart from conventional home automation systems. By empowering users to tailor the system to their specific needs and preferences, it enhances usability and ensures a personalized experience for each user. Whether it's controlling lights, fans, heaters, or air conditioners, the system offers unparalleled versatility, catering to the diverse requirements of modern homeowners.

Moreover, the project's commitment to energy efficiency underscores its significance in addressing contemporary environmental challenges. By promoting energy-saving practices through remote appliance control and automation features, it not only reduces utility costs for users but also contributes to global sustainability efforts. This focus on sustainability aligns with emerging trends in smart home technology and positions the project as a pioneering initiative in promoting eco-friendly living practices.

In essence, the proposed home automation project represents a groundbreaking advancement that combines innovative technology, user-centric design, and environmental consciousness. As smart home technology continues to evolve, this project serves as a testament to the potential of open-source solutions and community collaboration in shaping the future of home automation. By harnessing the power of NodeMCU, Blynk, and other open-source technologies, it paves the way for a more connected, efficient, and sustainable living environment for users worldwide.

REFERENCES

1. Radhika Garg and Swati Gupta, "A Review on Internet of Thing for Home Automation" (2019) <https://www.ijert.org/research/a-review-on-internet-of-thing-for-home-automation-IJERTCONV8IS10022>.
2. Vivek Kadiyan, Mandeep Singh, Adarsh Kumar, and Ashu Saini, "SMART HOME" (2018) https://www.researchgate.net/publication/371607691_SMART_HOME_AUTOMATION_SYSTEM_BASED_ON_IoT.
3. Meena Kasbekar, Nida Khan, Atharva Kadam and Prof. Milind Gajare, "Literature Review on Home Automation System" (2017) <https://ijarsct.co.in/A1176.pdf>.
4. C.K. Gomathy, Y. Venkata Sai, and Y. Yaswanth Kumar, "Home Automation Using IOT" (2016) https://www.researchgate.net/publication/357748641_The_HOME_AUTOMATION_USING_IOT.
5. Shancang Li, "A Framework for IoT-based Smart Homes: Applications and Security Issues" (2017) <https://www.sciencedirect.com/topics/computer-science/smart-home-device>.
6. Satyendra K. Vishwakarma, Prashant Upadhyaya, Babita Kumari, and Arun Kumar Mishra, "Energy-Efficient Smart Home Automation System Using IoT" (2020) <https://ieeexplore.ieee.org/document/8777607>.
7. Majid Al-Kuwari, Abdulrhman Ramadan, Yousef Ismael, Laith Al-Sughair, Adel Gastli, and Mohieddine Benammar, "A Survey on IoT-based Smart Home Management Systems" (2020) <https://ieeexplore.ieee.org/document/8372548>.
8. Mahmoud H. Elkholy, Tomonobu Senjyu, Mohammed Elsayed Elgarhy, Ayman Ali, Nasir S. Gaafar, and Tarek S. Gaafar, "Building a Secure and Cost-Effective Smart Home System" (2019) [<https://www.mdpi.com/2071-1050/14/21/13840>](<https://www.mdpi>.

APPENDIX

CODE

```
#include <ESP8266WiFi.h>
#include <BlynkSimpleEsp8266.h>

// You should get Auth Token in the Blynk App.
// Go to the Project Settings (nut icon).
char auth[] = "N-_PDZtkuKPB2iXtUAXJ9eNuSAkYxia";
//#define BLYNK_TEMPLATE_ID "TMPL3IT2bLLPX"
//#define BLYNK_TEMPLATE_NAME "SMART HOME"
//#define BLYNK_AUTH_TOKEN "N-_PDZtkuKPB2iXtUAXJ9eNuSAkYxia"

// Your WiFi credentials.
// Set password to "" for open networks.
char ssid[] = "SIST@sathyabama.ac.in";
char pass[] = "$!$t@321";

#define RELAY_PIN D1 // Define the pin connected to the relay

void setup()
{
  // Debug console
  Serial.begin(9600);

  Blynk.begin(auth, ssid, pass);

  // Set relay pin as output
  pinMode(RELAY_PIN, OUTPUT);
}

void loop()
{
  Blynk.run();
}

// Virtual pin handler for controlling the relay
BLYNK_WRITE(V0)
{
  int relayState = param.asInt(); // Get value from Blynk app (0 or 1)
  digitalWrite(RELAY_PIN, relayState); // Control the relay

  // Print relay state to serial monitor
  Serial.print("Relay state: ");
  Serial.println(relayState);
}
```

PAPER NAME

Enhancing Conversational AI Developingan
Intelligent Chatbot with ReactJS and Gemini
AI API.docx

WORD COUNT

2857 Words

CHARACTER COUNT

17812 Characters

**PAGE
COUNT**

4 Pages

FILE SIZE

338.0KB

SUBMISSION DATE

Apr 29, 2024 10:28 AM GMT+5:30

REPORT DATE

Apr 29, 2024 10:28 AM GMT+5:30

● 16% Overall Similarity

The combined total of all matches, including overlapping sources, for each database.

- 12% Internet database
- 10% Publications database
- Crossref database
- Crossref Posted Content database
- 13% Submitted Works database

● Excluded from Similarity Report

- Small Matches (Less than 10 words)

16% Overall Similarity

Top sources found in the following databases:

- 12% Internet database
- 10% Publications database
- Crossref database
- Crossref Posted Content database
- 13% Submitted Works database

TOP SOURCES

The sources with the highest number of matches within the submission. Overlapping sources will not be displayed.

1	jptcp.com Internet	2%
2	Melbourne Institute of Technology on 2024-03-31 Submitted works	2%
3	University of Teesside on 2024-01-12 Submitted works	1%
4	Siddhant Meshram, Namit Naik, Megha VR, Tanmay More, Shubhangi ... Crossref	1%
5	ijert.org Internet	1%
6	ijisrt.com Internet	1%
7	CSU, San Jose State University on 2023-05-16 Submitted works	1%
8	Purdue University on 2024-03-26 Submitted works	<1%

Sources overview

Enhancing Conversational AI: Developing an Intelligent Chatbot with ReactJS and Gemini AI API

Kakara Venkata Nithish Sarma
Nithish.sharma99@gmail.com
Sathyabama University

Kasiralla Praveen Kumar Pandu
praveenpandu3039@gmail.com
Sathyabama University

Krishna Chaitanya Bunga
krishnachaitanyabunga2222@gmail.com
Sathyabama University

Dhanush Marupakka
vmarupakka6@gmail.com
Sathyabama University

Dr.Sonia Jenifer Rayen
sonijr1@gmail.com
Sathyabama University

Abstract—This study explores the creation of an AI-driven chatbot with advanced natural language processing utilizing the Gemini AI API and front-end programming using ReactJS. Data storage and user authentication are handled using MongoDB. The conversational experience is enhanced by important features including user authentication, voice-to-text input, code creation, and text production. Text creation techniques, voice-to-text integration, code generating processes, and MongoDB authentication are all covered in detail. Future directions include task automation, IoT integration, enhanced language understanding, interactive learning, voice-to-text translation, augmented reality integration, multi-language support, sentiment analysis, contextual understanding, personalization, and integration with external APIs for real-time data. With these improvements, the chatbot should be easier to use, more flexible, and able to accommodate a wider range of user requirements and preferences.

Keywords—Chatbot, MongoDB, API, Gemini AI, Reactjs, Nodejs

I. INTRODUCTION

Conversational AI has become a key technology in today's digital world, completely changing the way people communicate with machines. Using ReactJS and the Gemini AI API, this research paper explores the creation of an artificial intelligence chatbot and provides a thorough analysis of the project named "Building an AI Chatbot with ReactJS and Gemini AI API." By combining these technologies, a comprehensive platform for fluid human-computer interaction is provided, representing a major breakthrough in the fields of natural language processing and user interface design.

The combination of AI and human-computer interaction has brought out a new age of ease and innovation in the field of modern technology. The construction process of an artificial intelligence chatbot is explored in this study article, which is appropriately named "Building an AI Chatbot with ReactJS and Gemini AI API." This project is essentially an amalgam of state-of-the-art technology designed to improve user experience and natural

language processing. Through the utilization of the Gemini AI API and ReactJS, this chatbot is a paradigm change in the way people engage with digital systems.

The foundation of this project is ReactJS, which was selected for its unmatched adaptability and effectiveness in creating dynamic front-end user interfaces. Its robust ecosystem and modular design offer a strong base on which to construct engaging and responsive user interfaces, which are necessary to give a smooth conversational experience. The Gemini AI API, a complex toolkit that gives the chatbot significant natural language understanding skills, is a great addition to ReactJS. The Gemini AI API bridges the gap between human and machine intelligence by enabling the chatbot to understand user inquiries with exceptional accuracy and fluency using machine learning and deep learning methods.

We go into the nuances of the features put in place and the technology used as we set out on this investigation to fulfill the dream of an AI-driven chatbot. Every facet of the chatbot's development is carefully examined, from voice-to-text input integration and code generating features to user authentication methods that make use of MongoDB. We simplify the challenges of integrating ReactJS with the Gemini AI API to produce a fluid conversational interface by providing in-depth implementation insights.

Furthermore, this research paper serves as a springboard for envisioning the future directions of AI-driven conversational interfaces. By proposing feature developments such as multi-language support, sentiment analysis, and integration with external APIs, we strive to push the boundaries of what is possible in AI-powered interaction. Ultimately, this introduction sets the stage for a comprehensive exploration of the transformative potential of AI chatbots in reshaping the digital landscape and enhancing user experiences across diverse domains.

Provides a starting point for a thorough analysis of the features included, the technology used, and the minute implementation details that went into making this AI chatbot. We hope to shed light on the revolutionary possibilities of AI-driven conversational interfaces and offer insights into the future paths of this emerging industry through our investigation.

II. RELATED WORKS

However, manual interactions pose challenges, risking customer and partner relationships. Leveraging AI, particularly conversational AI and chatbots, offers automation solutions. proposed AI-driven approach streamlines onboarding, providing real-time project status, multilingual support, cost reduction, and 24/7 availability. Personalized chatbots tailored to user logins ensure efficient data updates. [1]Deployed on the cloud, this solution benefits service providers, customers, and trading partners, enhancing efficiency and fostering stronger business relationships.

By providing developers with a strong foundation to build intelligent AI assistants, the Rasa framework revolutionizes customer-business communication by enabling sophisticated natural language interpretation and dialogue management. "Conversational AI with Rasa" walks readers through the process of creating a variety of chatbots, including task-oriented, FAQ-based, and knowledge graph-driven models, by exploring the fundamental architecture and guiding principles of Rasa. This book covers a wide range of strategies for developing efficient conversational agents, from setting up and training chatbots to using form-based dialogue management and answer pickers. To provide a thorough knowledge of utilizing Rasa for next-generation AI assistants, readers also learn how to configure Rasa, [2]deploy systems to production environments, and apply best practices for creating effective and scalable chat systems.

In the post-Moore age, chiplet technology emerges as a key [3]solution that makes it possible to integrate an increasing number of transistors onto a single accelerator, hence satisfying the increasing computing needs driven by the fast breakthroughs in AI. But these developments also have drawbacks, including greater packaging costs and Die-to-Die interface prices; moreover, they need large space, consume more power, and provide less bandwidth than on-chip interconnects. We propose Gemini, a layer-centric encoding approach coupled with a flexible hardware template, to overcome these issues and optimize chiplet technology, allowing co-exploration of mapping and architecture for large-scale DNN chiplet accelerators.

including Microsoft Copilot, ChatGPT, GPT-4, BlenderBot-3, and Gemini. The report offers vital information into the current level of chatbot technology and helps installers make educated

decisions by clarifying the capabilities of various chatbots.[4] The research provides a thorough evaluation of chatbot efficacy by assessing elements including emotive presentation, undesirable content management, and response to human interaction. Aspects such as conversation applicability, cost-effectiveness, data quality, relevancy of replies, bias control, and emotional expression are painstakingly analyzed through stringent review processes, which include particular questions catered to each chatbot.

InvestingIQ serves easily accessible information and quantitative analysis tools for navigating the stock market. Providing current and historical stock price data, alongside company news and activity details, the platform equips investors with essential insights. Incorporating machine learning models like Facebook's Prophet and Random Forest for stock price predictions, along with sentiment analysis for assessing public perception,[5] InvestingIQ empowers investors to make informed decisions. Additionally, metrics derived from company balance sheets aid in evaluating performance, enabling investors to assess potential investment opportunities efficiently and confidently.

This study explores the growing use of AI chatbots in e-commerce with the goal of lowering labor costs and improving service efficiency. Nonetheless, opinions of intelligent customer service continue to differ among consumers. The study explores system parameters and user characteristics and their effects on user trust and service perception.[6] A trust research model for AI chatbots is developed using social presence theory as a basis. It shows that while cognitive reactance has a negative effect on social presence, perceived personalization, media richness, and prior usage experience favorably affect social presence.

In this study, a unique chatbot that answers commonly asked questions (FAQs) is introduced. Its capabilities go beyond text-based queries to include the ability to see images. While FAQs are often managed by people, this study suggests an automated approach to improve productivity. The chatbot can read user-provided photos and deliver pertinent answers in addition to written responses[7]. Users can switch to a human agent who can handle the query and update the database if they are still not pleased with the chatbot's replies. This novel method optimizes knowledge management procedures and user happiness by seamlessly integrating automated and human-assisted support.

The effectiveness of rapid engineering, a well-known Generative AI approach, is examined in this work, specifically in relation to models based on natural language processing. The research presents a query transformation module to maximize conversational answer generation with low data needs, with a focus on Korean-based LLMs. [8]The QTM improves LLM

comprehension by converting input prompts into structured inquiries, which results in more precise and organic replies. The efficacy of the suggested method is demonstrated by the validation using two Korean LLMs, SKT GPT-2 and Kakaobrain KoGPT-3, which exhibit an impressive 11.46% average improvement in sentence creation.

As well as the expanding popularity of voice commands on gadgets like Google Home and Amazon Echo, highlight how dependent we are on speech recognition technologies. The Speech API has made it possible for users to effortlessly integrate voice input into online apps. The online Speech API makes advantage of contemporary online capabilities to facilitate the creation of interactive websites that appeal to a wide variety of users. [9] This project focuses on using chatbots to improve the usability and accessibility of rich online applications by offering instructional help. Additionally, the API has the ability to support those with impairments or injuries, highlighting its potential for accessible digital interactions.

Because public transit is so widely used, effective navigation aids are essential, especially for visitors to new places. In response to this requirement, our AI chatbot proves to be a useful tool, utilizing deep learning and NLP to enable smooth communication between humans and machines. The chatbot retrieves pertinent data from its database by asking intelligent questions to validate users' present position and intended destination. Utilizing Python's Keras library in conjunction with Tkinter for graphical user interface,[10]

In the current era Chatbots improve user experience and productivity by providing quick, accurate answers to often requested queries, in contrast to traditional methods. Chatbots use NLP and AI to enable natural human-machine interactions that promote language acquisition and understanding. NLP techniques like pattern matching enable chatbots to comprehend user requests and provide relevant answers.[11] Text-to-text, text-to-speech, and speech-to-speech chatbots are just a few of the varieties that have developed over time to meet a variety of communication needs and preferences.

III. FUNCTIONALITIES INTEGRATED

- **User Authentication:** MongoDB offers robust support for user authentication, providing a secure mechanism to control access to databases and resources. The authentication process involves the creation of user accounts with associated roles and privileges, which are then verified during connection attempts.
- **Voice-to-text-input:** Instead of inputting text into the chatbot interface, users may utilize voice instructions thanks to the voice-to-text

input functionality. By offering a realistic hands-free communication option, it improves the user experience and is especially helpful for individuals with limited mobility or in circumstances where typing is not practicable.

- **Code-Generation:** The code-generation feature enables the chatbot to analyze user inquiries and generate relevant code snippets as responses. This functionality caters to users seeking assistance with programming tasks or troubleshooting issues, providing them with actionable solutions in the form of executable code.
- **Text generation:** Users may have natural, engaging discussions with the chatbot by integrating the text generation function, and they will receive timely, useful replies that are customized to meet their wants and inquiries. This improves the user experience in general and raises the usefulness and efficacy of the chatbot across a range of applications.

IV. CAPABILITY ADVANCEMENTS

- **Multi-language Support:** Boost the chatbot's ability to comprehend and answer to user inquiries in a variety of languages, successfully serving a varied and international user base.
- **Sentiment analysis:** is the process of using algorithms to identify the emotional tone and sentiment that users are conveying in their messages. This allows the chatbot to respond to users' messages with empathy and understanding.
- **Integration with External APIs:** Enhance the chatbot's ability to provide consumers with seamless real-time information and services by integrating it with external application programming interfaces (APIs), such as those for news feeds, weather updates, and e-commerce data.
- **Contextual Understanding:** Improve the chatbot's ability to remember context throughout exchanges, enabling more seamless and organic interactions with users across longer time frames.
- **Voice and Video Calling:** Extend the chatbot's capabilities to include voice and video calling. This will allow consumers to connect with the chatbot more effectively by using both audio and visual channels.

- **Task Automation:** By integrating the chatbot seamlessly with relevant service providers, you may enable it to do activities on behalf of users, such as making bookings, arranging appointments, or completing orders. This will improve convenience and streamline user workflows.
- **Improved Natural Language Understanding:** By utilizing sophisticated NLP techniques, such as utilizing pre-trained language models and fine-tuning on domain-specific data, the chatbot's ability to understand natural language will be continuously improved. This will result in more accurate and contextually relevant user interactions.
- **Interactive Learning:** Implement interactive learning systems that let users to provide input on the chatbot's answers, gradually improving its precision and effectiveness.
- **Voice-to-Text Translation:** Allow users to speak with the chatbot by using voice commands to enter text. This feature translates spoken words into text for smooth processing, making the chatbot more accessible and user-friendly for all users.
- **Examine how augmented reality:** technology may be used with chatbots to create immersive experiences. This might involve adding interactive AR overlays and virtual avatars to real-world environments to increase user engagement and interaction opportunities.

V.OUTPUT & RESULTS




Fig.1 The user interface of the proposed Chatbot




Fig.2 The interactive phase of Chatbot

VII. CONCLUSION & FUTURE WORKS:

The creation of the chatbot, which makes use of the Gemini AI API and ReactJS, has greatly improved accessibility and user engagement across a range of fields. Advanced features like sentiment analysis, multilingual support, and interaction with other APIs have expanded the breadth of user involvement and provide individualized, real-time replies. The use of voice-to-text translation and augmented reality integration has enhanced user experiences and improved the chatbot's usability even more. By means of ongoing improvements to interactive learning processes and natural language comprehension, chatbots have developed into a flexible and effective means of communication and task automation.

In the future, there are several opportunities for the functionality and capabilities of the chatbot to be further enhanced and innovative. To allow more complex and contextually appropriate replies, future study might concentrate on improving contextual comprehension. Further investigation into IoT device integration may also open up new avenues for customized help and home automation. Richer and more immersive user interactions may be possible with more study and development in voice and video calling features.

Furthermore, the continuous progress in natural language processing and machine learning algorithms presents prospects for further refining the chatbot's natural language comprehension and answer generating skills. Furthermore, investigating cutting-edge technologies like virtual reality (VR) and augmented reality (AR) may provide new paths for developing engaging chatbot experiences that further conflate virtual and real-world interactions. In general, the chatbot's future rests on its ability to innovate and adapt further to satisfy users' changing demands and preferences in a world that is becoming more digitally linked and automated.

REFERENCES

1. G. R, M. S. Sodhi and K. S. Kumar, "Supply Chain Partner Onboarding using Conversational AI and NLP in B2B Context," 2022 IEEE International Conference on Electronics, Computing and Communication Technologies (CONECCT), Bangalore, India, 2022, pp. 1-4, doi: 10.1109/CONECCT55679.2022.9865838.
2. iaoquan Kong; Guan Wang; Alan Nichol, Conversational AI with Rasa: Build, test, and deploy AI-powered, enterprise-grade virtual assistants and chatbots , Packt Publishing, 2021.
3. J. Cai et al., "Gemini: Mapping and Architecture Co-exploration for Large-scale DNN Chiplet Accelerators," 2024 IEEE International

Symposium on High-Performance Computer Architecture (HPCA), Edinburgh, United Kingdom, 2024, pp. 156-171, doi: 10.1109/HPCA57654.2024.00022.

4. S. Arya, A. Bhaskar and K. Gupta, "Conversational Ai: A Treatise About Vying Chatbots," 2024 2nd International Conference on Disruptive Technologies (ICDT), Greater Noida, India, 2024, pp. 929-934, doi: 10.1109/ICDT61202.2024.10489545.
5. "InvestingIQ – Algorithmic Trading Dashboard Powered by AI & ML Built Using ReactJS & Python," 2023 14th International Conference on Computing Communication and Networking Technologies (ICCCNT), Delhi, India, 2023, pp. 1-13, doi: 10.1109/ICCCNT56998.2023.10306592.
6. F. Min, Z. Fang, Y. He and J. Xuan, "Research on Users' Trust of Chatbots Driven by AI: An Empirical Analysis Based on System Factors and User Characteristics," 2021 IEEE International Conference on Consumer Electronics and Computer Engineering (ICCECE), Guangzhou, China, 2021, pp. 55-58, doi: 10.1109/ICCECE51280.2021.9342098.
7. R. Vannala, S. B. Swathi and Y. Puranam, "AI Chatbot For Answering FAQ's," 2022 IEEE 2nd International Conference on Sustainable Energy and Future Electric Transportation (SeFeT), Hyderabad, India, 2022, pp. 1-5, doi: 10.1109/SeFeT55524.2022.9908774.
8. D. Park, G. -t. An, C. Kamyod and C. G. Kim, "A Study on Performance Improvement of Prompt Engineering for Generative AI with a Large Language Model," in *Journal of Web Engineering*, vol. 22, no. 8, pp. 1187-1206, November 2023, doi: 10.13052/jwe1540-9589.2285.
9. P. V. K. V. Prasad, N. V. Krishna and T. P. Jacob, "AI CHATBOT using Web Speech API and Node.js," 2022 International Conference on Sustainable Computing and Data Communication Systems (ICSCDS), Erode, India, 2022, pp. 360-362, doi: 10.1109/ICSCDS53736.2022.9760803.
10. M. Dharani, J. V. S. L. Jyostna, E. Sucharitha, R. Likitha and S. Manne, "Interactive Transport Enquiry with AI Chatbot," 2020 4th International Conference on Intelligent Computing and Control Systems (ICICCS), Madurai, India, 2020, pp. 1271-1276, doi: 10.1109/ICICCS48265.2020.9120905.
11. A. Rane, C. Ranade, H. Bandekar, R. Jadhav and V. Chitre, "AI driven Chatbot and its Evolution," 2022 5th International Conference on Advances in Science and Technology (ICAST), Mumbai, India, 2022, pp. 170-173, doi: 10.1109/ICAST55766.2022.10039515.