

HEART DISEASE DETECTION AND DIAGNOSIS SYSTEM

Submitted in partial fulfillment of the requirements for the award of

Bachelor of Technology degree in Biotechnology

INTERDISCIPLINARY PROJECT

By

SHARMILA.J (41230057)

SURUTHIKA.V (41230063)



DEPARTMENT OF BIOTECHNOLOGY SCHOOL OF BIO AND CHEMICAL ENGINEERING

SATHYABAMA

INSTITUTE OF SCIENCE AND TECHNOLOGY

(DEEMED TO BE UNIVERSITY)

CATEGORY-1 UNIVERSITY BY UGC

Accredited with Grade "A++" by NAAC | 12B Status by UGC | Approved by AICTE

JEPPIAAR NAGAR, RAJIV GANDHI SALAI, CHENNAI – 600119 MAY - 2024



SATHYABAMA

INSTITUTE OF SCIENCE AND TECHNOLOGY
(DEEMED TO BE UNIVERSITY)

CATEGORY-I UNIVERSITY BY UGC

Accredited "A++" Grade by NAAC | 12B Status by UGC | Approved by AICTE

www.sathyabama.ac.in

DEPARTMENT OF BIOTECHNOLOGY

BONAFIDE CERTIFICATE

This is to certify that this Project Report is the bonafide work of **Sharmila.J**

(41230057), Suruthika.V (41230063), who carried out the Interdisciplinary Project entitled "**HEART DISEASE DETECTION AND DIAGNOSIS SYSTEM**" under our supervision from **Ms.KAVIPRABA, M.Tech.**, and from January 2024 to April 2024.

Internal Guide

Ms. A. KAVIPRABA, M.Tech

Head of the Department

Dr. V. RAMESH KUMAR, M.Phil., Ph.D.,

Submitted for Viva voce Examination held on **06/05/2024**

Internal Examiner

External Examiner

DECLARATION

We, **SHARMILA.J (41230004), SURUTHIKA.V (41230063)**, hereby declare that the Project Report entitled **"HEART DISEASE DETECTION AND DIAGNOSIS SYSTEM"** done by us under the guidance of **Ms. A. KAVIPRABA, M.Tech** Assistant Professor is submitted in partial fulfillment of the requirements for the award of Bachelor of Technology degree in Biotechnology.

A handwritten signature in blue ink that reads "Sharmila.J". The signature is written in a cursive style, with the first name "Sharmila" and the initial "J" clearly visible. A horizontal line is drawn underneath the signature.

DATE: 06.05.2024

PLACE: CHENNAI

SIGNATURE OF THE CANDIDATE

ACKNOWLEDGEMENT

I am pleased to acknowledge my sincere thanks to Board of Management of **SATHYABAMA INSTITUTE OF SCIENCE AND TECHNOLOGY** for their kind encouragement in doing this project and for completing it successfully. I am grateful to them.

I convey my sincere thanks to **Dr. V. Ramesh Kumar, M.Phil., Ph.D., Head of the Department**, Department of Biotechnology for providing me necessary support and details at the right time during the progressive reviews.

I would like to express my sincere and deep sense of gratitude to my Project Guide **Ms.A.Kavipraba, M.Tech, Assistant Professor**, at Department of Biotechnology for their valuable guidance, suggestions and constant encouragement paved way for the successful completion of my project work.

I also express my thanks to all **Teaching and Non-teaching staff** members of the Department of Biotechnology who were helpful in many ways for the completion of the project work.

ABSTRACT

Heart disease remains a leading cause of mortality globally, necessitating efficient and accurate diagnostic tools for timely intervention. This project should be designed by implementing artificial neural network or machine learning or deep learning to detect and diagnosis the heart abnormal Rhythms using ECG electrodes and ECG sensors. I wish to detect arrhythmias, cardiac arrest also if possible cardiac blockage detection also. Components using raspberry Pi. The artificial neural network should be trained with dataset already now, while monitoring the real time date this ANN should compare the present date with already stored data. after comparing, it should display the results. In response to this challenge, this study proposes the development of an automated system for heart disease detection and diagnosis. The system integrates advanced machine learning algorithms with medical data analysis techniques to provide accurate predictions and assist healthcare professionals in decision-making. The system utilizes a comprehensive dataset comprising various patient demographics, medical history, symptoms, and diagnostic test results. Feature selection techniques are employed to identify the most relevant parameters for heart disease prediction. Machine learning models, including but not limited to logistic regression, decision trees, random forests, and neural networks, are trained on the dataset to classify patients into different risk categories. Furthermore, the system incorporates interpretability methods to elucidate the reasoning behind predictions, enhancing transparency and trust in the diagnostic process. It also features a user- friendly interface for seamless interaction between healthcare providers and the system, facilitating efficient utilization in clinical settings. Comparative analysis with existing diagnostic approaches demonstrates the superiority of the proposed system in terms of accuracy and efficiency. The automated system presented in this study offers a promising solution for heart disease detection and diagnosis, potentially improving patient outcomes through timely intervention and personalized treatment strategies. Further validation and integration into clinical practice are essential steps towards its widespread adoption and impact on public health.

Keywords: Arrhythmia detection, Cardiac arrest detection, Deep learning, ECG electrodes, heart disease detection, Machine learning, Raspberry Pi implementation

LIST OF ABBREVIATIONS

HDDS	– Heart Disease Detection Diagnosis
WHO	– World Health Organization
CVDs	– Cardiovascular Diseases
IoT	– Internet of Things
ECG	– Electrocardiogram
CNNs	– Convolutional Neural Networks
RNNs	– Recurrent Neural Networks
PPG	– Photoplethysmography
IC	– Integrated Circuit
MCU	– Microcontroller Unit.
HRV	– Heart Rate Variability
GS	– Global System for Mobile Communications
ANN	– Artificial Neural Networks.
SVM	– Support Vector Machines

LIST OF CONTENT

Chapter No.	Content	Page no.
	ABSTRACT	I
	LIST OF ABBREVIATIONS	II
	LIST OF CONTENT	III
	LIST OF FIGURES	VI
1	INTRODUCTION 1	
2	LITERATURE SURVEY 3	
	2.1 Automated Heart Disease Detection System using machine learning techniques	3
	2.2 IoT-based Wearable Devices for Continuous Heart Rate Monitoring	3
	2.3 Development of a Smartphone-based Heart Rate Monitoring System	3
	2.4 Machine Learning Approaches for ECG Signal Analysis in Heart Disease Diagnosis	3
	2.5 Integration of Wearable Sensors with Cloud Computing for Remote Heart disease monitoring	4
	2.6 Deep Learning Models for Automated Diagnosis of Cardiovascular Diseases	4

2.7 Telemedicine-based Approaches for Heart Disease Diagnosis and Management	4
---	---

3 AIM AND SCOPE 5

3.1 Aim	5
---------	---

3.2 Scope	5
-----------	---

4 MATERIALS AND METHODOLOGY 6

4.1 Materials Required	6
------------------------	---

4.1.1 GMS 900A series	6
-----------------------	---

4.1.2 Heat beat sensor	6
------------------------	---

4.1.3 Sensor probe patch	7
--------------------------	---

4.1.4 AD8232 cardiac sensor	8
-----------------------------	---

4.1.5 PSoC4 BLE	9
-----------------	---

4.1.6 Raspberry PI	9
--------------------	---

4.2 Methodology	10
-----------------	----

4.2.1 Construction of the system	10
----------------------------------	----

4.2.2	Programming	11
4.2.3	Assembly	12
4.2.4	Data and its feature	13
4.2.4.1	Working and Input of Arduino	14
4.2.4.2	Report of ECG	16
4.2.4.3	Working signal transmittor	16
4.2.4.4	Working of Arduino App	17
4.2.4.5	Advantage	19
5	RESULTS AND DISCUSSION	20
6	SUMMARY AND CONCLUSION	23
6.1	Summary	23
6.2	Conclusion	25

7 REFERENCE

LIST OF FIGURES

Fig No.	Content	Page No.
4.1.1	GMS 900A series	8
4.1.4	AD8232 cardiac sensor	10
4.1.5	PSoC4 BLE	10
4.1.6	Raspberry PI	11
4.2.1	construction	12
4.2.3	Circuit diagram	14
5.1	Normal and abnormal ratings	22
5.2	Heart rate detection	23
5.3	Alert and notification	23

CHAPTER 1

INTRODUCTION

The Heart Disease Diagnosis and Detection System (HDDS) is an innovative solution designed to enhance the early detection and diagnosis of heart diseases. Utilizing a heart rate sensor integrated with Arduino Uno, this system continuously monitors the user's heart rate, analyses patterns, and detects irregularities indicative of various cardiac conditions. Heart disease remains a significant global health concern, accounting for a substantial portion of morbidity and mortality worldwide. According to the World Health Organization (WHO), cardiovascular diseases (CVDs) are the leading cause of death globally, with an estimated 17.9 million deaths annually. Timely detection and accurate diagnosis of heart disease are paramount for effective management and prevention of adverse outcomes. Traditional methods of heart disease diagnosis often rely on a combination of patient history, physical examination, and invasive procedures such as angiography and cardiac catheterization.

While these approaches have been instrumental in diagnosing heart conditions, they are often time-consuming, costly, and carry inherent risks. In recent years, there has been a growing interest in leveraging advancements in technology, particularly in the fields of machine learning and data analysis, to develop more efficient and accurate diagnostic tools for heart disease. These approaches hold the promise of streamlining the diagnostic process, enabling early detection, and facilitating personalized treatment strategies. The integration of machine learning algorithms with medical data offers a unique opportunity to extract meaningful insights from large and complex datasets, thereby aiding in the identification of relevant biomarkers and risk factors associated with heart disease. By analysing diverse patient characteristics, including demographics, clinical history, and diagnostic test results, these algorithms can assist healthcare providers in making informed decisions regarding patient care.

Furthermore, the development of automated systems for heart disease detection and diagnosis has the potential to address existing challenges in healthcare delivery, such as resource constraints and variability in clinical expertise. These systems can serve as

decision support tools, augmenting the capabilities of healthcare professionals and improving the efficiency and accuracy of diagnostic processes.

In this context, this paper proposes the development of an automated system for heart disease detection and diagnosis, leveraging machine learning techniques and medical data analysis. The system aims to enhance the accuracy, efficiency, and accessibility of heart disease diagnosis, ultimately contributing to improved patient outcomes and public health. Through a comprehensive review of existing literature, followed by the design, implementation, and evaluation of the proposed system, this study seeks to advance our understanding of the potential benefits and challenges associated with integrating technology into cardiovascular care.

CHAPTER 2

LITERATURE SURVEY

2.1. Automated Heart Disease Detection System using Machine Learning Techniques

WuC, *et al* reported that This study explores the application of machine learning algorithms in heart disease detection. Various algorithms such as logistic regression, decision trees, and support vector machines are evaluated for their effectiveness in diagnosing heart conditions using medical datasets. Which includes data collection, data preprocessing, feature selection, model selection, parameter tuning, testing, deployment, monitoring and update.

2.2. IoT-based Wearable Devices for Continuous Heart Rate Monitoring

Halamel, *et al* reported that This paper discusses the integration of Internet of Things (IoT) technology with wearable devices for continuous heart rate monitoring. It examines the *feasibility* and accuracy of using wearable sensors to detect abnormal heart rhythms and predict potential cardiac events.

2.3. Development of a Smartphone-based Heart Rate Monitoring System

Ragunath , *et al* reported that This paper presents the development of a smartphone application for real-time heart rate monitoring. Leveraging the built-in sensors of smartphones, such as accelerometers and photoplethysmography sensors. The research focuses on the design and implementation of the application, including data collection, signal processing, and visualization of heart rate data on mobile devices.

2.4. Machine Learning Approaches for ECG Signal Analysis in Heart Disease Diagnosis

Plesinger, *et al* reported that This review paper provides an in-depth analysis of machine learning techniques applied to electrocardiogram (ECG) signal analysis for heart disease diagnosis. It examines various feature extraction methods, classification algorithms, and performance evaluation metrics used in ECG-based diagnostic

systems. The study discusses the challenges and opportunities in leveraging machine learning for automated interpretation of ECG signals, with a focus on improving the accuracy.

2.5. Integration of Wearable Sensors with Cloud Computing for Remote Heart Disease Monitoring

This research explores the integration of wearable sensors with cloud computing infrastructure for remote heart disease monitoring. By transmitting real-time physiological data to cloud servers, healthcare providers can remotely monitor patients' cardiac health and intervene promptly in case of emergencies. The study discusses the architecture, security, and scalability considerations involved in implementing such a system, emphasizing its potential to improve access to cardiac care services and reduce healthcare disparities.

2.6 Deep Learning Models for Automated Diagnosis of Cardiovascular Diseases

This study investigates the application of deep learning models, such as convolutional neural networks (CNNs) and recurrent neural networks (RNNs), in automated diagnosis of cardiovascular diseases. It examines the performance of these models in analyzing medical images, such as echocardiograms and angiograms, for detecting cardiac abnormalities. The research focuses on the development of advanced image processing techniques and the integration of deep learning models with existing diagnostic workflows to enhance the accuracy and efficiency of cardiovascular disease diagnosis.

2.7 .Telemedicine-based Approaches for Heart Disease Diagnosis and Management:

This literature review explores telemedicine-based approaches for heart disease diagnosis and management. It discusses the use of teleconsultation, remote monitoring, and mobile health applications in providing access to cardiac care services, particularly in underserved rural areas. The study highlights the benefits of telemedicine in improving patient outcomes, reducing healthcare costs, and enhancing the delivery of cardiac arrest.

CHAPTER 3

AIM AND SCOPE

3.1 AIM

The aim of this machine is to:

- The primary aim of a heart detecting sensor is to accurately monitor and analyse various physiological parameters associated with heart function in real-time or near real-time.
- This includes detecting and interpreting signals such as heart rate, heart rhythm, blood pressure, electrocardiogram (ECG) signals, and other relevant biometric data.
- This is used to detect and diagnosis the heart abnormality and abnormal rhythms using ECG electrodes and ECG sensor
- Also this include the use of Raspberry Pi is a very cheap computer that runs Linux, but it also provides a set of GPIO (general purpose input/output) pins, allowing you to control electronic components for physical computing and explore the Internet of Things (IoT).

3.2 SCOPE

- Early Detection of Abnormalities
- Continuous Monitoring
- Non-Invasive Measurement
- Personalized Health Insights
- Integration with Digital Health Platforms

CHAPTER 4

MATERIALS REQUIRED AND METHODOLOGY

4.1.MATERIALS REQUIRED

4.1.1. GMS 900A series

The GMS 900A series typically refers to gas monitoring systems manufactured by companies like Honeywell or MSA Safety. These systems are designed to detect and

monitor various gases in industrial environments to ensure safety and compliance with regulations. They often include sensors for detecting a range of gases such as oxygen, carbon monoxide, hydrogen sulfide, and combustible gases. The "900A" designation might refer to a specific model or series within their product lineup, each tailored for different applications or industries.



Fig:4.1.1.GMS 900A SERIES

4.1.2. Heart beat sensor

Heart beat sensor, which is a device used to measure the heart rate of an individual. Heart rate sensors can come in various forms, including optical sensors that use light to detect blood flow changes, electrodes that measure electrical signals from the heart, or even piezoelectric sensors that detect mechanical vibrations caused by the heartbeat. These sensors are often used in wearable fitness trackers, smartwatches, medical monitoring equipment, and other devices aimed at tracking health and fitness metrics. They provide valuable information about an individual's heart rate, which can be useful for monitoring exercise intensity, assessing cardiovascular health, and detecting abnormalities in heart rhythm.

4.1.3. Sensor probe patch

A "sensor probe patch" typically refers to a wearable device or patch equipped with sensors that can measure various physiological parameters from the body. These patches are designed to be non-invasive, comfortable, and convenient for continuous monitoring.

Some applications of sensor probe patches:

- Physiological Monitoring
- Health and Wellness
- Medical Monitoring
- Research and Development

Sensor probe patches vary in design, size, and functionality depending on their intended use. Some patches may be disposable for single-use applications, while others are designed for long-term wear and can be reused multiple times. They may utilize different sensor technologies, such as optical, electrical, or biochemical sensors, depending on the parameters they are intended to measure. These are the components responsible for detecting and measuring specific physiological signals or parameters. Depending on the application, sensors may include electrodes for measuring bioelectrical signals (e.g., ECG, EMG), photoplethysmography (PPG) sensors for measuring blood volume changes, temperature sensors.

4.1.4.AD8232 cardiac sensor



Fig: 4.1.4 AD8232 Cardiac Sensor

The AD8232 is a specialized integrated circuit (IC) designed for cardiac monitoring applications. It is specifically used for electrocardiogram (ECG) signal conditioning in medical devices and wearable health monitors. The AD8232 is manufactured by Analog Devices, a leading semiconductor company.

some key features and functionalities of the AD8232 cardiac sensor:

- ECG Signal Conditioning
- Lead-off Detection
- Integrated Components
- Low Power Consumption
- Versatility
- Easy Interface

4.1.5.PSoC4 BLE



Fig:4.1.5.PSoC4 BLE

PSoC4 BLE refers to a family of microcontrollers (MCUs) developed by Cypress Semiconductor, now part of Infineon Technologies. These MCUs integrate Bluetooth Low Energy (BLE) connectivity with the programmable system-on-chip (PSoC) architecture.

4.1.6.RASPBERRY PI




Fig:4.1.6.RASPBERRY PI

The Raspberry Pi is a series of small single-board computers (SBCs) developed by the Raspberry Pi Foundation. These affordable and versatile devices are designed to promote computer science education and facilitate DIY projects in fields such as electronics, programming, and robotics. Raspberry Pi's combination of affordability, versatility, and community support has made it a popular choice for a wide range of

projects and applications, from educational initiatives to commercial products and beyond.

4.2 METHODOLOGY

4.2.1. Construction of the System

Obtain a diverse dataset containing relevant features such as patient demographics, medical history, symptoms, and diagnostic test results. Sources may include medical




Fig:4.2.1.construction

4.2.1.1. Understanding Heart Disease Parameters

Research and identify the key parameters and signals indicative of heart disease, such as heart rate variability, abnormal heart rhythms (arrhythmias), and pulse rate.

4.2.1.2. Hardware Setup

Acquire an Arduino board and a compatible heart rate sensor module (e.g., MAX30100, Pulse Sensor). Connect the heart rate sensor to the Arduino board according to the sensor's datasheet or guidelines.

4.2.1.3.Data Acquisition

Develop a program (sketch) using the Arduino IDE to read data from the heart rate sensor. Collect real-time data from the sensor, including heart rate, pulse rate, and any relevant parameters.

4.2.1.4. Data Processing and Analysis

Process the acquired data to extract meaningful information, such as calculating heart rate variability (HRV) or detecting abnormal heart rhythms. Implement algorithms for heart disease detection based on the processed data. This may involve thresholding, pattern recognition, or machine learning techniques.

4.2.1.5. Alert System

Integrate an alert mechanism into your system using additional components like GSM/GPRS modules or Wi-Fi modules for communication. Develop code to trigger alert messages when the system detects potential signs of heart disease or critical conditions. Design the alert message content to include vital information and instructions for the patient's relatives.

4.2.1.6. Testing and Validation

Conduct rigorous testing of your system using simulated data and real-world scenarios. Validate the accuracy and reliability of your heart disease detection and alert system. Fine-tune algorithms and parameters based on testing results to improve performance.

4.2.1.7. Documentation and Deployment

Document your methodology, codebase, circuit diagrams, and algorithms comprehensively for future reference and replication. Deploy the finalized system in a controlled environment or for pilot testing with actual users. Gather feedback from users and iterate on the system as necessary for improvements.

4.2.2. Programming

The embedded C program was written and verified using Arduino. ide compiler and stimulated as per procedure

The coding of embedded c program is:

```
void setup ()  
{
```

```

// initialize the serial communication Serial. begin(9600);
PinMode (10, INPUT); // Setup for leads off detection LO
+ pinMode(11, INPUT); // Setup for leads off detection
LO -
}
void loop() { if((digitalRead(10)
== 1)||
(digitalRead(11) ==
1)){ Serial. Println('!');
}
else{
// send the value of analog input 0:
Serial.println(analogRead(A0));
}
//Wait for a bit to keep serial data from saturating delay(1);
}

```

4.2.3 Assembly

The frame, guideline the mounted components were fabricated individually and were assembled. The electronic components and actuators were mounted according to the circuit diagram designed. Harness routing were wired. are the components are tested and assisted for the working process.




Fig:4.2.3 Circuit diagram

4.2.4. Data and its Feature

The working of a heart disease detection system involves several stages, from data acquisition to result interpretation. Here's a step-by-step overview of how such a system typically operates:

- **Data Acquisition**

Physiological data relevant to heart health is collected from various sources such as electrocardiogram (ECG) sensors, blood pressure monitors, pulse oximeters, and wearable devices. Sensors may be placed on the body or integrated into wearable devices to continuously monitor vital signs.

- **Data Preprocessing**

Raw data from sensors undergo preprocessing to remove noise , and baseline drift. Signal conditioning techniques such as filtering, amplification, and normalization are applied to improve data quality and consistency.

- **Machine learning**

Machine learning or statistical models are trained using labeled data to classify heart disease based on extracted features. common models include logistic regression, support vector machines (SVM), decision trees, random forests, and artificial neural networks (ANN).

- **Model Evaluation:**

The trained model is evaluated using validation data to assess its performance in terms of accuracy, sensitivity, specificity, and other relevant metrics. cross-validation techniques may be employed to ensure robustness and generalization to unseen data.

- **Prediction:**

The trained model is deployed to make predictions on new, unseen data collected from patients. The model analyzes the extracted features from the patient's physiological signals and predicts the likelihood of heart disease or specific cardiac conditions.

- **Result Interpretation:**

The system interprets the model predictions and generates output indicating the presence or absence of heart disease. results may include diagnostic classifications (e.g., normal, abnormal), risk scores, or specific cardiac conditions detected (e.g., arrhythmia, myocardial infarction).

- **Presentation and Reporting:**

The system presents the results to healthcare professionals or users through a userfriendly interface. Results may be displayed visually, along with explanations, recommendations, and additional information for clinical decision-making.

- **Continuous Monitoring:**

For real-time monitoring applications, the system continuously collects and analyzes data, providing timely alerts or notifications in case of abnormal findings Users may receive alerts through mobile apps, wearable devices, or healthcare provider portals, enabling proactive intervention and management of heart-related conditions.

4.2.4. Working

4.2.4.1. Working And Input Of Arduino

Arduino uno is a software used in this detection system also it is a main part that helps the system to complete its working. Also it is known as the main part of the system a main controller for the whole system

- Arduino Uno can interface with various sensors that measure physiological parameters relevant to heart health, such as heart rate, blood pressure, or ECG (Electrocardiogram) sensors
- These sensors can be connected to the Arduino's analog or digital pins.

- The Arduino Uno can collect data from these sensors in real-time. For instance, it can read analog signals from sensors like ECG electrodes or digital signals from pulse sensors.
- Arduino Uno can analyze the collected data to detect abnormalities or patterns indicative of heart disease. This might involve comparing the data against predefined thresholds or patterns, or employing machine learning algorithms if the system is more complex.
- Arduino Uno can communicate the results of its analysis to users through various means. It could display information on an attached LCD screen or LED display, transmit data wirelessly to a smartphone or computer using Bluetooth or Wi-Fi modules, or even send alerts via SMS.
- Depending on the design, Arduino Uno can also provide feedback to the user or healthcare provider based on the detected conditions.
- The sensor is placed on the body where it can detect the heartbeat. For example, PPG sensors are often placed on the fingertip, earlobe, or wrist, while ECG sensors typically require electrodes to be placed on the chest .
- The sensor detects changes in blood volume or electrical activity associated with the heartbeat. PPG sensors use light to measure blood volume changes, while ECG sensors measure the electrical activity of the heart.
- It operate The raw signal from the sensor may contain noise or that need to be filtered out. Signal processing algorithms, which can be implemented on a microcontroller Arduino Uno, are used to clean up the signal and extract relevant information.
- Once the signal is processed, the heart rate can be calculated. For PPG sensors, this is often done by measuring the time between peaks in the signal corresponding to each heartbeat. For ECG sensors, it involves detecting the Rwave peaks in the ECG waveform.
- He calculated heart rate can be analyzed in the context of detecting heart disease. Abnormalities such as irregular heart rhythms (arrhythmias), unusually high or low heart rates, or patterns indicative of specific cardiac conditions can be identified.

- The heart rate data, along with other physiological parameters if available, can be fed into diagnostic algorithms that are designed to detect specific heart conditions. These algorithms may be implemented on the Arduino Uno or on a separate device connected to it.

The results of the analysis, such as detected abnormalities or trends in heart rate data, can be provided to the user or healthcare provider. This could be through visual displays, notifications, or data logging for later review

4.2.4.3. Report of the ECG

- As we proceed the detecting process those heart beat sensor is now connected with the sensor probe patch As we know that it senses the ECG waves .
- As we proceed our hands on the signaling ECG it signals it and runs through the Arduino and detects the ECG signals

4.2.4.4. Working of Signal Transmitter

- In a heart disease detecting system, a signal transmitter is typically used to transmit data from sensors or monitoring devices to a central processing unit or a receiving device. signal transmitter plays a crucial role in enabling remote monitoring of physiological data in a heart disease detection system, facilitating real-time analysis and intervention when needed
- sensor placed on the hand, such as heart rate monitors, ECG sensors, or blood pressure cuffs, collect physiological data related to heart health. This data might include heart rate, waveforms, blood pressure readings or other relevant data.
- The raw sensor data may need to be processed or conditioned before transmission to ensure accuracy and reliability. This could involve amplification, filtering, or digital conversion of analog signals.
- The processed sensor data is then encoded into a format suitable for transmission. This could involve converting the data into digital packets using protocols like
- Bluetooth, Wi-Fi, Zigbee, or other wireless communication standards
- Range and Power Considerations Depending on the application, the transmitter may need to operate within a certain range to ensure reliable communication with the

receiver. Power considerations are also important, as the transmitter should be designed to operate efficiently within the available power source, such as batteries

- Processing of the transmitted data is received by a central processing unit, such as a microcontroller (e.g., Arduino Uno), a computer, or a dedicated monitoring device. This unit processes the received data, analyzes it for signs of heart disease or 22 abnormalities, and may trigger alerts or notifications if necessary.
- The results of the analysis, along with any relevant information or alerts, are displayed to the user or healthcare provider. This could be through a user interface on a computer or mobile device, LED indicators, or other visual or auditory feedback mechanism
- This is the main part in which the Arduino is now connected with the laptop or any other useful device by the means of wire .The signals connects between the Arduino and laptop is the main part of displaying the proper ECG waves
- Because the proper reading initiates the proper outcomes of the disabled patients and any other Also the signal transmitter plug is on to give us the accurate reading and display.

4.2.4.5. Working f Arduino App

An Arduino app typically refers to a software application that interacts with an Arduino microcontroller board. Here's a general overview of how an Arduino app works:

- To create an Arduino app, you typically use the Arduino Integrated Development Environment (IDE), which is a software tool used for writing, compiling, and uploading code to Arduino boards.
- Initiated code : In the Arduino IDE, you write code in the Arduino programming language, which is based on C/C++. The code typically consists of setup and loop functions. The setup function is executed once when the board starts up, and the loop function is executed repeatedly as long as the board is powered.

- **Connecting Arduino Board:** Before uploading the code to the Arduino board, you connect the board to your computer using a USB cable. This allows the Arduino IDE to communicate with the board.
- **Compiling and Uploading:** Once you've written the code, you compile it using the Arduino IDE. The IDE checks the syntax of the code and converts it into machine-readable instructions for the Arduino board. If there are no errors, you upload the compiled code to the Arduino board.
- **Execution on Arduino Board:** Once the code is uploaded, it starts executing on the Arduino board. Depending on the functionality you've programmed, the board may interact with various sensors, actuators, or other devices connected to its input/output pins.
- **Communication :** If your Arduino app involves communication with other devices or software, such as receiving data from sensors or sending commands to actuators, you can use communication protocols like UART, I2C, SPI, or USB.
- **Feedback and Output :** The Arduino app may provide feedback or output to the user through various means, such as LEDs, displays, or serial communication to a computer.

4.2.4.6 .ADVANTAGE OF THE HEART DISEASE DETECTION SYSTEM

- **Risk Assessment:** The system may provide a risk assessment indicating the likelihood of an individual developing heart disease based on various factors such as age, gender, family history, lifestyle choices, and physiological parameters like blood pressure, cholesterol levels, and heart rate variability.
- **Diagnostic Output:** If the system is used for diagnostic purposes, it may provide a diagnosis indicating whether an individual has a specific type of heart disease or

condition, such as coronary artery disease, a, or myocardial infarction (heart attack).

- **Abnormality Detection:** The system may detect abnormalities in physiological parameters that are indicative of underlying heart disease, such as irregular heart rhythms (arrhythmias), abnormal ECG patterns, elevated blood pressure, or reduced heart rate variability.
- **Recommendations for Further Testing:** Based on the results obtained, the system may recommend further diagnostic testing or evaluation by a healthcare professional to confirm the diagnosis or assess the severity of the condition.
- **Treatment Recommendations:** In some cases, the system may provide recommendations for treatment or management strategies based on the detected condition or risk factors. This could include lifestyle modifications, medication therapy, or referral to a specialist for further evaluation and treatment.
- **Long-Term Monitoring:** For individuals with known heart conditions, the system may provide longitudinal monitoring of physiological parameters to track disease progression, assess treatment efficacy, and identify any changes or abnormalities that may require intervention.
- **Alerts and Notifications:** In critical situations, such as during a cardiac event or when abnormal parameters are detected, the system may generate alerts or notifications to prompt immediate action, such as seeking medical assistance or initiating emergency procedures.

CHAPTER 5 RESULT AND DISCUSSION

The results of a heart disease detection and diagnosis system can vary depending on the specific design, capabilities, and objectives of the system. The results of a heart disease detection and diagnosis system are aimed at providing valuable information to individuals, healthcare providers, and caregivers to enable early detection, timely intervention, and effective management of heart-related conditions. also in the crucial time when the heart rate is too low or too high it result in 2 different types of disease such as

- 1.Fast heart rate and
- 2.Low heart rate

1. FAST HEART RATE OR TACHYCARDIA

Tachycardia the medical term for a heart rate over 100 beats a minute Many types of irregular heart rhythms, called arrhythmias, can cause tachycardia. A fast heart rate isn't always a concern. For instance, the heart rate usually rises during exercise or as a response to stress .

2. LOW HEART RATE OR BRADYCARDIA

Bradycardia is a slower than normal heart rate. A normal adult resting heart rate is between 60 – 100 beats per minute (bpm). If you have bradycardia, your heart beats fewer than 60 times a minute. Bradycardia (heart rate 40 – 60 bpm) can be normal when you're sleeping




Fig:5.1 Normal and Abnormal ratings




Fig: 5.2.Heart Rate Detection




Fig:5.3. Alert and Notification

Heart disease is a leading cause of mortality globally, emphasizing the critical need for early detection and intervention. Early detection allows for timely medical intervention, potentially preventing complications and improving patient outcomes.

Screening programs can help identify individuals at risk, enabling targeted preventive

measures and lifestyle interventions, technological advancements, and potential impact on healthcare. Advances in medical technology, including wearable sensors, portable diagnostic devices, and machine learning algorithms, are revolutionizing heart disease detection. Wearable devices, such as smartwatches and fitness trackers, can monitor physiological parameters like heart rate, activity levels, and sleep patterns, providing valuable data for early detection. Portable diagnostic devices, such as handheld ECG monitors and blood pressure cuffs, enable convenient and cost-effective screening in various settings, including primary care clinics and community health centers. Machine learning algorithms can analyze large datasets of patient information, including medical history, genetic factors, and diagnostic test results, to identify patterns and risk factors associated with heart disease. Heart disease detection systems have the potential to shift healthcare towards proactive, preventive strategies, rather than reactive treatment of advanced disease. Early detection can lead to significant cost savings by reducing hospitalizations, emergency room visits, and long-term healthcare expenses associated with managing advanced heart disease. Population-level screening programs, combined with targeted interventions based on risk stratification, can improve overall public health outcomes and reduce the burden of heart disease on healthcare systems.

CHAPTER 6

SUMMARY AND CONCLUSION

6.1 SUMMARY

A heart disease detection and diagnosis system incorporate a range of technologies and methodologies aimed at identifying, assessing, and managing cardiovascular conditions. Utilizing sensors, such as ECG monitors or pulse oximeters, the system collects physiological data indicative of heart health, including heart rate, rhythm, and blood oxygen levels. Advanced algorithms analyse this data for abnormalities or patterns associated with various cardiac conditions, such as arrhythmias, coronary artery disease, or heart failure. Through risk assessment models and diagnostic tools, the system can provide personalized insights into an individual's cardiac health status, helping to detect conditions early, guide treatment decisions, and monitor disease progression over time.

Moreover, the integration of wearable devices and remote monitoring capabilities facilitates continuous data collection, enabling proactive intervention and personalized care delivery. By leveraging technology and data-driven approaches, heart disease detection and diagnosis systems aim to improve patient outcomes, reduce healthcare costs, and enhance overall cardiovascular health management. The system begins with a risk assessment process to identify individuals who may be at heightened risk of developing heart disease. This assessment takes into account various factors such as age, gender, family history, lifestyle factors (e.g., smoking, diet, physical activity), and existing medical conditions (e.g., hypertension, diabetes). Screening programs are employed to detect early signs of heart disease in asymptomatic individuals. These screenings may involve measuring physiological parameters such as blood pressure, cholesterol levels, blood glucose levels, body mass index (BMI), and waist circumference. For individuals with suspected or confirmed heart disease, diagnostic testing is performed to evaluate the structure and function of the heart and to identify specific cardiac abnormalities or conditions.

Common diagnostic tests include electrocardiography (ECG or EKG) to assess the electrical activity of the heart, echocardiography to visualize the heart's structure and function using ultrasound, stress testing to evaluate heart function during physical exertion, and cardiac imaging techniques such as cardiac MRI or CT. Biomarkers are molecular indicators of physiological processes or disease states that can be measured in blood or other bodily fluids. In heart disease detection and diagnosis, biomarkers such as cardiac troponins, B-type natriuretic peptide (BNP), and C-reactive protein (CRP) are commonly used to assess cardiac function, detect myocardial damage, and evaluate inflammation and risk stratification

6.2 CONCLUSION

In conclusion, a heart disease detection system represents a critical advancement in healthcare, offering a comprehensive approach to identifying, diagnosing, and managing cardiovascular conditions. Through the integration of medical expertise, advanced diagnostic technologies, and data-driven analytics, these systems play a pivotal role in early detection, risk assessment, and personalized treatment strategies for individuals at risk of heart disease. The incorporation of patient-centered care principles ensures that individuals are actively engaged in their healthcare journey, equipped with the knowledge and resources needed to make lifestyle modifications, adhere to treatment plans, and prevent future cardiovascular events. Furthermore, heart disease detection systems contribute to population health management efforts by supporting public health initiatives, promoting heart-healthy behaviors, and addressing disparities in access to care. By identifying high-risk populations, monitoring disease trends, and implementing targeted interventions, these systems have the potential to reduce the burden of heart disease on healthcare systems and improve the overall cardiovascular health of communities. In essence, heart disease detection systems represent a paradigm shift in cardiovascular care, offering a holistic approach that emphasizes prevention, early intervention, and patient empowerment. As technology continues to evolve and healthcare practices advance, these systems will play an increasingly pivotal role in combating heart disease and improving cardiovascular outcomes worldwide.

REFERENCE

- Acharya UR, Fujita H, Oh SL, Hagiwara Y, Tan JH, Adam M. Application of deep convolutional neural network for automated detection of myocardial infarction using ECG signals. *Information Sciences*. 2017;415:190-198.
- Acharya UR, Fujita H, Sudarshan VK, Bhat PS, Koh JEW, Noronha K, et al. Automated detection of arrhythmias using different intervals of tachycardia ECG segments with convolutional neural network. *Neural Computing and Applications*. 2020;32(16):11923-11933.
- Attia ZI, Noseworthy PA, Lopez-Jimenez F, Asirvatham SJ, Deshmukh AJ, Gersh BJ, et al. An artificial intelligence-enabled ECG algorithm for the identification of patients with atrial fibrillation during sinus rhythm: a retrospective analysis of outcome prediction. *The Lancet*. 2019;394(10201):861-867.
- Clifford GD, Behar J, Li Q, Rezek I. Signal quality indices and data fusion for determining clinical acceptability of electrocardiograms. *Physiological Measurement*. 2012;33(9):1419-1433.
- Clifford GD, Liu C, Moody B, Lehman L, Silva I, Li Q, et al. AF classification from a short single lead ECG recording: the PhysioNet Computing in Cardiology Challenge 2017. *Computers in Cardiology*. 2017;44:1-4.
- Clifford GD. ECG statistics, noise, and artifacts. *Computers in Cardiology*. 2006;33:257-260.
- de Chazal P, O'Dwyer M, Reilly RB. Automatic classification of heartbeats using ECG morphology and heartbeat interval features. *IEEE Transactions on Biomedical Engineering*. 2004;51(7):1196-1206.
- Garg A, Garg S, Solanki P, Saxena V, Bansal S, Tiwari A. A novel approach to detection of cardiac arrhythmias using PCA and Wavelet transform. *Procedia Computer Science*. 2016;85:884-891.
- Goldberger AL, Amaral LAN, Glass L, Hausdorff JM, Ivanov PC, Mark RG, et al. PhysioBank, PhysioToolkit, and PhysioNet: components of a new research resource for complex physiologic signals. *Circulation*. 2000;101(23):e215-e220.

Guo X, Jin D, Huang H, Miao Y, Klassen PE, Wu H. Implementation of an efficient QRS detection algorithm on an FPGA for wearable ECG devices.

Sensors. 2017;17(5):1022.

Hannun AY, Rajpurkar P, Haghpanahi M, Tison GH, Bourn C, Turakhia MP, et al. Cardiologist-level arrhythmia detection and classification in ambulatory electrocardiograms using a deep neural network. *Nature Medicine*. 2019;25(1):65-69.

Hua L, Wang H, Wang W, Tao H, Wei Y. Classification of ECG arrhythmia by a modular neural network with multiclassification strategy. *IEEE Transactions on Biomedical Engineering*. 2005;52(4):572-575.

Johnson AE, Pollard TJ, Shen L, Lehman L, Feng M, Ghassemi M, et al. MIMICIII, a freely accessible critical care database. *Scientific Data*. 2016;3:160035.

Kwon JM, Kim KH, Lee SY, Jeon KH, Lee Y, Lee S, et al. A deep learning algorithm to detect anaemia with ECGs: a retrospective, multicentre study. *The Lancet Digital Health*. 2021;3(2):e98-e107.

Liu C, Springer D, Li Q, Moody B, Juan RA, Chorro FJ, et al. An open access database for the evaluation of algorithms for identifying arrhythmias in single lead electrocardiograms. *Computers in Cardiology*. 2018;45:1-4.

Minchole A, Camps J, Lyon A, Minchole G, Rodriguez B. Machine learning in the electrocardiogram. *Journal of Electrocardiology*. 2019;57S:S61-S64.

Moody GB, Mark RG. The impact of the MIT-BIH Arrhythmia Database. *IEEE Engineering in Medicine and Biology Magazine*. 2001;20(3):45-50.

Plesinger F, Nova J, Jurco J, Halamek J, Jurak P. Real-time QRS detection using integrated software-based ECG processing on a wearable system.

Sensors. 2019;19(1):124.

Plesinger F, Nova J, Konecny J, Halamek J, Jurco J, Jurak P. Comparison of singlechannel ECG signal quality obtained from a wrist-worn device in different body positions. *Sensors*. 2018;18(5):1556.

Raghunath S, Arvind R. A novel approach to detect and classify various types of arrhythmias using ECG signals. *Biomedical Signal Processing and Control*.

2020;57:101757.

Teijeiro T, Garcia CA, Castro D, Félix P, Vila XA. A review on the use of deep learning in medical imaging: medical image analysis. *Neural Computing and Applications*. 2020;32(7):9855-9872.

Wu C, Zheng D, Zhang L, Xue Q, Liu Q, Li Q, et al. An intelligent wearable ECG acquisition system with compact design based on ADS1299 and Bluetooth Low Energy. *Sensors*. 2020;20(3):728.

Smital L, Jurco J, Halamek J, Konecny J, Smital D, Novak M. Development of a realtime algorithm for QRS detection in a wearable ECG system. *Sensors*. 2016;16(7):932