

**Fake Product Review Monitoring System For Genuine
Online Reviews Using Opinion mining**

Submitted in partial fulfillment of the requirements for the award of
Bachelor of Technology degree in Information Technology

by

Preethi S(Registerno38120063)

Vinitha S(Registerno38120092)



**DEPARTMENT OF INFORMATION TECHNOLOGY
SCHOOL OF COMPUTING**

SATHYABAMA

**INSTITUTE OF SCIENCE AND TECHNOLOGY
(DEEMED TO BE UNIVERSITY)
Accredited with Grade "A" by NAAC**

**JEPPIAAR NAGAR, RAJIV GANDHI SALAI, CHENNAI-600
119**

MARCH-2022



SATHYABAMA

INSTITUTE OF SCIENCE AND TECHNOLOGY

(DEEMED TO BE UNIVERSITY)

Accredited with "A" grade by NAAC

Jeppiaar Nagar, Rajiv Gandhi Salai, Chennai – 600119

www.sathyabama.ac.in



DEPARTMENT OF INFORMATION TECHNOLOGY

BONAFIDE CERTIFICATE

This is to certify that this Project Report is the bonafide work of Preethi S (38120063) and Vinitha S (38120092) who carried out the project entitled as "FAKE PRODUCT REVIEW MONITORING SYSTEM FOR GENUINE ONLINE REVIEWS USING OPINION MINING" under my supervision from November 2020 to April 2022.

Internal Guide

Jeyanthi P

Head of the Department

Dr.R.Subhashini M.E., Ph.D

Submitted for Viva voce Examination held on _____

Internal Examiner

External Examiner

ACKNOWLEDGEMENT

I am pleased to acknowledge my sincere thanks to **Board of Management** of **SATHYABAMA** for their kind encouragement in doing this project and for completing it successfully .I am grateful to them.

I convey my thanks to **Dr.T.SasikalaM.E.,Ph.D,Dean**,School of Computing, **Dr.R.Subhashini M.E., Ph.D. , Head** of the Department of Information Technology for providing me necessary support and details at the right time during the progressive reviews.

I would like to express my sincere and deep sense of gratitude to my Project Guide Ms.Jeyanthi P for her valuable guidance, suggestions and constant encouragement paved way for the successful completion of my project work.

I wish to express my thanks to all Teaching and Non-teaching staff members of the **Department of InformationTechnology** who were helpful in many ways for the completion of the project.

DECLARATION

I **Preethi S(Regno:38120063)** and **Vinitha S(Regno:37120032)** hereby declare that the Project Report entitled **Fake Product Review monitoring System using Opinion mining** done by me under the guidance of **Ms._Jeyanthi P** I submitted in partial fulfillment of the requirements for the award of Bachelor of Technology degree in INFORMATION TECHNOLOGY.

DATE:

PLACE:CHENNAI.

SIGNATURE OF THE CANDIDATE

ABSTRACT

In today's world reviews on online websites play a vital role in sales of the product because people try to get all the pros and cons of any product before they buy it as there are many different options for the same product as there can be different manufactures for the same type of product or there might be difference in sellers that can provide the product or there might be some difference in the procedure that is taken while buying the product so the reviews are directly related to the sales of the product and thus it necessary for the online websites to spot fake reviews as it's their own reputation that comes into consideration as well, so a Fake Review Detection is used to spot any fraudulent going on because it's not possible for them to verify every product and sale manually so a program comes into the picture that tries to detect any pattern in the reviews given by the customers.

TABLEOFCONTENT

CHAPTER NO	TITLENAME	PAGE NO
	ABSTRACT	I
	TABLEOFCONTENTS	II
	LISTOFABBREVIATION	IV
	LIST OFFIGURES	V
1	INTRODUCTION	
	1.1 GENERAL	1
	1.2 MOTIVATION	1
	1.3 OUTLINE OF THE PROJECT	2
	1.4 PROBLEM STATEMENT	2
	OBJECTIVE OF THE PROJECT	2
2	AIMANDSCOPE	
	2.1 AIM	3
	2.2 PROBLEMDEFINITION	3
	2.3 LITERATUREREVIEW	3
	2.4 SCOPE	4
3	ALGORITHMAND METHODS	
	3.1 ALGORITHM	5
	3.1.1 PROPOSEDSYSTEM	5
	3.1.2 ADVANTAGESOFPROPOSED SYSTEM	5
	3.2 MODULES	5
	3.2.1 USER	6
	3.2.2 ADMIN	6
	3.3 WORK FLOW	6
	3.3.1 TYPES OF EVALUATIONS	7
	3.3.2 PROJECT IMPLEMENTATION	7

4	SYSTEM REQUIREMENTS AND DESIGN	
	4.1 REQUIREMENTS	8
	4.1.1 HARDWARE REQUIREMENTS	8
	4.1.2 SOFTWARE REQUIREMENTS	8
	4.1.3 SOFTWARE DESCRIPTION ROLE OF MYSQL	9
5	RESULTS AND DISCUSSION	
	5.1 SOFTWARE SETUP	10
	5.2 EXPERIMENTAL RESULTS	10
6	CONCLUSION	
	6.1 CONCLUSION	18
	6.2 FUTURE ENHANCEMENT	18
	REFERENCE	19
	APPENDIX	20
	SOURCE CODE	20

LIST OF ABBREVIATION

- | | | |
|----|-----|-------------------|
| 1. | IP | Internet Protocol |
| 2. | COD | Cash on Delivery |

LIST OF FIGURE

FIGURE NO	TITLE OF THE FIGURE	PAGE NO
4.1	Architecture Diagram	10
5.1.1	Home page	12
5.1.2	New user Registration	12
5.1.3	User login page	13
5.1.4	Product details	13
5.1.5	Review submission	14
5.1.6	cart details	14
5.1.7	Payment Details	15
5.1.8	Admin login	15
5.1.9	Managing Products	16
5.1.10	Order details	16
5.1.11	Reviews view by admin	17
5.1.12	Deleting Fake reviews	17

CHAPTER 1

INTRODUCTION

1.1 GENERAL

As most of the people require review about a product before spending their money on the product. So people come across various reviews in the website but these reviews are genuine or fake is not identified by the user. In some review websites some good reviews are added by the product company people itself in order to make product famous this people belong to Social Media Optimization team. They give good reviews for many different products manufactured by their own firm. User will not be able to find out whether the review is genuine or fake. To find out fake review in the website this “Fake Product Review Monitoring and Removal for Genuine Online Product Reviews Using Opinion Mining” system is introduced. This system will find out fake reviews made by the social media optimization team by identifying the IP address. User will login to the system using his user id and password and will view various products and will give review about the product. To find out the review is fake or genuine, system will find out the IP address of the user if the system observe fake review send by the same IP Address many a times it will inform the admin to remove that review from the system. This system uses data mining methodology. This system helps the user to find out correct review of the product.

1.2 MOTIVATION

- The proposed system will save their efforts and time by helping the users and business organizations identify spams from different opinions quickly and also help in purchasing their valuable products from a trustworthy site.
- To ensure credibility of the reviews posted on a platform, it is important to use a strong detecting model.

1.3 OUTLINE OF THE PROJECT

The project is all about detecting Reviews for Online shopping. This project helps the customers to avoid fake reviews. We are using Opinion mining for detecting the fake reviews. Reviews posted by the user or customers will undergo The Process of Opinion mining and IP address detection. We are using a software called Xampp. Xampp is an open source software which helps to store the reviews in the table format.

1.4 PROBLEM STATEMENT

Designing a prototype Fake product review monitoring System which will focus on continuously and accurately monitoring the review to check whether the review is fake or not .The user or the product owner can give the fake review about re product This might be the result for choose the wrong product based on the review.To avoid this type of problem This is is designed to remove fake reviews.

OBJECTIVE OF THE PROJECT

- The objective of paper named Fake Product Review Monitoring.
- Removal for Genuine Online Product Reviews Using Opinion Mining helps to identify the cheatings in reviews about product.
- Opinion mining mechanisms has been used to find out the fake reviews.

CHAPTER 2

AIM AND SCOPE

2.1 AIM

The aim of our project is to design a system that will detect Fake reviews in online shopping and removal of that review. The Fake product review monitoring system, which is been implemented in this project aims that it can easily be available and can be used with different types of online shopping.

2.2 PROBLEM DEFINITION

An e-commerce website's good growth is only witnessed in today's atmosphere when its user base is vast. The virtual presence of users may be seen in the reviews they post after using or purchasing a product. the amount of reviews a product has got determines its legitimacy.. Businesses have published product reviews in order to drive sales in recent years, while customers have attempted to degrade the product by submitting negative reviews. As a result of this, a mechanism to detect fake reviews, whether positive or negative, is necessary. These assessments are also critical for future progress.

2.3 LITERATURE REVIEW

In the past, opinion mining has piqued people's curiosity. However, little study has been done in this area. Unless it is manually read, review spam is impossible to detect..Here are some of the projects that have been suggested and implemented. Paper [1] provides three new features: review density, semantics, and emotion, as well as the model and technique for constructing each of them. Even so, it isn't a good statistic, and the reduction isn't significant. To develop a model to discover fraudulent reviews, researchers employed linguistic variables such as unigram presence, unigram frequency, bigram presence, bigram frequency, and review length [2]. The fundamental issue is data scarcity, which necessitates both linguistic and ethical characteristics. Paper [3] provides a ethical technique for detecting review spammers that attempt to alter product evaluations. For rank reviewers, an aggregated behaviour rating technique is developed. In order to detect online spam reviews, paper [4] recommends using

categories of lexical, semantic, and linguistic aspects. We discovered in Paper [5] that recognizing individual bogus reviews was tough, but spotting groups was much simpler. To analyze the dataset, we employed frequent item set mining (FIM). Paper [6] compared real-life fake or non-fake online shopping reviews for the first time. The findings revealed that real-world data is far more difficult to categorize.

2.4 Scope

- The scope and need of online markets and e-commerce platforms are on the rise and many people buy products from these platforms. The amount of feedbacks for products as a result are also present in detail for users to analyze the product they are buying.
- Thus we need to take care of this because this can be done either by the merchant to increase the value of his product or the user to degrade the ratings of that product. In general the reviews can be classified as genuine or fake review.
- The intention of this research is to distinguish the fake opinions posted about products and the genuine one to intentionally change the overall sentiment of the products.

CHAPTER 3

ALGORITHM AND METHODS

3.1 ALGORITHM

- Method Used: Opinion Mining
- Opinion mining, often known as sentiment analysis, is a text analysis approach for detecting and extracting sentiment or opinion from text (positive, Negative , neutral,, etc..)
- We can use Opinion Mining to track how sentiment classification changes over time.

3.1.1 PROPOSED SYSTEM

- The proposed system brings out the technology which helps to find out the review that made for product is true or not. The reason for introducing this Monitoring and removing system is to purchase the required products in a best manner.
- Because fake reviews also been added by owner or seller of that particular product. Users or customers of the product cant able to find these types of reviews. So proposed system would identify the fake kind of reviews based on the IP address of users.
- Firstly, the user will log in to their account and will do purchase the products as they wants. While reviews are added by users, the IP address is made to be noted. If many reviews are received from same IP address, that would be intimated to administrator

3.1.2 ADVANTAGES OF PROPOSED SYSTEM

- User gets genuine reviews about the product.
- User can post their own review about the product.
- User can spend money on valuable product

3.2 MODULES

- USER
- ADMIN

3.2.1.USER

- Register the registration form with essential information
- Login the account with the right username and password
- View all Products
- Place an order and Payment
- Giving comment and Rating
- Logout

3.2.2.ADMIN

- Login with correct username and password
- Add Products
- Manage Products
- View all user
- Create a New order
- View and remove fake reviews(if the Particular user can give positive and Negative review means that is fraudulent review). Based on the evaluation, the administrator has the option to delete the review.

3.3.WORK FLOW

This system helps the user to find out correct review of the product. System works as follows

- Admin will add products to the system.
- Admin will delete the review which is fake.
- User once access the system, user can view product and can post review about the product.
- System will track the IP address of the user.
- If the system observes fake review coming from same IP address many a times this IP address will be tracked by the system and will inform the admin to remove this review from the system.

3.3.1. TYPES OF EVALUATIONS

There are three categories of reviews in this system.

- A) **Opinionated fake reviews:** These reviews feature a variety of viewpoints that may be detrimental to the product's sales.
 - **Positive reviews:-** These types of reviews give misleading or deserved ratings and reviews in order to boost product sales.
 - **Negative reviews:-** These kinds of reviews are written in order to hurt a product's sales.
- B) **Only brand-specific reviews:-**
 - These reviews aren't about the product, but about the company that sells it. These kinds of reviews don't promote a product's quality sales.
- C) **Non Reviews:-**
 - There were several techniques built earlier to deal with the difficulties of false reviews, and these sorts of reviews are not qualified to be termed reviews since they are not about the

3.3.2. PROJECT IMPLEMENTATION:-

The ADMIN/USER can login and have their respective authorization in system. He posted reviews will undergo the process of sentiment analysis, IP address track, and its deviation from overall review analysed. If any miscalculation is found in the reviews which are analysed, are then handled by the system admin only.

Detection of spams using ratings behavior:

While detecting spams, it is necessary to look at behaviour of the ratings, there is chance of spammers spamming the product for no reason, even if there is no issue with product itself, at this point the overall ratings come to the rescue.

Spotting a group of fake reviewers:

A group of fake reviewers can be identified using their IP address, numerous reviews posted to same product are considered as spam as they could be posted in order to degrade the product sales.

CHAPTER4

SYSTEM REQUIREMENT AND DESIGN

4.1 REQUIREMENT

4.1.1 HARDWARE REQUIREMENT

Name of component	Specification
Processor	Pentium III 630MHz
RAM	128 MB
Hard disk	20 GB
Monitor	15" color monitor
Keyboard	122 keys

4.1.2 SOFTWARE REQUIREMENT

Name of component	Specification
Operating System	Windows 98, Windows XP, Windows7, Linux
Language	PHP Runtime Environment
Database	MySQL Server
Browser	Any of Mozilla, Opera, Chrome etc
Web Server	Tomcat 7
Software Development Kit	PHP
Scripting Language Enable	Javascript
Database JDBC Driver	MySQL Jconnector


4.1.3.SOFTWARE DESCRIPTION ROLE OF MYSQL

MYSQL is a relational database management system(RDBMS) developed by oracle that is based on Structured query language(SQL).

RDBMS:

A relational database management system (RDBMS) is a database management system (DBMS) that is based on the relational model as invented by E. F. Codd, of IBM's San Jose Research Laboratory. Many popular databases currently in use are based on the relational database model.

RDBMS have become predominant choice for the storage of in the new databases used for financial records, manufacturing and logistical information, personnel data, and much more since the 1980s. Relational databases have often replaced legacy hierarchical databases and network databases because they are easier to understand and use. However, relational databases have been challenged by object databases, which were introduced in an attempt to address the object- relational impedance mismatch in relational database, and XML databases.



4.2 SYSTEM ARCHITECTURE




Fig 4.1 Architecture diagram

At Start of an application, user need to enter login Credentials include email id and password. after that user can view all the products once the user willing to purchase a product they can add it to the cart and buy it either COD or online payment method after that he/she will post the review and about the product They buy. The IP address of the user will be tracked. These review will be go under sentiment analysis.

After that admin will enter his/her login credentials he will watch all the reviews if any miscalculation in the review or the reviews posted several time by the same IP address the admin will remove the review .He will be able to add the product or delete the product.

CHAPTER 5

RESULTS AND DISCUSSION

5.1 SOFTWARE SETUP

For the execution of the project we need to have a software called Xampp. After the installation of the software we need to start MYSQL and apache for tracking IP address and store the review in table format.

5.2 EXPERIMENTAL RESULTS

After doing literature survey, different techniques have been found for detecting fake reviews. The web page is divided into two sections: User Login and Admin Login. The user can connect in to the website using valid login credentials via user login. They may see items, search for products, buy things, and leave product reviews once they have successfully logged in. Only the admin has the right to log in using his or her legitimate login credentials on the admin side. They have the ability to add new items, view current products, examine orders placed by consumers, delete products, read customer comments, identify fraudulent reviews, and remove fake reviews.



Fig 5.2.1.Home Page




Fig 5.2..2. NEW USER REGISTRATION



Fig5.2.3.User Login Page




Fig.5.2.4.Product details




Fig.5.2.5.Review Submission




Fig.5.2.6. Cart Details

The screenshot shows a web browser window with the title "Fake Product Review Monitoring" and the URL "localhost:8080/FakeProductReviewsDetection/ChoicePayment". The page content includes the heading "FAKE PRODUCT REVIEW MONITORING AND REMOVAL SYSTEM" and a sub-heading "PAYMENT". Below this, there is a form with the following fields: "Card Type" (a dropdown menu showing "Credit Card"), "Card Holder Name" (a text input field containing "seha"), "Card Number" (a text input field containing "123456789"), "Card Valid Date" (a text input field containing "12/20"), and "CVV Number" (a text input field containing "123"). A "PAY" button is located at the bottom of the form. The Windows taskbar at the bottom shows the time as 11:02 on 11-09-2020.

Fig.5.2.7.Card details

The screenshot shows a web browser window with the title "Fake Product Review Monitoring" and the URL "localhost:8080/FakeProductReviewsDetection/adminlogin.jsp". The page content includes the heading "FAKE PRODUCT REVIEW MONITORING AND REMOVAL SYSTEM" and a sub-heading "Admin Login". Below this, there is a form with the following fields: "Username" (a text input field containing "admin") and "Password" (a text input field containing "*****"). A "Login" button is located at the bottom of the form, and a "Back to Main" link is located below the button. The Windows taskbar at the bottom shows the time as 09:39 on 11-09-2020.

Fig.5.2.8.Admin login




Fig 5.2.9.Managing Products




Fig 5.2.10.Order Details



Fig.5.2.11.view reviews by admin



Fig.5.2.12.Deleting fake reviews

CHAPTER 6

CONCLUSION

6.1 CONCLUSION

Both positive and negative deviations in reviews and ratings may be detected using the suggested technique. It's simple to set up and use the system. It may also track users with the same IP address, avoiding the spread of misleading product information. The proposed system can evaluate the properties of a product review in the context in which it is provided, allowing it to accurately recognize authentic reviews. The efficiency of this system, as well as the ease with which it may be implemented and used, are its main advantages. The review analysis method in the systems may be easily monitored by the admin.

6.2 FUTURE ENHANCEMENT

It is possible to eliminate the need for a product name in a specific product evaluation, however it will be challenging. After detecting the spammer account's pattern, the administrator must manually ban its IP address. Automatic blocking, on the other hand, may be conceivable in the future scope of the system.

REFERENCES

- [1] Yuejun Li, Xiao Feng, Shuwu Zhang, "Detecting Fake Reviews Utilizing Semantic and Emotion Model" IEEE- 2016 .
- [2] Kolli Shivagangadhar, Sagar H, SohanSathyan, Vanipriya C.H , "Fraud Detection in Online Reviews using Machine Learning Techniques." IJCER-2015.
- [3] Sushant Kokate, Bharat Tidke, "Fake Review and Brand Spam Detection using J48 Classifier." IJCSIT, 2015.
- [4] Amir Karam, Bin Zhou, "Online Review Spam Detection by New Linguistic Features." UNIVERSITY OF MARYLAND BALTIMORE COUNTY"15 .
- [5] Kolhe N.M., Joshi M.M.Jadhav A.B., Abhang P.D., "Fake Reviewer Groups" Detection System." IOSR-JCE 2014.
- [6] Kaushik Varadha Rajan, Nivasse Ajagane, Shubham Srivastav, "Evaluating Performance of Semi-Supervised Self Training in Identifying Fake Reviews," North Carolina State University , Raleigh NC 27606, USA

APPENDIX

SOURCE CODE

index.php

```
<?php
    session_start();
    error_reporting(0);
    include('includes/config.php');
    if(isset($_GET['action']) && $_GET['action']=="add"){
        $id=intval($_GET['id']);
        if(isset($_SESSION['cart'][$id])){
            $_SESSION['cart'][$id]['quantity']++;
        }else{
            $sql_p="SELECT * FROM products WHERE id={$id}";
            $query_p=mysqli_query($con,$sql_p);
            if(mysqli_num_rows($query_p)!=0){
                $row_p=mysqli_fetch_array($query_p);
                $_SESSION['cart'][$row_p['id']]=array("quantity" => 1, "price" =>
                $row_p['productPrice']);
                header('location:index.php');
            }else{
                $message="Product ID is invalid";
            }
        }
    }

    ?>
<!DOCTYPE html>
<html lang="en">
<head>
<!-- Meta -->
<meta charset="utf-8">
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0, user-scalable=no">
<meta name="description" content="">
<meta name="author" content="">
<meta name="keywords" content="MediaCenter, Template, eCommerce">
<meta name="robots" content="all">
<title>Spicy food Home Page</title>
<!-- Bootstrap Core CSS -->
<link rel="stylesheet" href="assets/css/bootstrap.min.css">
<!-- Customizable CSS -->
<link rel="stylesheet" href="assets/css/main.css">
<link rel="stylesheet" href="assets/css/green.css">
<link rel="stylesheet" href="assets/css/owl.carousel.css">
<link rel="stylesheet" href="assets/css/owl.transitions.css">
<!--<link rel="stylesheet" href="assets/css/owl.theme.css">-->
<link href="assets/css/lightbox.css" rel="stylesheet">
```

```

<link rel="stylesheet" href="assets/css/animate.min.css">
<link rel="stylesheet" href="assets/css/rateit.css">
<link rel="stylesheet" href="assets/css/bootstrap-select.min.css">
<!-- Demo Purpose Only. Should be removed in production -->
<link rel="stylesheet" href="assets/css/config.css">
<link href="assets/css/green.css" rel="alternate stylesheet" title="Green color">
<link href="assets/css/blue.css" rel="alternate stylesheet" title="Blue color">
<link href="assets/css/red.css" rel="alternate stylesheet" title="Red color">
<link href="assets/css/orange.css" rel="alternate stylesheet" title="Orange color">
<link href="assets/css/dark-green.css" rel="alternate stylesheet" title="Darkgreen color">
<link rel="stylesheet" href="assets/css/font-awesome.min.css">
<link href='http://fonts.googleapis.com/css?family=Roboto:300,400,500,700' rel='stylesheet'
type='text/css'>
<!-- Favicon -->
<link rel="shortcut icon" href="assets/images/favicon.ico">
</head>
<body class="cnt-home">
<!-- ===== HEADER
===== -->
<header class="header-style-1">
<?php include('includes/top-header.php');?>
<?php include('includes/main-header.php');?>
<?php include('includes/menu-bar.php');?>
</header>
<!-- ===== HEADER : END
===== -->
<div class="body-content outer-top-xs" id="top-banner-and-menu">
<div class="container">
<div class="furniture-container homepage-container">
<div class="row">
<div class="col-xs-12 col-sm-12 col-md-3 sidebar">
<!-- ===== TOP NAVIGATION
===== -->
<?php include('includes/side-menu.php');?>
<!-- ===== TOP NAVIGATION : END
===== -->
</div>
<!-- /.sidemenu-holder -->
<div class="col-xs-12 col-sm-12 col-md-9 homebanner-holder">
<!-- ===== SECTION – HERO
===== -->
<div id="hero" class="homepage-slider3">
<div id="owl-main" class="owl-carousel owl-inner-nav owl-ui-sm">
<div class="full-width-slider">
<div class="item" style="background-image: url(assets/images/sliders/slider1.png);">
<!-- /.container-fluid -->
</div>
<!-- /.item -->
</div>
<!-- /.full-width-slider -->
<div class="full-width-slider">
<div class="item full-width-slider" style="background-image:
url(assets/images/sliders/slider2.png);">
</div>
<!-- /.item -->
</div>

```

```

<!-- /.full-width-slider -->
</div>
<!-- /.owl-carousel -->
</div>
<!-- ===== SECTION – HERO : END
===== -->
<!-- ===== INFO BOXES
===== -->
<!-- ===== INFO BOXES : END
===== -->
</div>
<!-- /.homebanner-holder -->
</div>
<!-- /.row -->
<div class="sections prod-slider-small outer-top-small">
<div class="row">
<?php
    $category_query="SELECT * FROM `category` ORDER BY id DESC";
    $category_query_res=mysqli_query($con,$category_query);
    while ($category_query_row=mysqli_fetch_assoc($category_query_res)) {
    $ret=mysqli_query($con,"select * from products where
category='".$category_query_row['id']."'");
    if($ret->num_rows){
    if($category_query_res->num_rows){
    ?>
<div class="col-md-6">
<section class="section">
<h3 class="section-title"><?php
    echo $category_query_row['categoryName']; ?></h3>
<div class="owl-carousel homepage-owl-carousel custom-carousel outer-top-xs owl-theme"
data-item="2">
<?php

        while ($row=mysqli_fetch_array($ret))
        {

        ?>
<div class="item item-carousel">
<div class="products">
<div class="product">
<div class="product-image">
<div class="image">
<a href="product-details.php?pid=<?php echo htmlentities($row['id']);?>">/<?php echo htmlentities($row['productImage1']);?>" width="180"
height="300"></a>
</div>
</div>
<!-- /.image -->
</div>
<!-- /.product-image -->
<div class="product-info text-left">
<h3 class="name"><a href="product-details.php?pid=<?php echo
htmlentities($row['id']);?>"><?php echo htmlentities($row['productName']);?></a></h3>
<div class="rating rateit-small"></div>
<div class="description"></div>

```

```

<div class="product-price">
<span class="price">
    Rs. <?php echo htmlentities($row['productPrice']);?>
    </span>
<span class="price-before-discount">Rs.<?php echo
htmlentities($row['productPriceBeforeDiscount']);?></span>
</div>
</div>
<div class="action"><a href="index.php?page=product&action=add&id=<?php echo $row['id'];
?>" class="lnk btn btn-primary">Add to Cart</a></div>
</div>
</div>
</div>
<?php }?>
</div>
</section>
</div>
<?php
    }
    }
    }
    ?>
</div>
</div>

```

```

<!-- ===== TABS : END
===== -->

```

```

<section class="section featured-product inner-xs wow fadeInUp">

</section>
<?php include('includes/brands-slider.php');?>
</div>
</div>
<?php include('includes/footer.php');?>
<script src="assets/js/jquery-1.11.1.min.js"></script>
<script src="assets/js/bootstrap.min.js"></script>
<script src="assets/js/bootstrap-hover-dropdown.min.js"></script>
<script src="assets/js/owl.carousel.min.js"></script>
<script src="assets/js/echo.min.js"></script>
<script src="assets/js/jquery.easing-1.3.min.js"></script>
<script src="assets/js/bootstrap-slider.min.js"></script>
<script src="assets/js/jquery.rateit.min.js"></script>
<script type="text/javascript" src="assets/js/lightbox.min.js"></script>
<script src="assets/js/bootstrap-select.min.js"></script>
<script src="assets/js/wow.min.js"></script>
<script src="assets/js/scripts.js"></script>
<!-- For demo purposes – can be removed on production -->
<script src="switchstylesheet/switchstylesheet.js"></script>
<script>
    $(document).ready(function(){
        $(".changecolor").switchstylesheet( { seperator:"color"} );
        $('.show-theme-options').click(function(){
            $(this).parent().toggleClass('open');
            return false;
        });
    });
</script>

```

```

        $(window).bind("load", function() {
            $('show-theme-options').delay(2000).trigger('click');
        });
    </script>
    <!-- For demo purposes – can be removed on production : End -->
</body>
</html>

```

Bill-ship-addresses.php

```

<?php
session_start();
//error_reporting(0);
include('includes/config.php');
if(strlen($_SESSION['login'])==0)
    {
        header('location:index.php');
    }
else{
    // code for billing address updation
    if(isset($_POST['update']))
    {
        $baddress=$_POST['billingaddress'];
        $bstate=$_POST['bilingstate'];
        $bcity=$_POST['billingcity'];
        $bpincode=$_POST['billingpincode'];
        $query=mysqli_query($con,"update users set
billingAddress='$baddress',billingState='$bstate',billingCity='$bcity',billingPincode='$bpincode'
where id='".$_SESSION['id']."'");
        if($query)
        {
            echo "<script>alert('Billing Address has been updated');</script>";
        }
    }

    // code for Shipping address updation
    if(isset($_POST['shipupdate']))
    {
        $saddress=$_POST['shippingaddress'];
        $sstate=$_POST['shippingstate'];
        $scity=$_POST['shippingcity'];
        $spincode=$_POST['shippingpincode'];
        $query=mysqli_query($con,"update users set
shippingAddress='$saddress',shippingState='$sstate',shippingCity='$scity',shippingPincode='$s
pincode' where id='".$_SESSION['id']."'");
        if($query)
        {
            echo "<script>alert('Shipping Address has been updated');</script>";
        }
    }

?>

```

```

<!DOCTYPE html>
<html lang="en">
  <head>
    <!-- Meta -->
    <meta charset="utf-8">
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0, user-
scalable=no">
    <meta name="description" content="">
    <meta name="author" content="">
    <meta name="keywords" content="MediaCenter, Template, eCommerce">
    <meta name="robots" content="all">

    <title>My Account</title>

    <!-- Bootstrap Core CSS -->
    <link rel="stylesheet" href="assets/css/bootstrap.min.css">

    <!-- Customizable CSS -->
    <link rel="stylesheet" href="assets/css/main.css">
    <link rel="stylesheet" href="assets/css/green.css">
    <link rel="stylesheet" href="assets/css/owl.carousel.css">
    <link rel="stylesheet" href="assets/css/owl.transitions.css">
    <!--<link rel="stylesheet" href="assets/css/owl.theme.css">-->
    <link href="assets/css/lightbox.css" rel="stylesheet">
    <link rel="stylesheet" href="assets/css/animate.min.css">
    <link rel="stylesheet" href="assets/css/rateit.css">
    <link rel="stylesheet" href="assets/css/bootstrap-select.min.css">

    <!-- Demo Purpose Only. Should be removed in production -->
    <link rel="stylesheet" href="assets/css/config.css">

    <link href="assets/css/green.css" rel="alternate stylesheet" title="Green color">
    <link href="assets/css/blue.css" rel="alternate stylesheet" title="Blue color">
    <link href="assets/css/red.css" rel="alternate stylesheet" title="Red color">
    <link href="assets/css/orange.css" rel="alternate stylesheet" title="Orange
color">
    <link href="assets/css/dark-green.css" rel="alternate stylesheet" title="Darkgreen
color">

    <link rel="stylesheet" href="assets/css/font-awesome.min.css">
    <link href='http://fonts.googleapis.com/css?family=Roboto:300,400,500,700'
rel='stylesheet' type='text/css'>
    <link rel="shortcut icon" href="assets/images/favicon.ico">

  </head>
  // COde for Wishlist
  if(isset($_GET['pid']) && $_GET['action']=="wishlist" ){
    if(strlen($_SESSION['login'])==0)
    {
header('location:login.php');
    }
  else<body class="cnt-home">
  <header class="header-style-1">

    <!-- ===== TOP MENU
===== -->

```

```

<?php include('includes/top-header.php');?>
<!-- ===== TOP MENU : END
===== -->
<?php include('includes/main-header.php');?>
    <!-- ===== NAVBAR
===== -->
<?php include('includes/menu-bar.php');?>
<!-- ===== NAVBAR : END
===== -->

</header>
<!-- ===== HEADER : END
===== -->
<div class="breadcrumb">
    <div class="container">
        <div class="breadcrumb-inner">
            <ul class="list-inline list-unstyled">
                <li><a href="#">Home</a></li>
                <li class='active'>Checkout</li>
            </ul>
        </div><!-- /.breadcrumb-inner -->
    </div><!-- /.container -->
</div><!-- /.breadcrumb -->

<div class="body-content outer-top-bd">
    <div class="container">
        <div class="checkout-box inner-bottom-sm">
            <div class="row">
                <div class="col-md-8">
                    <div class="panel-group checkout-steps" id="accordion">
                        <!-- checkout-step-01 -->
<div class="panel panel-default checkout-step-01">

        <!-- panel-heading -->
            <div class="panel-heading">
                <h4 class="unicase-checkout-title">
                    <a data-toggle="collapse" class="" data-parent="#accordion" href="#collapseOne">
                        <span>1</span>Billing Address
                    </a>
                </h4>
            </div>
        <!-- panel-heading -->

            <div id="collapseOne" class="panel-collapse collapse in">

                <!-- panel-body -->
                <div class="panel-body">
                    <div class="row">
                        <div class="col-md-12 col-sm-12 already-registered-login">

<?php
$query=mysqli_query($con,"select * from users where id='".$_SESSION['id']."'");
while($row=mysqli_fetch_array($query))
{
?>

```

```

<div class="form-group">
    <form class="register-form" role="form" method="post">
        <label class="info-title" for="Billing Address">Billing
        Address<span>*</span></label>
        <textarea class="form-control unicast-form-control text-
        input" " name="billingaddress" required="required"><?php echo
        $row['billingAddress'];?></textarea>
    </div>

    <div class="form-group">
        <label class="info-title" for="Billing State ">Billing State
    <span>*</span></label>
        <input type="text" class="form-control unicast-form-control text-input"
        id="bilingstate" name="bilingstate" value="<?php echo $row['billingState'];?>" required>
    </div>
    <div class="form-group">
        <label class="info-title" for="Billing City">Billing City
    <span>*</span></label>
        <input type="text" class="form-control unicast-form-control
        text-input" id="billingcity" name="billingcity" required="required" value="<?php echo
        $row['billingCity'];?>" >
    </div>
    <div class="form-group">
        <label class="info-title" for="Billing Pincode">Billing
        Pincode <span>*</span></label>
        <input type="text" class="form-control unicast-form-control
        text-input" id="billingpincode" name="billingpincode" required="required" value="<?php echo
        $row['billingPincode'];?>" >
    </div>

    <button type="submit" name="update" class="btn-upper
    btn btn-primary checkout-page-button">Update</button>
    </form>
    <?php } ?>
</div>
<!-- already-registered-login -->

</div>
</div>
<!-- panel-body -->

</div><!-- row -->
</div>
<!-- checkout-step-01 -->

    <!-- checkout-step-02 -->
    <div class="panel panel-default checkout-step-02">
        <div class="panel-heading">
            <h4 class="unicast-checkout-title">
                <a data-toggle="collapse" class="collapsed" data-
                parent="#accordion" href="#collapseTwo">
                    <span>2</span>Shipping Address
                </a>
            </h4>

```

```

collapse">
        </div>
        <div id="collapseTwo" class="panel-collapse
collapse">
        <div class="panel-body">
                <?php
$query=mysqli_query($con,"select * from users where id='".$_$_SESSION['id']."'");
while($row=mysqli_fetch_array($query))
{
?>

        <form class="register-form" role="form" method="post">
        <div class="form-group">
                <label class="info-title" for="Shipping Address">Shipping
Address<span>*</span></label>
                <textarea class="form-control uncase-form-control text-
input" " name="shippingaddress" required="required"><?php echo
$row['shippingAddress'];?></textarea>
                </div>

                <div class="form-group">
                <label class="info-title" for="Billing State ">Shipping State
        <span>*</span></label>
                <input type="text" class="form-control uncase-form-control text-input"
id="shippingstate" name="shippingstate" value="<?php echo $row['shippingState'];?>"
required>
                </div>
                <div class="form-group">
                <label class="info-title" for="Billing City">Shipping City
        <span>*</span></label>
                <input type="text" class="form-control uncase-form-control
text-input" id="shippingcity" name="shippingcity" required="required" value="<?php echo
$row['shippingCity'];?>" >
                </div>
        <div class="form-group">
                <label class="info-title" for="Billing Pincode">Shipping
Pincode <span>*</span></label>
                <input type="text" class="form-control uncase-form-control
text-input" id="shippingpincode" name="shippingpincode" required="required" value="<?php
echo $row['shippingPincode'];?>" >
                </div>

                <button type="submit" name="shipupdate" class="btn-
upper btn btn-primary checkout-page-button">Update</button>
                </form>
                <?php } ?>

        </div>
        </div>
        </div>

```

```

<!-- checkout-step-02 -->

</div><!-- /.checkout-steps -->
</div>
<?php include('includes/myaccount-sidebar.php');?>
</div><!-- /.row -->
</div><!-- /.checkout-box -->
<?php include('includes/brands-slider.php');?>

</div>
</div>
<?php include('includes/footer.php');?>
<script src="assets/js/jquery-1.11.1.min.js"></script>

<script src="assets/js/bootstrap.min.js"></script>

<script src="assets/js/bootstrap-hover-dropdown.min.js"></script>
<script src="assets/js/owl.carousel.min.js"></script>

<script src="assets/js/echo.min.js"></script>
<script src="assets/js/jquery.easing-1.3.min.js"></script>
<script src="assets/js/bootstrap-slider.min.js"></script>
<script src="assets/js/jquery.rateit.min.js"></script>
<script type="text/javascript" src="assets/js/lightbox.min.js"></script>
<script src="assets/js/bootstrap-select.min.js"></script>
<script src="assets/js/wow.min.js"></script>
<script src="assets/js/scripts.js"></script>

<!-- For demo purposes – can be removed on production -->

<script src="switchstylesheet/switchstylesheet.js"></script>

<script>
    $(document).ready(function(){
        $(".changecolor").switchstylesheet( { seperator:"color"} );
        $('#show-theme-options').click(function(){
            $(this).parent().toggleClass('open');
            return false;
        });
    });

    $(window).bind("load", function() {
        $('#show-theme-options').delay(2000).trigger('click');
    });
</script>
</body>
</html>
<?php } ?>

```