

ANALYSING AND IMPROVING EFFICIENCY OF PRODUCTION IN MANUFACTURING INDUSTRIES USING ARTIFICIAL INTELLIGENCE METHODOLOGY WITH REAL TIME IMPLEMENTATION

Submitted in partial fulfillment of the requirements for the award of
Bachelor of Engineering degree in Electronics And Instrumentation Engineering

By

BARATH. M (37180003)
RONALDO JOYWIN. A (37180016)



DEPARTMENT OF ELECTRONICS AND INSTRUMENTATION ENGINEERING

SCHOOL OF ELECTRICAL AND ELECTRONICS ENGINEERING

SATHYABAMA

INSTITUTE OF SCIENCE AND TECHNOLOGY

(DEEMED TO BE UNIVERSITY)

Accredited with Grade “A” by NAAC | 12B Status by UGC | Approved by AICTE

JEPPIAAR NAGAR, RAJIV GANDHI SALAI, CHENNAI - 600 119

April – 2021



SATHYABAMA

INSTITUTE OF SCIENCE AND TECHNOLOGY
(DEEMED TO BE UNIVERSITY)



Accredited with “A” grade by NAAC

Jeppiaar Nagar, Rajiv Gandhi Salai, Chennai – 600 119

www.sathyabama.ac.in

DEPARTMENT OF ELECTRONICS AND INSTRUMENTATION ENGINEERING

BONAFIDE CERTIFICATE

This is to certify that this Project Report is the bonafide work of **M.Barath(37180003) & A.Ronaldo Joywin(37180016)** who carried out the project entitled “**ANALYSING AND IMPROVING EFFICIENCY OF PRODUCTION IN MANUFACTURING INDUSTRIES USING ARTIFICIAL INTELLIGENCE METHODOLOGY WITH REAL TIME IMPLEMENTATION**”

Under my supervision from November 2020 to April 2021.

Internal Guide

Dr. R. Pandian., M.E., Ph.D.,

Head of the Department

Dr. S. Lalitha Kumari, M.E., Ph.D

Submitted for Viva voce Examination held on _____

Internal Examiner

External Examiner

DECLARATION

We **BARATH. M (Reg.No.37180003) & RONALDO JOYWIN. A (Reg.No. 37180016)** hereby declare that the Project Report entitled **“ANALYSING AND IMPROVING EFFICIENCY OF PRODUCTION IN MANUFACTURING INDUSTRIES USING ARTIFICIAL INTELLIGENCE METHODOLOGY WITH REAL TIME IMPLEMENTATION”** done by me under the guidance of **Dr. R. PANDIAN M.E., Ph.D.,** is submitted in partial fulfilment of the requirements for the award of Bachelor of Engineering degree in Electronics and Instrumentation Engineering.

DATE:
PLACE: Chennai

Barath. M (37180003)
Ronaldo Joywin. A (37180016)
SIGNATURE OF CANDIDATES

ACKNOWLEDGEMENT

We are pleased to acknowledge our sincere thanks to Board of Management of **SATHYABAMA** for their kind encouragement in doing this project and for completing it successfully. I am grateful to them.

We convey our thanks to **Dr. N. M. NANDHITHA, M.E., Ph. D.**, Dean, School of Electrical And Electronics and **Dr. S. Lalitha Kumari, M.E., Ph.D.**, Head of the Department, Department of Electronics and Communication Engineering for providing us necessary support and details at the right time during the progressive reviews.

We would like to express our sincere and deep sense of gratitude to our Project Guide **Dr. R. Pandian, M.E., Ph.D.**, Assistant Professor/EIE for his valuable guidance, suggestions and constant encouragement paved way for the successful completion of our project work.

We wish to express our thanks to all teaching and Non-teaching staff members of the Department of Electronics and Instrumentation Engineering who were helpful in many ways for the completion of the project.

ABSTRACT

India is in the battle for the previous two and a half centuries. Unluckily it is in the bottom of the race. At most societies think that the industries are facilities or the Agri-industry. Every industry has its own relative benefits and features. Manufacturing led financial prudence are also much more hard than financial prudence that are led by other industries. To close, the manufacturing industry in India builds more employment openings with its growth than any other sector. And one of the major criteria to consider is the manufacturing the goods and delivering it at proper lead time. To achieve the tracking of goods production and it's on time delivery is required to be taken care. For that technology needs to be integrated with the manufacturing leading to its tremendous improvement. In this project we propose a system to automatically track and trace each step of manufacturing and the time taken incompletion of each step. If the threshold time limit exceeds for any step in the process then an automatic mail will be sent to the manufacturer to automatically take steps for the process to complete on time. This is achieved by implementing article tracking methodology in industries.

TABLE OF CONTENTS

CHAPT ER NO	TITLE	PAGE NO.
	ABSTRACT	v
	LIST OF FIGURES	vii
	LIST OF ABBREVIATION	x
1	INTRODUCTION	1
	1.1 GENERAL	1
	1.1.1 Key Factors Affecting Production Time	1
	1.1.2 Production and Manufacturing	1
	1.2 TECHNOLOGY USED	2
	1.2.1 Artificial intelligence	2
	1.2.2 OpenCV	3
	1.2.3 Object detection	6
2	LITERATURE SURVEY	10
	2.1 INTRODUCTION	10
	2.2 LITERATURE REVIEW	10
	2.3 MAJOR DISADVANTAGES TO OVERCOME	20
3	AIM AND SCOPE OF WORK	21
	3.1 EXISTING SYSTEM	21
	3.2 IMPEDIMENTS OF EXISTING SYSTEM	21
	3.3 PROPOSED SYSTEM	22
	3.4 ADVANTAGES OF PROPOSED SYSTEM	22

	3.5 APPLICATIONS	23
4	SYSTEM DESIGN	24
	4.1 ARCHITECTURE DIAGRAM	24
	4.2 WORKING	25
	4.3 MODULE DESCRIPTION	25
	4.3.1 Dataset collection module	25
	4.3.2 Training the model with Algorithm	26
	4.3.3 Article Detection	28
	4.3.4 Article Tracking	29
	4.3.5 Email Integration	30
5	SOFTWARE DESCRIPTION	33
	5.1 Visual Studio	33
	5.2 Python	35
6	RESULTS AND DISCUSSIONS	36
	6.1 Final outputs	36
	6.2 Comparison between existing and proposed system	55
7	CONCLUSION AND FUTURE WORK	57
	7.1 CONCLUSION	57
	REFERENCES	58

LIST OF FIGURES

FIGURE NO	NAME OF THE FIGURE	PAGE NO.
1.1	Phases of artificial intelligence development	3
1.2	OpenCV software architecture	6
1.3	Object detection	7
4.1	Proposed System Architecture	28
4.2	YOLO v3 architecture	33
4.3	Object Detection	34
4.4	Object Tracking	36
4.5	Email Integration	38
6.1	Dataset Collection	54
6.2	Environment setup	55
6.3	Dataset Augmentation	55
6.4	Before pre-processing	56
6.5	Pre-processing code	57
6.6	After pre-processing	58
6.7	Labelling the dataset	59
6.8	Annotated XML file	60
6.9	Training output	61
6.10	Configuration allotted time	62
6.11	Model loading	63

6.12	Frame initiation	64
6.13	Video frame	65
6.14	Object detection at first workstation.	66
6.15	First workstation SMS	67
6.16	Object detection at second workstation.	68
6.17	Second workstation SMS	69
6.18	Object detection at third workstation	70
6.19	Third workstation SMS	71
6.20	Configuration working time	72
6.21	Scenario 1	73
6.22	Scenario 2	74
6.23	Report sent to mail	75

LIST OF ABBREVIATIONS

AI	ARTIFICIAL INTELLIGENCE
openCV	Open COMPUTER VISION
SVM	SUPPORT VECTOR MACHINE
ANN	ARTIFICIAL NEURAL NETWORK

CHAPTER -1

INTRODUCTION

1.1 GENERAL

A fabrication process is the way a enterprise will present how it will make its products to customers. Necessitate of manufacturing industries are done manually or personnel. Necessitate of the facilities and costs are been identified to enable building production units according to the necessitate of volume, time, and safety. Industry process are the process where the raw materials are been changed into a required product. Manufacturing process begins with the product design, and materials specification from which the good is been manufactured and these materials are then varied through manufacturing processes to become the final product. The manufacturing sector is majorly affiliated with industrial and engineering design.

Production control and preparation is a pre planed process that manages and manages the allowance of human resource, raw material, and machinery to achieve maximum efficiency. An industry line is a traditional method in which people partner with manufacturing. The good is moved along some kind of conveyor or moved manually by staff.

In process industry, loss of production speed in an unavoidable reality. Among the least examine, six big efficiency losses measured within total productive maintenance, rate loss presents significant opportunities for potential efficiency improvements in manufacturing companies. Founded on the literature, this paper presents a framework of the factors related to speed loss, including three overall property: technology factors, human factors and product factor.

1.1.1 Production and Manufacturing

Manufacturing is similar to fabrication but broader in scope. It refers to the processes and techniques that are been used to change raw materials or semi-finished

goods into finished goods or services with or without the need of machinery. Manufacturing production means to the method, how efficiently we produce goods for sale, beyond just a bill of materials. Three basic types of manufacturing production processes are: make to stock (MTS), make to order (MTO), and make to assemble (MTA). Such plan of action have advantages and disadvantages in labour costs, inventory control, overhead, customization, and the rate of production and filling orders.

1.2 TECHNOLOGY USED

1.2.1 Artificial intelligence

Artificial Intelligence is a tract of study that depict the capability of machine learning just like humans and the power to respond to certain behaviours also known as (A.I.).The use of artificial intelligence is high these days. Since AI was been present to the market, it has been the reason of the quick alteration in technology and business fields.

Pros and Cons of Artificial Intelligence

AI gives safety and accuracy, cost- efficient, solve complex trouble, and make decisions. AI is been implemented nowadays in most fields whether business or engineering. The best tool in AI is “reinforcement learning”. It is depends upon testing success and failure in real time to gain the accuracy and efficiency of applications. Unluckily, AI is limited to its capability and functionality. Artificial Intelligence made our lives easier and saves time than before. Scientists state that by having an AI machines, people will be jobless and that will conclude in losing the sense of living. Since machines are basic cognitive process and doing things more efficiently and effectively in a timely manner, this might be the reason of our in-activeness.

AI Design Models

All over the past few Artificial Intelligence transform a very common technology in most of the smart. Artificial Intelligence mechanism is according to the following

phases: getting the data, clean/manipulate/ prepare the data, train model, test data, and improve the data as mentioned in (Fig 1.1). Before accession of the data, a business must check the quality of the data, that it meets the requirement.




Fig 1.1 Phases of AI development

1.2.2 Open-CV

Open-CV was been in use on Stanley and the vehicle won 2005 DARPA Grand Challenge. Later on, Willow Garage, with Gary Bradsky and Vadim Pisarevsky continued active development leading the project. Right now, Open-CV supports lots of algorithms related to Computing machine Vision and Machine Learning and it is spread out day-by-day.

Presently Open-CV supports many programming languages like Java,C++, Python etc. It is also available on different levels including Windows, Linux, OS X, Android, iOS etc.

Open-CV is the most utilized open source library for computer vision, image processing and machine learning . Also features GPU acceleration for real-time operations in recent times.

Open-CV was released under a BSD license and hence it is free for both academic and commercial use. It has C++, C, Python and Java interfaces and supports Windows, Linux, Mac OS, iOS and Android.

Open-CV Python

Python is a general computer programming language which became famous shortly. Because of simplicity and code readability. It gives the programmer to express his/her ideas in fewer lines of code without reducing any readability.

Compared to some other languages like C/C++, Python is slower. But another crucial feature of Python is that it can be easily extended with C/C++. This feature assists us to write computing intensive codes in C/C++ and create a Python wrapper for it so that we can use these peignoir as Python modules. This provides us two advantages: first, our code is as fast as original C/C++ code (since it is the actual C++ code working in background) and second, it is very easy to code in Python. This is how Open-CV Python works, it is a Python peignoir around original C++ implementation.




Fig 1.2 Open-CV software architecture

Open-CV Applications

Open-CV is extensively used in the following

- Street sight image sewing
- Automatic check-up and investigation
- Robot and driver-less car direction finding and mechanism
- Medicinal image examination
- Video/image examine and retrieval
- 3D assembly from motion
- Interactive art fixings

1.2.3 ARTICLE RECOGNITION

Article Recognition is an essential duty, yet interesting vision task. It had already been applied in many computer vision fields. In current ages, a number of positive single-article following system appeared, but in the presence of several article, Article Recognition becomes difficult and when articles are fully or partially occluded, they are obtruded from the human visualization which further rises the difficulty of recognition. Reducing illumination and acquisition angle. The proposed MLP based article tracing system is made robust by an optimum selection of unique features and also by implementing the Ad boost strong classification method.




Fig 1.3 Article detection

Background Deduction

The background detection method, was able to cope with local illumination changes, such as shadows and highlights, even globe illumination changes. In this method, the background model was statistically modelled on each pixel. Computational colour mode, include the illumination distortion and the chromaticity distortion which was used to differentiate masking background. The dissimilarity between the background appearance and the current appearance was weighed. Each pixel was finally categorized into four groups:

1. original 8 background
2. shaded background or shadow
3. highlighted background
4. moving foreground article

A method for distinguishing foreground articles in non-stationary complex surroundings containing moving background articles. Here foreground articles were detected in two ways. Leading, both the foreground and the background changes are extracted using background detection and temporal differencing. The frequent background changes were then known using the Bayes decision rule founded on the learned colour co-occurrence Fig s. Both short-term and long-term policies to study the frequent background changes were used. An algorithm focused on obtaining the stationary foreground regions, was useful for applications like the detection of abandoned/stolen articles and parked vehicles. This algorithm mainly used two steps. Firstly, a sub-sampling scheme based on background detection techniques was implemented to obtain stationary foreground regions. This detects foreground differences at different time instants in the same pixel places. Some variations were presented on this base algorithm such as thresh holding the previously computed detection. The main purpose of this algorithm was reducing the amount of stationary foreground detected.

CHAPTER 2

WORK EXAMINATION

2.1 OVERVIEW

The following shows examination on factory production. Most popular of the existing techniques used for production.

2.2 LITERATURE SURVEY

1) PAPER 1: MULTI-STREAM SIAMESE AND FASTER REGION BASED NEUTRAL NETWORK FOR REAL-TIME OBJECT TRACKING, (2020)

Tracking is a Traffic scene insight (TSP) expects to extricate precise constant on-street climate data, which includes three stages: identification of articles of interest, acknowledgment of recognized items, and following of articles moving. Since acknowledgment and following regularly rest on the results from recognition, the ability to recognize articles of interest sufficiently adopts a significant part in TSP. They centre around three significant classes of items: traffic flow signs, vehicles and cyclists. We propose to distinguish every one of the three significant articles in a solitary learning-based recognition system. The proposed system comprises of a thick element extractor and indicators of three significant classes. When the thick highlights have been extricated, these highlights are imparted to all locators. The upside of utilizing one regular system is the location promptness is a lot quicker, as all thick highlights need just to be assessed once in the analysis stage. Interestingly, utmost past works have planned explicit indicators utilizing various highlights for every one of these three classes. To upgrade the component power to clamors also picture distortions, we present spatially mutual highlights as a piece of totaled channel highlights. To additionally increase the speculation execution, sub categorization strategy as a methods for catching the intra class variety of items. We tentatively exhibit viability as well as proficiency of the planned structure in three discovery uses: traffic sign location,

vehicle location. The planned structure accomplishes serious exhibition by cutting edge approaches on a few benchmark informational collections. The fundamental benefit is proposed system accomplishes the serious exhibition with cutting edge approaches on a few benchmark informational collections. The calculation utilized TSP adds hard negatives to the preparation set.

2) PAPER 2: PLANING VIS: VISUAL ANALYTICS APPROACH TO PRODUCTION PLANNING IN IN SMART FACTORIES, (2020)

Production arranging in the assembling business is significant for completely using manufacturing plant assets (e.g., tackles, crude resources, laborers) and decreasing expenses. Industry 4.0 gives a lot of information footage the situation with industrial facility assets have been gathered and further associated with creation arranging, which carries an uncommon chance to comprehend, assess and change complex creation plans through an information driven methodology. Notwithstanding, building up an efficient examination approach for creation arranging is trying because of the huge volume of creation information, the intricate reliance among items, and unforeseen changes on the lookout and the plant. Past examinations just give summed up outcomes and neglect to show subtleties for relative investigation of creation plans. Moreover, the quick acclimation to the arrangement on account of an unexpected episode is additionally not upheld. By coordinating a programmed arranging calculation with intelligent visual investigations, PlanningVis can work with the proficient improvement of every day creation arranging just as help a speedy reaction to unforeseen episodes in assembling. Two contextual analyses with genuine information and painstakingly planned meetings with area specialists exhibit the adequacy and convenience of PlanningVis. PlanningVis can work with the proficient improvement of every day creation arranging just as help a speedy reaction to unforeseen occurrences in assembling. The calculation utilized PlanningVis is profoundly unbending and unyielding.

3) PAPER 3: OBJECT DETECTION IN HIGH RESOLUTION REMOTE SENSING IMAGERY BASED ON CONVOLUTION NEUTRAL NETWORKS WITH SUITABLE OBEJCT SCALE FEATURE, (2019)

Item identification in high spatial goal distant distinguishing pictures (HSRIs) is a significant piece of picture data programmed extraction, examination, and comprehension. The locale of interest (ROI) size of item location and the article highlight portrayal are two imperative issues in HSRI article recognition. Concerning these two issues, this article says HSRI article discovery technique dependent on convolutional neural organizations with appropriate item rule highlights. To start with, the reasonable ROI size of article identification is acquired by arranging insights for the balance scope of items in HSRIs. At that point, a CNN system for article discovery in HSRIs is planned utilizing an appropriate ROI size of article recognition. The article highlights acquired utilizing a CNN have great comprehensiveness and vigor. At last, a CNN structure with a reasonable ROI size of item location is prepared and tried. Utilizing the WHU-RSONE informational collection, the proposed technique is contrasted and the quicker district based CNN system. The HSRI article location brings about loss of spatial data.

4) PAPER 4: WEAKLY SUPERVISED OBJECT DETECTION VIA ARTICLE - SPECIFIC PIXEL GRADIENT, (2018)

It is on most existing article recognition calculations are prepared dependent on a bunch of completely commented on article districts or jumping boxes, which are regularly work serious. In actuality, these days there is a lot of picture level explanations inexpensively accessible on the Internet. It is consequently a characteristic idea to investigate such "powerless" oversight to profit the preparation of item locators. They offer a novel plan to make feebly regulated item limitation, named article -explicit pixel inclination. The OPG is prepared by utilizing picture explanations alone, which acts in an iterative way to confine likely in a given picture vigorously and effectively.

Specifically, concentrate an OPG guide to uncover the commitments of individual pixels to a given article classification.

5) PAPER 5: PERCEPTUAL INFORMATION LOSS DUE TO IMPAIRED SPEECH PRODUCTION, (2017)

Phonological classes characterize without articulatory and articulatory-bound telephone ascribes. In principle, a novel mix of telephone ascribes from a phoneme personality. Probabilistic surmising of consequently empowers assessment. An epic data hypothetical structure is concocted to evaluate the data passed on by each telephone property, and survey the discourse creation value for view. As a utilization case, we guess that disturbance in discourse creation prompts data misfortune in telephone credits, and in this manner disarray in phoneme ID. We amount the quantity of data misfortune due to enunciation recorded in the information base. A data amount is Fig d to assess the deviation from an ideal telephone quality creation driving us to recognize solid creation from obsessive discourse. The technique evaluates the measure of data misfortune due explanation recorded in data set. This strategy is tedious for preparing.

6) PAPER 6: SEVERELY BLURRED ARTICLE TRACKING BY DEEP LEARNING BY LEARNING DEEL IMAGE REPRESENTATION, (2017)

Understood supposition in numerous nonexclusive item trackers is that the recordings are obscure free. Be that as it may, movement obscure is basic in genuine recordings. The presentation of a conventional article may drop altogether recordings with serious movement obscure. We deal with move a nonexclusive item follower to a haze invariant article tracker without picture arrangements. A huge arrangement of unlabelled pictures are utilized to gain proficiency with articles' visual earlier information, which moved to the appearance model of a particular article. Article following, web based preparing tests are gathered from the following outcomes and the setting data. Distinctive haze bits are associated with the preparation tests to expand the strength of the appearance

model to serious haze, and the movement boundaries of the item are assessed in the molecule channel structure. Broad trial results show that the proposed calculation can powerfully follow articles in seriously obscured recordings as well as in other testing scenes. The proposed calculation can vigorously follow articles in seriously obscured recordings as well as in other testing scenes. This calculation utilizes unlabelled information.

7) PAPER 7: OBJECT TRACKING BY HIERARCHICAL DECOMPOSTION OF HYPERSPECTRAL VIDEO SEQUENCES: APPLIACATION TO CHEMICAL GAS PLUME TRACKING, (2017)

Currently conceivable to gather hyper spectral video arrangements at a close to constant edge rate. In this article, we present a original strategy dependent various levelled investigation of hyper spectral video successions to perform following. Last activity handled successive item discovery measure, led on the various levelled portrayal of the hyper spectral video outlines. We apply the wished-for strategy to the synthetic gas crest following situation and contrast its exhibitions and best in class techniques, for two genuine hyper spectral video groupings, and show that the projected method performs at any rate similarly. The exhibition of the projected strategy is twice contrasted with the cutting edge techniques. This calculation utilized is just based out of hyper spectral video outlines.

8) PAPER 8: REAL-TIME PRODUCTION SCHEDULE FOR DIGITAL-PRINT-SERVICE PROVIDERS BASED ON A DYNAMIC TCREMENTAL EVOLUTIONARY ALGORITHM, (2015)

An elite and ongoing creation booking calculation for computerized print creation dependent on a powerful steady developmental calculation. The enhancement article is to focus on the posting succession of orders and equilibrium asset use. The sensible issue cases, it gives arrangements rapidly to different print items that require complex satisfaction strategies. Moreover, it powerfully ingests the transient condition of the manufacturing plant, for example, measure data and asset disappointment likelihood

on paper creation; subsequently, it limits the administration creation bungle. Discrete-occasion reproduction that the creation prompts a steadier request conveyance proportion contrasted with a standard based heuristic. Its helpful credits on the whole add to the decrease or disposal of the inadequacies that are intrinsic in the present computerized printing climate and help to upgrade a print plant's efficiency and benefit. The proposed framework valuable ascribes aggregately add to the decrease or disposal of the weaknesses that are intrinsic in the present computerized printing climate and help to upgrade a print industrial facility's efficiency and benefit. This regularly with real actual constructions, and the ideas have been grown likewise.

9) PAPER 9: AUTOMATED UNDERWATER OBJECT DETECTION BY MEANS OF FLUORESCENCE LIDAR, (2015)

Mechanized Underwater article recognition through Fluorescence LIDAR paper centers around computerized acknowledgment of submerged items through light location and going (LIDAR) frameworks. Uniquely in contrast to most works engaged with submerged article acknowledgment with LIDAR, where items are perceived by their shape, here the interest is recognizing articles based on physical/compound properties of item materials. To this point, laser-initiated fluorescence (LIF) spectroscopy is abused, and a specially appointed sign preparing affix is introduced to successfully dissect the LIF spectra separated at the identified item range. In particular, the article is that of consequently perceiving the identified item as for a data set (DB) of articles of interest, which have been beforehand frightfully portrayed through research facility fluorescence estimations. To this point, reasonable material science based strategies are proposed to repay the sign for water-section impacts. A choice hypothesis based system is created to move toward ghastly acknowledgment of the distinguished article concerning the item DB. Trial results from a lab proving ground show that the proposed handling chain is successful at naturally perceiving articles lowered in a counterfeit water section at various profundities, in light of an assorted DB of test materials. The introduced approach is appeared to give extraordinary potential to computerized article acknowledgment in marine and other water conditions. This (LIF) spectroscopy is extremely perplexing to prepare the information.

10) PAPER 10: GRID-BASED ARTICLE TRACKING WITH NONLINEAR DYNAMIC STATE AND SHAPE ESTIMATION, (2015)

Multi-stage preparing of sensor estimation information is subsequently needed to get preoccupied significant level items, like vehicles. This additionally incorporates sensor combination, information affiliation, and fleeting separating. Regularly, a beginning phase article deliberation is performed, which, notwithstanding, is basic, as it brings about data misfortune in regards to the ensuing preparing steps. We present another framework based item following methodology that, interestingly, depends on effectively combined estimation information. The info is along these lines pre-prepared, without abstracting articles, by the spatial lattice cell discretization of a unique inhabitation framework, which empowers a nonexclusive multi-sensor discovery of moving items. Based on as of now related involved cells, introduced in our past work, this paper examines the resulting article state assessment. The article posture and shape assessment subsequently advantage from the free space data contained in the information lattice, which is assessed to decide the current perceivability of extricated article parts. A coordinated item grouping idea further improves the accepted articles size. For an exact powerful movement state assessment, radar Doppler speed estimations are incorporated into the info information and handled straightforwardly on the item level. Our methodology is assessed with genuine sensor information with regards to self-governing driving in testing metropolitan situations. The proposed framework is assessed with genuine sensor information with regards to self-sufficient driving in testing metropolitan scenarios. This calculation depends on the sensor data, making the framework over the top expensive.

11) PAPER 11: PRODUCTION CONTROL TO REDUCE STARVATION IN A PARTIALLY FLEXIBLE PRODUCTION-INVENTORY SYSTEM, (2015)

In the paper Production Control to Reduce Starvation in a Partially Flexible Production-Inventory System, we study creation control issues in a somewhat adaptable creation stock framework. In such a framework, the upstream adaptable creation subsystem can make two distinct items, with non-insignificant arrangement time during changeover. The downstream rigid creation subsystem comprises of two assembling

offices, with each devoted to one item type as it were. The two creation subsystems are associated by two committed supports, which contain the stock subsystem. Utilizing a reestablishment model, an ideal control strategy is created to switch items by predefined limits for stock levels to limit starvation (inactive) season of downstream creations. Shut equations are inferred and affectability examinations regarding arrangement time change, machine dependability variety, and request vacillation are completed. At last, an application concentrate in an entryway fabricating line at a car gathering plant making two particular kinds of entryways is presented. The proposed framework proposes, an application concentrate in an entryway producing line at an auto get together plant making two unmistakable sorts of entryways is presented. This strategy isn't precise of the outcomes, henceforth isn't suggested for continuous applications.

2.3 Major disadvantages to overcome

- The hindrance is that article re-recognizable proof is performed to improve the following exhibition
- Only vehicle and passerby article following is finished
- Lack of various item following.
- Pixel savvy article following isn't done, may prompt jumble following worth.

CHAPTER – 3

AIM AND SCOPE OF THE WORK

3.1 EXISTING SYSTEM:

Item following is a difficult errand in PC vision based insightful transportation frameworks. As of late, Siamese based article following techniques have pulled in huge consideration because of their exceptionally effective presentation. These following strategies typically train a Siamese organization to coordinate with the underlying article ive fix of the primary edge with applicants in another edge. In these techniques, the disconnected preparing of the profound neural organization and the online occasion looking are viably consolidated. In any case, these techniques normally do exclude layout update or item re-distinguishing proof, which effectively brings about the float issue. In this paper, we propose a novel continuous item following strategy to defeat the above issues by adequately joining a multi-stream Siamese organization and a locale based convolutional neural organization. In particular, a novel multi-stream Siamese organization is proposed to look through the article ive and update the occasion format in another casing. Likewise, a quicker locale based convolutional neural organization locator is utilized to perform article re-ID to improve the following exhibition by utilizing the item class data. These two organizations are firmly coupled to guarantee that the proposed following technique has high proficiency and solid discriminative capacity.

3.2 IMPEDIMENTS OF EXISTING SYSTEM

- The inconvenience is that article re-recognizable proof is performed to improve the following exhibition
- Only vehicle and passerby article following is finished
- Lack of numerous article following.
- Pixel astute article following isn't done, may prompt jumble following worth.

3.3 PROPOSED SYSTEM

India has been in a race for as far back as more than two centuries however lamentably it has been a rush to the base. A great many people feel that the assembling business resembles the administrations or the horticultural business; every industry having its own general benefits and highlights. What isn't obvious to most is that the assembling drove economies are exceptional in being more populist in their dispersion of abundance. Besides, producing drove economies are likewise substantially more versatile than economies that are driven by different enterprises. At last, the more significantly pertinent for India, the assembling business in India sets out more work open doors with its development than some other area. Knowledge our exploration shows us is that assembling drove economies are significantly more tough and powerful. Furthermore, one of the significant measures to consider is the assembling the products and conveying it at appropriate lead time. To accomplish the following of merchandise creation and it's on time conveyance is needed to be taken consideration. For that innovation should be coordinated with the assembling prompting its gigantic improvement. In this venture I propose a framework to naturally track and follow each progression of assembling and the time made deficiency of each stride. On the off chance that the edge time limit surpasses for any progression simultaneously, a programmed mail will be shipped off the producer to naturally make strides for the cycle to finish on schedule. This is accomplished by carrying out article following procedure in ventures.

3.4 BENEFITS OF PROPOSED SYSTEM

- Cheap and compelling answer for assembling enterprises
- Increases the creation limit
- Ensures on-time conveyance of products inside the lead time
- Helps in diminishing the lead time and giving greater quality items in less time.

3.5 APPLICATIONS

- Applicable in Big assembling organizations.
- Saves the hour of the creation time frame.
- Decrease underway expense.
- Speed conveyance of merchandise underway unit.

CHAPTER 4

SYSTEM DESIGN

ITEMIZED DESIGN OF THE PROJECT

It portrays every module that will be carried out alongside Data Flow outline.

4.1 ARCHITECTURE DIAGRAM:

The architectural layout is presented in Fig 4.1




Fig 4.1 System Architecture

4.2 WORKING

The informational index is been gathered at that point prepared by a profound learning model. In the preparation interaction, Mobile Net calculation is carried out to build the precision of forecast and flawlessness of article Recognition . In the event that vital organization medical procedure will likewise be performed where the blend of calculations happens to expand the exactness. A camera will be executed for the knowledge of observing the creation unit. The camera is instated and the prepared model is stacked. The article identification is currently live. After the content is identifying the item, an article following calculation has been executed for pixel-wise article following. The limit esteem with time checking has been set. It will be continue observing the articles development. The article which is moved late to the following work station will be implied utilizing an email combination. By this task the work state at the assembling business is adequately observed, decreasing the weight on the administration.

4.3 MODULE DESCRIPTION:

- Dataset Collection Module
- Training the Model With Algorithm
- Article identification
- Article following
- Email incorporation

4.3.1 Data-set Collection Module

An informational index is an assortment of information. Profound Learning is the famous technique for tackling many testing genuine issues. It's very the best performing strategy for PC vision errands. The picture shows the force of profound learning for PC vision. With required measure of preparing, a profound organization can fragment and distinguish the central issues of each individual in the picture. The possibility of more information prompting better outcomes has even been investigated at an enormous

scope by Google with an informational collection of 300 Million pictures When sending a Deep Learning framework in a certifiable program, message should be antagonistically given care of to improve its presentation. In the profound learning time, information is most important asset. There are three stages of gathering information

Scratching From the Web

Physically finding and downloading pictures will take quite a while essentially because of the measure of human work included. The assignment likely has a sort of normal articles that are to be identified. Thus that it turns into the catchphrase for web-scratching. It additionally turns into the class name of that article. Each and every pixel in the picture is required. It's ideal to utilize some truly extraordinary picture comment apparatuses that are as of now there. This will at that point give some pleasant bouncing box and division names. The elective choice is to utilize a current picture explanation GUIs.

Outsider

Since information has an advantageous product in the profound learning time, many new businesses have begun to bring to the table their own picture comment administrations they'll accumulate and mark the information. Given a portrayal of what sort of information and comments required. Strong is one that has been doing self-driving vehicle picture explanation and has gotten quite enormous in the space were at CVPR 2018 as well. Instalment AI are less utilitarian than Mighty AI, offering picture explanation for any area.

4.3.2 Preparing The Model with Algorithm

In this venture, YOLO v3 calculation is utilized to prepare the model. The word Deep Learning model suggests to the framework that is created by the formulation interaction.

The formulation information should fuse the correct answer, which is best-known as perspective property. The acquisition calculation reveals the examples in the

formulation information that map the message credits to the subjective and it yields a Deep Learning model that acquires these examples.

Utilizing the Deep Learning framework to get articulation on new content for which don't have the hazy idea about the perspective. In this undertaking, you just look once (YOLO) calculation is utilized to build up the model.

YOLOv3 utilizes a couple of stunts to adjust preparing and increment execution, including: Multi-access forecasts, a superior spine classifier.




Fig 4.2 YOLO v3 architecture

4.3.3 Article Detection

Article location is a method of tracking down every one of the potential cases of certifiable items, like human faces, plants, vehicles, and so on in pictures or recordings, continuously with extreme exactness. The article location strategy utilizes resultant highlights and learning calculations to recognize every one of the events of an item classification.

Item location method aid the acknowledgment, discovery, and limitation of different visual situation of articles in a picture or a video. It gives a greatly improved insightful of the item in general, as opposed to fundamental article characterization. This strategy can be utilized to tally the measure of occurrences of special items and imprint their exact areas, alongside la-belling. With time, the execution of this cycle has additionally improved essentially, serving us with ongoing use cases. With everything taken into account, it responds to the inquiry: "What item is the place where and what amount of it is there?"

The specialized development of item discovery started in the mid-2000s and the finders around then. They go before the low-level and mid-level vision and followed the technique for 'acknowledgment by-segments'. This technique modified item discovery as an estimation of closeness between the article parts, shapes, and forms, and the highlights that were taken into thought were distance changes, shape settings, and edge less, and so on Things didn't go great and afterward machine identification techniques began to come into the image to Fig this issue.

Multi-access Recognition of articles was to be finished by bringing those items into thought that had "various sizes" and "diverse angle proportions". This was one of the essential specialized difficulties in article location in the beginning phase. Yet, after 2014, with the increment in specialized improvement, the issue was tackled. This carried us to the second phase of item recognition, where the undertakings were finished utilizing profound learning.




Fig 4.3 Article Detection

4.3.4 Article Tracking

Item following is a field of study inside PC vision, which intends to follow articles as they get across a lot of video outlines. Articles are every now and again individuals, yet may likewise be creatures, vehicles or different articles of interest, like the ball in a challenge of soccer. The following are noteworthy outcomes achieve by SORT, a profound learning article following calculation.

Item following has numerous relevant applications including observation, clinical imaging, traffic stream investigation, self-driving vehicles, individuals checking and crowd stream examination, and human-PC communication.

In fact, article following beginnings with article discovery — recognizing articles in a picture and dispersing them in bouncing boxes. The article following calculation allots an ID to each protest recognized in the picture, and in subsequent edges attempts to convey across this ID and distinguish the new spot of a similar item.

There are two fundamental kinds of item following:

- **Offline article following**—article following on a recorded video where every one of the edges, including future action, are known heretofore.
- **Online article following**—article following done on a live video transfer, for instance, a reconnaissance camera. This is more difficult in light of the fact that the calculation should work quickly, and it is unimaginable to expect to take moving toward edges and consolidate them into the investigation.




Fig 4.4 Article Tracking

4.3.5 Email Incorporation

For coordinating E-mail, the SMTP convention is used for sending and getting mail as arranged by us. The work stream of that module is as per the following.

Simple Mail Transfer Protocol (SMTP)

SMTP is the typical convention specify email administrations on a TCP/IP organization.

SMTP is an application-layer convention give conveyance and communication of email above the Internet. It is safeguarded by the Internet Engineering Task Force (IETF). SMTP is usually added inside an email customer use and is made out of four key parts:

1. Local client or customer finish utility recognized as the mail client specialist
2. Server known as mail accommodation specialist
3. Mail exchange specialist
4. Mail conveyance specialist

Securing email cautions or set of information utilizing raspberry pi python program is useful application. Everything necessary is smtplib library in the python content. There are various form of python yet pi is more viable with 3.2 and 2.7 adaptation of it. The following are the announced strides of sending SMTP email utilizing pi:

Stages for Sending Email utilizing Raspberry Pi

Stage 1:- Setting up the raspberry pi module-interface up the force link and LAN link to raspberry pi at that point make WIFI area of interest and associate with it.

Stage 2:- After that open the terminal window on Pi. open the clay programming and glue the host name or ip address.

Stage 3:- We need to change the Raspberry Pi. Along these lines, introduce the most recent bundles by utilizing the underneath order.

Stage 4:- Then use the accompanying order – reverberation "hi" | mail – s "test" xyz@gmail.com. This order characterizes the substance, subject of the mail, just as the mail id to which the mail will be conveyed.

Stage 5:- Then we need to create another record in the python and this should be possible by utilizing the accompanying order nano newmailing.py

Step 6:- Allowing Gmail SMTP Access for Accounts with Standard Authentication to allow induction to Gmail's SMTP laborer from your application

Stage 7:- Login to the Gmail record and checkout the mail, assuming everything works effectively, a mail will be conveyed to the referenced mail id.

A general progression of the working can be found in the Figure beneath




Fig 4.5 Email Integration

CHAPTER 5

SOFTWARE DESCRIPTION

The aim of the Software Requirement Specification is to deliver the detail of the examination errand and furthermore to set up complete data about the necessity, conduct and furthermore the other control like practical execution, etc. The primary reason for the Software Requirement Specification is to totally indicate the specialized prerequisites for the product item in a brief and in unambiguous way.

5.1 VISUAL STUDIO

In this task the Microsoft visual studio is used as an IDE. Visual Studio Code expresses the effortlessness of a source code editorial manager with incredible designer tooling, as IntelliSense code finish and investigating.

It is a manager that moves. The brilliantly grinding less alter assemble investigate cycle implies less time tinkering with your current circumstance, and additional time executing on your assessment.

Visual Studio Code helps macOS, Linux, and Windows - so you can waste no time, regardless of the stage.

Visual Studio Code includes a lightning quick source code manager, ideal for everyday use. With help for many dialects, VS Code assists you with being quickly profitable with sentence structure featuring, section coordinating, auto-space, box-choice, scraps, and the sky is the limit from there. Instinctive console alternate ways, straightforward customization and local area contributed console alternate route mappings let you explore your code easily.

For genuine coding, you'll frequently profit by apparatuses with more code keen than simply squares of text. Visual Studio Code remembers worked for help for

IntelliSense code finish, rich semantic code insightful and route, and code re-calculating.

Also, when the coding gets hard, the extreme get troubleshooting. Investigating is a lot of the one element that engineers miss most in a more slender coding experience, so we got it going. Visual Studio Code contains an intelligent debugger, so you can venture through source code, review factors, see call stacks, and execute orders in the reassurance.

Versus Code likewise consolidate with fabricate and scripting instruments to perform basic undertakings making ordinary work processes quicker. Versus Code has support for Git so you can work with source control without leaving the proofreader including seeing forthcoming changes diffs.

Modify each component to your solace and introduce quite a few outsider augmentations. While most premises, work "out of the crate" with no design, VS Code likewise develops with you, and we elevate you to enhance your experience to suit your remarkable necessities.

Versus Code permits enhanced inherent help for Node.js improvement with JavaScript and TypeScript, controlled by the very hidden innovations that drive Visual Studio. Versus Code likewise permits incredible tooling for web innovations like JSX/React, HTML, CSS, SCSS, Less, and JSON.

Structurally, Visual Studio Code joins the best of web, local, and language-explicit innovations. Utilizing Electron, VS Code mixes web advances, for example, JavaScript and Node.js with the speed and adaptability of local applications. Versus Code utilizes a fresher, speedier form of a similar mechanical strength HTML-based supervisor which is fueled the "Monaco" cloud manager, Internet Explorer's F12 Tools, and different tasks. Moreover, VS Code utilizes an apparatuses administration design that empowers it to incorporate with a large number of the very innovations that power

Visual Studio, including Roslyn for .NET, TypeScript, the Visual Studio investigating motor, and that's just the beginning.

Visual Studio Code incorporates a public adaptability model that allows designers to assemble and utilize augmentations, and luxuriously redo their alter fabricate troubleshoot insight.

5.2 PYTHON

Python is used as the programming language. In specialized terms, Python is an article arranged, undeniable level programming language with coordinated unique semantics mainly for web and application improvement. It is exceptionally interesting in the field of Rapid Application Development subsequently it offers dynamic composing and dynamic restricting alternatives.

Python is nearly basic, so it's not difficult to learn since it requires an interesting sentence structure that centres on understand ability. Engineers can anticipate and decipher Python code a lot simpler than different dialects. Thusly, this lessens the expense of program upkeep and improvement therefore it permits groups to work cooperatively without critical language and experience hindrances.

What's more, Python upholds the utilization of modules and bundles, which implies that projects can be planned in a particular style and code can be utilized again across an assortment of undertakings.

Quite possibly the most favorable advantages of Python is that both the standard library and the translator are accessible for nothing out of pocket, in both parallel and source structure. There is no singularity either, as Python and every one of the essential devices are accessible on all significant stages. Thus, it is a tempting choice for designers who would prefer not to stress over paying high improvement costs.

CHAPTER-6

RESULTS AND DISCUSSIONS

6.1 FINAL OUTPUTS




Fig 6.1 Dataset collection

The climate and arrangement on which run the code is being booted in the framework and the underneath screen capture shows the climate and arrangement to run the code:




Fig. 6.2 Python Environment & Setup

The following stage is information expansion, the cycle includes in a few activities like pivot, zooming to expand the dataset. The datasets are addressed in various points.

The below screenshot shows the dataset augmentation process:




Fig. 6.3 Dataset Augmentation

The following stage is information pre-preparing, in this stage the pictures gathered are set to standard goal design. The underneath screen capture shows the information picture prior to going through pre-preparing



Fig. 6.4 Before pre-processing

The below screenshot shows the pre-processing code which is executed to get the pre-processed output

```
HE2:SEORA > SEORA-PROJECT GUIDANCE > coding tasks 2019-20 > women_safety > women_safety_2_module > women_safety_preprocessing.py
1 # USAGE
2 # python minivggnet_flowerv17.py --dataset ../datasets/flowers17/images
3
4 # Import the necessary packages
5 from sklearn.preprocessing import LabelBinarizer
6 from sklearn.model_selection import train_test_split
7 from sklearn.metrics import classification_report
8 from deeplearning.preprocessing import ImageToArrayPreprocessor
9 from deeplearning.preprocessing import AspectAwarePreprocessor
10 from deeplearning.datasets import SimpleDatasetLoader
11 from deeplearning.nn.conv import MiniVGNet
12 from keras.optimizers import SGD
13 from imutils import paths
14 import matplotlib.pyplot as plt
15 import numpy as np
16 import argparse
17 import os
18
19 # construct the argument parser and parse the arguments
20 ap = argparse.ArgumentParser()
21 ap.add_argument("-d", "--dataset", required=True,
22                 help="path to input dataset")
23 args = vars(ap.parse_args())
24
25 # grab the list of images that we'll be describing, then extract
26 # the class label names from the image paths
27 print("[INFO] loading images...")
28 imagePath = list(paths.list_images(args["dataset"]))
29 classNames = [pt.split(os.path.sep)[-1] for pt in imagePath]
30 classNames = [str(x) for x in np.unique(classNames)]
31
32 # initialize the image preprocessors
33 ap = AspectAwarePreprocessor(64, 64)
```

Fig. 6.5 Pre-processing code

The below screenshot shows the image after pre-processing



Fig. 6.6 Image after pre-processing

After this execution the xml documents of the pictures are stacked for preparing where I train the dataset with Mobilenet yolo and create the model record for additional interaction. The underneath screen capture shows the preparation calculation being utilized:




Fig. 6.7 Labelling the dataset

The X,Y coordinates of the article in the images will be stored in the XML format which can be seen in the below Fig



Fig. 6.8 Annotated XML file

After this execution the xml documents of the pictures are stacked for preparing where I train the dataset with Mobilenet yolo and create the model record for additional interaction. The underneath screen capture shows the preparation calculation being utilized:

```

=====] - 1s 6ms/sample - loss: 2.4678 - acc: 0.9917
11/11 [=====] - 12s 1s/step - loss: 2.6288 - acc: 0.9333 - val_loss:
2.4694 - val_acc: 0.9917
[INFO] evaluating after fine-tuning...
      precision    recall  f1-score   support

001      1.00      0.10      0.17       21
002      0.00      0.00      0.00       19
003      0.20      0.17      0.18       18
004      0.61      1.00      0.75       20
005      0.33      0.89      0.48       19
006      0.84      0.67      0.74       24

 accuracy          0.79      121
 micro avg         0.81      0.81      0.90      121
 weighted avg      0.79      0.84      0.88      121

[INFO] serializing model...

```

Fig 6.9 Training output


The following stage is to apportion the circumstance for every workstation. The setup document here is utilized for this reason. For the every one of the workstation, if this time surpasses, quickly a SMS will be shipped off the incharge.

The below image shows the configuration allotted time

```
"first_workstation_alloted_time": 120,  
"second_workstation_alloted_time": 60,  
"third_workstation_alloted_time": 60,  
"fourth_workstation_alloted_time": 60
```

Fig 6.10 Configuration allotted time

At that point the model will be stacked to the video transfer so the prepared articles will be recognized. The beneath picture shows the model has been stacked.



```
Anaconda PowerShell Prompt (Anaconda3)  
(env_dlib) PS E:\SIEORA_PROJECT_WORK\development\object-tracking-detection-master> python centroid_tracking.py --con  
yolov3.cfg --weights yolov3.weights --classes yolov3.txt  
[INFO] loading model...  
[INFO] starting video stream...
```

Fig 6.11 Model loading

Presently for ongoing execution the camera is initiated in the subsequent stage, the camera doesn't identify any article at the underlying stage. The underneath picture shows the camera inception for article identification.




Fig 6.12 Frame initiation

At that point the video is been splitted into three workstations and the underneath screen capture shows the video outline without the article being distinguished at any of the workstations.




Fig 6.13 Video frame

Whenever an article is detected in the first workstation where the start and end working time are noted which can be seen in the below Figure




Fig 6.14 Article Recognition at first workstation.

When the distributed edge time to finish in the primary workstation, a SMS is shipped off the portable utilization of the creation director. The beneath picture shows the SMS for first workstation




Fig 6.15 First workstation SMS

Whenever an article is detected in the second workstation where the start and end working time are noted which can be seen in the below Fig .




Fig 6.16 Article Recognition at second workstation.

Once the allotted threshold time to complete in the second workstation has been exhausted, an SMS is sent to the mobile application of the production manager.

The below image shows the SMS for second workstation




Fig 6.17 Second workstation SMS

Whenever an article is detected in the third workstation where the start and end working time are noted which can be seen in the below Figure.




Fig 6.18 Article Recognition at third workstation

Once the allotted threshold time gets completed in the third workstation, an SMS is sent to the mobile application of the production manager. The below image shows the SMS for third workstation




Fig 6.19 Third workstation SMS

The start and end working time of the articles at each workstation are displayed.

The below image shows the configuration of working times for the three workstations.

```
1 [{"second_workstation_starttime": "16:33",  
2   "second_workstation_endtime": "16:34",  
3   "third_workstation_starttime": "16:33",  
4   "fourth_workstation_starttime": "16:33",  
5   "first_workstation_endtime": "16:34"}]
```

Fig 6.20 Configuration working time

Once the entire production phase of all three workstations are completed. A report is sent through E-mail to the production manager.

In the case 1, the working time at each workstation does not exceed the allotted time set to each workstation which is a normal work state.

The below image shows the scenario-1




Fig 6.21 Scenario 1

In the scenario 2, the working time of the article at the second workstation exceeds the allotted time which is an abnormal work state generating an instant SMS to the production manager.

The below image shows the scenario-2




Fig 6.22 Scenario 2

The production manager receives an E-mail from the system for abnormal condition. The below image shows the report that is sent through E-mail to the production manager.




Fig 6.23 Report sent to mail

Hence, the report is sent the production manager giving him/her an idea of the progress of work at each workstation automatically. Hence, this project reduces the workload for the management. Thus, I have successfully implemented the project.

6.2 COMPARISON BETWEEN EXISTING SYSTEM AND PROPOSED SYSTEM

In the existing system, article re-identification is performed to improve the tracking performance. By this system only vehicle and pedestrian article tracking can be done. This system cannot perform multiple article tracking. Pixel wise article tracking is not done which may lead to mismatch tracking. In the proposed system, I have overcome the disadvantages of the existing system by the implementation of the project using a YOLO v3 algorithm for, improving the accuracy of the system. The proposed system ensures perfect and automated monitoring in the manufacturing sector. By doing this the efficiency and robustness will increase and the performance of the output.

FACTORS	EXISTING SYSTEM	PROPOSED SYSTEM
ALGORITHM	Deeply-Supervised Attention Network (DSAN)	VGGNET
ACCURACY	Very low compared to other state-of-art methods	Has very high accuracy
ARTICLE RECOGNITION & TRACKING	The method makes use of primitive algorithms	The method makes use of YOLO v3 for ARTICLE RECOGNITION & TRACKING
COST	The system is very expensive.	The system is cheap and effective.
APPLICATION	The method is applicable only for multiple article tracking.	The method is applicable in industrial and production spaces.

CHAPTER – 7

CONCLUSION AND FUTURE WORK

7.1 CONCLUSION

This project is successfully implemented for effective monitoring of work states in the manufacturing sector using the artificial intelligence approach. This project is very helpful in reducing the burden on the management of constant monitoring and also any possibility in human error is removed.

7.2 FUTURE WORK

In the coming future, we review the application of the production technology in the manufacturing field and it can promote for advance the manufacturing technology with more accuracy. Thus, this project has an efficient scope in coming future where this idea can be converted to computerized production in a cheap way.

REFERENCE

- [1] Yi Liu, Liming Zhang , Member, IEEE, Zhihui Chen, Yan Yan , Member, IEEE, and Hanzi Wang , “Multi-Stream Siamese and Faster Region-Based Neural Network for Real-Time Article Tracking”, Vol No:1524-9050, 2020
- [2] Dong Sun, Renfei Huang, Yuanzhe Chen, Yong Wang, Jia Zeng, Mingxuan Yuan, Ting-Chuen Pong, Huamin Qu, “PlanningVis: A Visual Analytics Approach to Production Planning in Smart Factories”, 2020
- [3] Peng Tang, Chunyu Wang, Xinggang Wang, Wenyu Liu, Wenjun Zeng, Jingdong Wang, “Article Recognition in High Resolution Remote Sensing Imagery Based on Convolutional Neural Networks With Suitable Article Scale Features”, Vol No: 0196-2892, 2020.
- [4] Yunhang Shen, Rongrong Ji , Changhu Wang, Xi Li, Xuelong Li, “Weakly Supervised Article Recognition via Article -Specific Pixel Gradient”, Vol .No.: 2162-237X, 2018.
- [5] Afsaneh Asaei, Senior Member, Milos Cernak, Hervé Boursard, “Perceptual Information Loss due to Impaired Speech Production”, Vol No: 2329-9290, 2017.
- [6] Yunhang Shen, Rongrong Ji , Changhu Wang, Xi Li, Xuelong Li , “Severely Blurred Article Tracking by Learning Deep Image Representations”,Vol No: 1051-8215, 2017.
- [7] Guillaume Tochon, Jocelyn Chanussot, Mauro Dalla Mura, Andrea L. Bertozzi, “Article Tracking by Hierarchical Decomposition of Hyperspectral Video Sequences: Application to Chemical Gas Plume Tracking”,Vol: 0196-2892, 2017.
- [8] Qing Duan, Jun Zeng, Krishnendu Chakrabarty, Gary Dispoto, “Real-Time Production Scheduler for Digital-Print-Service Providers Based on a Dynamic Incremental Evolutionary Algorithm”, Vol. 1545-5955, 2015.

- [9] Qichang Hu, Sakrapee Paisitkriangkrai, Chunhua Shen, Anton van den Hengel, Fatih Porikli, "Automated Underwater Article Recognition by Means of Fluorescence LIDAR", Vol. No: 0196-2892, 2015.
- [10] Jianwei Ding, Yongzhen Huang, Wei Liu, Kaiqi Huang, "Grid-Based Article Tracking With Nonlinear Dynamic State and Shape Estimation", Vol. 1524-9050, 2019.
- [11] Zhipeng Dong , Mi Wang , Yanli Wang , Ying Zhu , and Zhiqi Zhang, "Production Control to Reduce Starvation in a Partially Flexible Production-Inventory System", 2015]

bharath

by wins research

Submission date: 17-Apr-2021 10:27AM (UTC-0400)

Submission ID: 1560772105

File name: Final_production_report__Barath.docx (3.53M)

Word count: 7834

Character count: 44624

ORIGINALITY REPORT

20%

SIMILARITY INDEX

17%

INTERNET SOURCES

4%

PUBLICATIONS

15%

STUDENT PAPERS

PRIMARY SOURCES

1	www.researchgate.net Internet Source	4%
2	Submitted to Coventry University Student Paper	2%
3	iotdesignpro.com Internet Source	2%
4	Submitted to Amity University Student Paper	2%
5	Submitted to TED Rönesans Koleji Student Paper	1%
6	www.investopedia.com Internet Source	1%
7	docplayer.net Internet Source	1%
8	Submitted to City University of Hong Kong Student Paper	1%
9	Submitted to Ghana Technology University College Student Paper	1%

10	Alexandria Trattner, Lars Hvam, Anders Haug. "Why slow down? Factors affecting speed loss in process manufacturing", The International Journal of Advanced Manufacturing Technology, 2019 Publication	1 %
11	Submitted to Asia Pacific University College of Technology and Innovation (UCTI) Student Paper	1 %
12	Submitted to Softwarica College Of IT & E- Commerce Student Paper	1 %
13	Submitted to Higher Education Commission Pakistan Student Paper	1 %
14	starresearches.wordpress.com Internet Source	1 %
15	Submitted to Campbellsville University Student Paper	<1 %
16	Submitted to Baze University Student Paper	<1 %
17	www.arduino startups.com Internet Source	<1 %
18	en.wikipedia.org Internet Source	<1 %

xplorestaging.ieee.org

19

Internet Source

<1 %

20

Submitted to colorado-technical-university

Student Paper

<1 %

21

Submitted to Melbourne Institute of
Technology

Student Paper

<1 %

22

dblp.dagstuhl.de

Internet Source

<1 %

23

www.iccs.informatics.ed.ac.uk

Internet Source

<1 %

24

code.visualstudio.com

Internet Source

<1 %

25

Submitted to Veer Surendra Sai University of
Technology

Student Paper

<1 %

26

backend.orbit.dtu.dk

Internet Source

<1 %

27

Blessed Joshua A., Jenita Grace J., Allan Mary
George. "Open CV pattern based smart bank
security system with theft & identification
using Android", 2016 2nd International
Conference on Applied and Theoretical
Computing and Communication Technology
(iCATccT), 2016

Publication

<1 %