

STUDENT MANAGEMENT SYSTEM IN PHP

Submitted in partial fulfillment of the requirements for the award of
Bachelor of Science Degree in Computer Science

By

SARAVANAN.S (Reg. No. 38290078)

PRAMODH.P (Reg. No. 38290066)



**DEPARTMENT OF COMPUTER SCIENCE
AND ENGINEERING SCHOOL OF COMPUTING**

**SATHYABAMA
INSTITUTE OF SCIENCE AND TECHNOLOGY
JEPPIAAR NAGAR, RAJIV GANDHI
SALAI, CHENNAI – 600119, TAMILNADU**

APRIL 2021



SATHYABAMA

INSTITUTE OF SCIENCE AND TECHNOLOGY
(DEEMED TO BE UNIVERSITY)

Accredited with Grade “A” by NAAC

(Established under Section 3 of UGC Act, 1956)

JEPPIAAR NAGAR, RAJIV GANDHI SALAI, CHENNAI– 600119

www.sathyabama.ac.in



DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING

BONAFIDE CERTIFICATE

This is to certify that this Project Report is the bonafide work of **SARAVANAN.S (Reg. No. 38290078)** and **PROMODH.P (Reg. No. 38290066)** who carried out the project entitled “**STUDENT MANAGEMENT SYSTEM IN PHP**” under our supervision from November 2020 to April 2021.

Internal Guide

Dr. PREM JACOB M.E., Ph.D.,

Head of the Department

Dr. S. VIGNESHWARI , M.E., Ph.D.,

Submitted for Viva voce Examination held on _____

DECLARATION

I, **SARAVANAN.S (Reg. No. 38290078)** and **PRAMODH.P (Reg. No. 38290066)** hereby declare that the Project Report entitled " **STUDENT MANAGEMENT SYSTEM IN PHP** " done by me under the guidance of **Dr.PREM JACOB M.E.,Ph.D.**, is submitted in partial fulfillment of the requirements for the award of Bachelor of Science degree in Computer Science

DATE:

PLACE: CHENNAI

SIGNATURE OF THE CANDIDATE

ACKNOWLEDGEMENT

I am pleased to acknowledge my sincere thanks to Board of Management of **SATHYABAMA** for their kind encouragement in doing this project and for completing it successfully. I am grateful to them.

I convey my thanks to **Dr. T. SASIKALA, M.E., Ph.D.**, Dean, School of Computing
and

Dr. S. VIGNESHWARI, M.E., Ph.D., and Dr. L. LAKSHMANAN, M.E., Ph.D., Head of the Department, Department of Computer Science and Engineering for providing me necessary support and details at the right time during the progressive reviews.

I would like to express my sincere and deep sense of gratitude to my Project Guide **Dr. PREM JACOB, M.E , Ph.D** for his valuable guidance, suggestions and constant encouragement paved way for the successful completion of my project work.

I wish to express my thanks to all Teaching and Non-teaching staff members of the Department of Computer Science and Engineering who were helpful in many ways
For the Completion of the project.

INDEX

S.NO	CONTENT	PG.NO
1.	Objective And Introduction	6-7
2.	Features	8
3.	Major Modules	9
4.	Functionalities of modules	10-11
5.	Flow chart for validation	12
6.	Blueprint of the application	13-16
7.	H/W and S/W requirements	17
8.	Input and Output	18
9.	Source code	19-42
10.	Conclusion	43

Objective and Introduction

- At present the concept of online student registration form has emerged as a great relief for the educational institutes
- across the world as it saves the time for both the students as well as managements in addition to it reduces risk of loosing data which was a great concern with manual registration forms
- JavaScript validation has been used. if you do not enter any value in the text fields, an error message will appear.
- In this Student registration form, filling up every field is mandatory and will show an error message if any field is left blank.
- Further changes can be made as per the requirements by the programmer. Once all the fields are filled correctly, submit form adds the data

- Registration form is developed using the HTML tags and it includes form, text and button elements.
- These elements are using and form the created and finally JavaScript is added for the validation of the screen.
- JavaScript validates the form before it is submitted to the server. Client side validation is also necessary because data is validated before sending it to the server

FEATURES

1. Sign in – Sign up
2. Admin panel
3. Add/ViewStudents,Units,Courses, AttendanceRecords,Marks,Academic Year
4. Membership management
5. Add Groups
6. Edit Anonymous Permissions
7. Add Members
8. View Data record
9. Database Backups
10. Import CSV file to the database
11. Batch Transfer of ownership

Major Modules

- **Student**
- **institutes**

Functionalities of modules


Students can perform the following operations:-

- ✓ Students can fill their details as per their requirements from the institutions
- ✓ They can even make changes and reset the applications whenever necessary
- ✓ It is very easy way to register your applications through online nowadays in the internet world

Institute can perform the following operations:-


- ✓ They can collect the student information through the application form
- ✓ They can make use of the details whenever necessary
- ✓ They can save the informations safely and it cannot be loose it any where

Flowchart validation



Blueprint of the application

Dashboard of the Student Management



Sign in page

The screenshot shows the 'Sign In Here' page. The page has a green header with 'StudentManagement'. The main content area is light gray. On the right, there is a 'Sign In Here' section with a 'Sign Up' button. Below this, there are input fields for 'Username' and 'Password'. A link 'Forgot your password? Click here' is provided. A 'Remember me' checkbox is also present. A blue 'Sign In' button is at the bottom of the form.

Attendance Page

Student Management Control panel

Admin - dashboard

Quick Search

[Add New](#)
[Print Preview](#)
[Save CSV](#)
[Filter](#)
[Show All](#)

Student	Regno	Week	Date	Unit	Attended	Semester	Academicyear
☐ Anwar Moha	IT/08/17	2	02/08/2018	IRD 200	✓	1	2017/2018
☐ saravanan	BBA/09/16	4	02/08/2018	COM 211	✓	2	2017/2018
☐ Anwar Moha	IT/08/17	4	02/19/2018	COM 211	✓	1	2017/2018

Records 1 to 3 of 3

[Previous](#)
[Next](#)

Students page

Student Management Control panel

Admin - dashboard

Quick Search

[Add New](#)
[Print Preview](#)
[Save CSV](#)
[Filter](#)
[Show All](#)

Regno	Name	Course	Year of study	Academicyear
☐ BBA/09/16	saravanan	Business Administration	3RD	2017/2018
☐ COS/211/016	KIJANA SANA	Computer Science	2ND	2017/2018
☐ IT/08/17	Anwar Moha	Information technology	2ND	2017/2018
☐ KVDA/012/2562	surya	home science	3RD	2018/2019
☐ TED/118/16	ted	Technology Education	2ND	2017/2018

Records 1 to 5 of 5

[Previous](#)
[Next](#)

Password Reset page

The screenshot shows the 'Student Management' interface. The top header is green with 'StudentManagement' on the left and 'You are not signed in' with a 'Sign In' button on the right. A dark sidebar on the left contains a user profile 'guest' (Online) and a list of menu items: Dashboard, Students, Units, Courses, Attendance Record, Marks, Academic Year, and ACTIONS. The main content area has a title 'Student Management Control panel' and 'Password Reset Page'. A blue box contains the instruction: 'Enter your username or email address below. We'll then send a special link to your email. After you click on that link, you'll be asked to enter a new password.' Below this are two input fields: 'Username' and 'Or: Email Address'. An 'Ok' button is at the bottom.

StudentManagement

guest Online

Dashboard

Students

Units

Courses

Attendance Record

Marks

Academic Year

ACTIONS

Student Management Control panel

Admin dashboard

Password Reset Page

Enter your username or email address below. We'll then send a special link to your email. After you click on that link, you'll be asked to enter a new password.

Username

Username

Or: Email Address

Email Address

Ok

New User Signup page

The screenshot shows the 'Student Management' interface with a 'Sign Up Here!' modal form. The top header is green with 'StudentManagement' on the left and 'You are not signed in' with a 'Sign In' button on the right. The sidebar is partially visible. The modal form has a title 'Sign Up Here!' and a red error message: 'Username already exists or is invalid. Make sure you provide a username containing 4 to 20 valid characters.' The form fields include: 'Username' (with error), 'Password' and 'Confirm Password' (with error), 'Email Address', 'Group' (dropdown menu with 'demo' selected), 'Full Name', 'Address', 'City', and 'State'. A 'Sign Up' button is at the bottom.

StudentManagement

Sign In

You are not signed in

Sign Up Here!

Username

Username

✖ Username already exists or is invalid. Make sure you provide a username containing 4 to 20 valid characters.

Password

Confirm Password

Password

Confirm Password

Email Address

Email Address

Group

demo

If you choose to sign up to a group marked with an asterisk (*), you won't be able to log in until the admin approves you. You'll receive an email when you are approved.

Full Name

Full Name

Address

Address

City

City

State

State

Sign Up

Members management homepage

Membership Management Homepage

Maintenance mode: OFF ON

Newest Updates

- 03/21/2021, 01:21 pm TED/118/16, ted, 5, 2ND, 1
- 03/21/2021, 01:20 pm KVDA/012/2562, surya, 4, 3RD, 2
- 03/21/2021, 01:20 pm BBA/09/16, saravanan, 2, 3RD, 1
- 02/19/2018, 11:22 am 4, MAT 203
- 02/19/2018, 08:57 am IT/08/17, IT/08/17, 4, 2018-02-19, 2...

Newest Entries

- 02/19/2018, 11:22 am 4, MAT 203
- 02/19/2018, 10:37 am KVDA/012/2562, surya, 4, 3RD, 2
- 02/19/2018, 08:57 am IT/08/17, IT/08/17, 4, 2018-02-19, 2...
- 02/18/2018, 08:22 pm COS/211/016, KIJANA SANA, 1, 2N...
- 02/08/2018, 07:32 am 2, CAT 1, 1, BBA/09/16, BBA/09/16,...

Top Members

- admin 20 records
- lecturer 1 records

Members Stats

- Total groups 4
- Active members 5
- Members awaiting approval 0
- Banned members 0
- Total members 5

XAMPP controlpanel

XAMPP Control Panel v3.2.4 [Compiled: Jun 5th 2019]

XAMPP Control Panel v3.2.4

Service	Module	PID(s)	Port(s)	Actions
	Apache	20392 19544	80, 443	Stop Admin Config Logs
	MySQL	3416	3306	Stop Admin Config Logs
	FileZilla			Start Admin Config Logs
	Mercury			Start Admin Config Logs
	Tomcat			Start Admin Config Logs

17:33:39 [main] All prerequisites found
17:33:39 [main] Initializing Modules
17:33:39 [main] Starting Check-Timer
17:33:39 [main] Control Panel Ready
17:33:41 [Apache] Attempting to start Apache app...
17:33:41 [Apache] Status change detected: running
17:33:42 [mysql] Attempting to start MySQL app...
17:33:43 [mysql] Status change detected: running

H/W and S/W Requirements

HARDWARE
Processor : intel core i3
Ram : 8Gb
HDD : 500Gb
SOFTWARE
PHP
Notepad(HTML)
CSS

Input and Output

Input :-

Registration ,updtation and view of modules by student and institution

Output:-

The report of the student details or students information for the benefit of the institution

SOURCE CODE

```
<!DOCTYPE html>

<html>

<head>

  <meta charset="utf-8">

  <meta http-equiv="X-UA-Compatible"
content="IE=edge">

  <title>Student Management System | Homepage</title>

  <!-- Tell the browser to be responsive to screen width -->

  <meta content="width=device-width, initial-scale=1,
maximum-scale=1, user-scalable=no" name="viewport">

  <link rel="stylesheet"
href="bower_components/bootstrap/dist/css/bootstrap.min.c
ss">

  <!-- Font Awesome -->

  <link rel="stylesheet" href="bower_components/font-
awesome/css/font-awesome.min.css">

  <!-- Ionicons -->

  <link rel="stylesheet"
href="bower_components/Ionicons/css/ionicons.min.css">

  <!-- Theme style -->

  <link rel="stylesheet" href="dist/css/AdminLTE.min.css">
```

<!-- AdminLTE Skins. We have chosen the skin-blue for this starter

page. However, you can choose any other skin. Make sure you

apply the skin class to the body tag so the changes take effect. -->

```
<link rel="stylesheet" href="dist/css/skins/skin-green.min.css">
```

```
<link id="browser_favicon" rel="shortcut icon" href="resources/images/appgini-icon.png">
```

```
<link rel="stylesheet" href="resources/initializr/css/bootstrap.css">
```

```
<!--[if gt IE 8]><!-->
```

```
<link rel="stylesheet" href="resources/initializr/css/bootstrap-theme.css">
```

```
<!--<![endif]-->
```

```
<link rel="stylesheet" href="resources/lightbox/css/lightbox.css" media="screen">
```

```
<link rel="stylesheet" href="resources/select2/select2.css" media="screen">
```

```
<link rel="stylesheet" href="resources/timepicker/bootstrap-timepicker.min.css" media="screen">
```

```
<link rel="stylesheet"
href="resources/datepicker/css/datepicker.css"
media="screen">
```

```
<link rel="stylesheet" href="dynamic.css.php">
```

```
<!--[if lt IE 9]>
```

```
<script src="resources/initializr/js/vendor/modernizr-
2.6.2-respond-1.1.0.min.js"></script>
```

```
<![endif]-->
```

```
<script src="resources/jquery/js/jquery-
1.12.4.min.js"></script>
```

```
<script>var $j = jQuery.noConflict();</script>
```

```
<script
src="resources/jquery/js/jquery.mark.min.js"></script>
```

```
<script
src="resources/initializr/js/vendor/bootstrap.min.js"></scrip
t>
```

```
<script src="resources/lightbox/js/prototype.js"></script>
```

```
<script
src="resources/lightbox/js/scriptaculous.js?load=effects"></
script>
```

```
<script src="resources/select2/select2.min.js"></script>
```

```
<script src="resources/timepicker/bootstrap-
timepicker.min.js"></script>
```

```
<script src="resources/jscookie/js.cookie.js"></script>
```

```
<script
src="resources/datepicker/js/datepicker.packed.js"></script
>
```

```
<script src="common.js.php"></script>
```

```
<!-- Google Font -->
```

```
<link rel="stylesheet"
```

```
href="https://fonts.googleapis.com/css?family=Source+Sans
s+Pro:300,400,600,700,300italic,400italic,600italic">
```

```
</head>
```

```
<body class="hold-transition skin-green sidebar-mini">
```

```
<div class="wrapper">
```

```
<!-- Main Header -->
```

```
<header class="main-header">
```

```
<!-- Logo -->
```

```
<a href="index.php" class="logo">
```

```
<!-- mini logo for sidebar mini 50x50 pixels -->
```

```
<span class="logo-mini"><b>S</b>M</span>
```

```
<!-- logo for regular state and mobile devices -->
```

```
<span class="logo-
lg"><b>Student</b>Management</span>
```


<!-- Header Navbar -->

<nav class="navbar navbar-static-top"
role="navigation">

<!-- Sidebar toggle button-->

<a href="#" class="sidebar-toggle" data-toggle="push-
menu" role="button">

Toggle navigation

<!-- Navbar Right Menu -->

<div class="navbar-custom-menu">

<ul class="nav navbar-nav">

<a href="admin/pageHome.php" class="btn
btn-danger navbar-btn btn-sm hidden-xs"><i
class="glyphicon glyphicon-cog"></i> Admin Area

<a href="admin/pageHome.php" class="btn btn-
danger navbar-btn btn-sm visible-xs btn-sm"><i
class="glyphicon glyphicon-cog"></i> Admin Area

<ul class="nav navbar-nav
navbar-right hidden-xs" style="min-width: 330px;">


```

        <ul class="nav navbar-nav visible-xs">

        </ul>

        </li>

    </ul>

</div>

</nav>

</header>

<!-- Left side column. contains the logo and sidebar -->

<aside class="main-sidebar">

    <!-- sidebar: style can be found in sidebar.less -->

    <section class="sidebar">

        <!-- Sidebar user panel (optional) -->

        <div class="user-panel">

            <div class="pull-left image">

            </div>

            <div class="pull-left info">

```

```

<p class="navbar-text text-center">

    <strong><a href="membership_profile.php"
class="text-success">ronald</a></strong>

</p>

<!-- Status -->

    <a href="#"><i class="fa fa-circle text-success"></i>
Online</a>

</div>

</div>

<!-- search form (Optional) -->

<!-- /.search form -->

<!-- Sidebar Menu -->

<ul class="sidebar-menu" data-widget="tree">

    <li class="header">HEADER</li>

    <!-- Optionally, you can add icons to the links -->

    <li class="active"><a href="index.php"><i class="fa
fa-dashboard"></i> <span>Dashboard</span></a></li>

    <li><a href="students_view.php"><i class="fa fa-
users"></i> <span>Students</span></a></li>

    <li><a href="units_view.php"><i class="fa fa-
book"></i> <span>Units</span></a></li>

```

<i class="fa fa-pencil"></i> Courses

<i class="fa fa-pie-chart"></i> Attendance Record

<i class="fa fa-edit"></i> Marks

<i class="fa fa-calendar"></i> Academic Year

<li class="treeview">

<i class="fa fa-cogs"></i>
ACTIONS

<i class="fa fa-angle-left pull-right"></i>

<ul class="treeview-menu">

 <i class="glyphicon glyphicon-log-out"></i> Sign Out


```

        <!-- /.sidebar-menu -->

</section>

<!-- /.sidebar -->

</aside>

<!-- Content Wrapper. Contains page content -->

<div class="content-wrapper"><br>

<section class="content-header">

    <h1>

        Student Management

        <small>Control panel</small>

    </h1>

    <ol class="breadcrumb">

        <li><a href="index.php"><i class="fa fa-
dashboard"></i>Admin</a></li>

        <li class="active">dashboard</li>

    </ol>

</section>

<!-- REQUIRED JS SCRIPTS -->

<!-- jQuery 3 -->

<script
src="bower_components/jquery/dist/jquery.min.js"></script
>

```

```
<!-- Bootstrap 3.3.7 -->

<script
src="bower_components/bootstrap/dist/js/bootstrap.min.js"
></script>

<!-- AdminLTE App -->

<script src="dist/js/adminlte.min.js"></script><!DOCTYPE
html>

<html>

<head>

<title>Dashboard</title>

<meta content="width=device-width, initial-scale=1,
maximum-scale=1, user-scalable=no" name="viewport">

<!-- Bootstrap 3.3.7 -->

<link rel="stylesheet"
href="bower_components/bootstrap/dist/css/bootstrap.min.c
ss">

<!-- Font Awesome -->

<link rel="stylesheet" href="bower_components/font-
awesome/css/font-awesome.min.css">

<!-- Ionicons -->

<link rel="stylesheet"
href="bower_components/Ionicons/css/ionicons.min.css">

<!-- Theme style -->

<link rel="stylesheet" href="dist/css/AdminLTE.min.css">
```

```
<!-- AdminLTE Skins. Choose a skin from the css/skins  
    folder instead of downloading all of them to reduce the  
    load. -->
```

```
<link rel="stylesheet" href="dist/css/skins/_all-  
skins.min.css">
```

```
<!-- Morris chart -->
```

```
<link rel="stylesheet"  
href="bower_components/morris.js/morris.css">
```

```
<!-- jvectormap -->
```

```
<link rel="stylesheet"  
href="bower_components/jvectormap/jquery-  
jvectormap.css">
```

```
<!-- Date Picker -->
```

```
<link rel="stylesheet" href="bower_components/bootstrap-  
datepicker/dist/css/bootstrap-datepicker.min.css">
```

```
<!-- Daterange picker -->
```

```
<link rel="stylesheet" href="bower_components/bootstrap-  
daterangepicker/daterangepicker.css">
```

```
<!-- bootstrap wysihtml5 - text editor -->
```

```
<link rel="stylesheet" href="plugins/bootstrap-  
wysihtml5/bootstrap3-wysihtml5.min.css">
```

```
<!-- Google Font -->
```

```
<link rel="stylesheet"
```

href="https://fonts.googleapis.com/css?family=Source+Sans+Pro:300,400,600,700,300italic,400italic,600italic">

<link id="browser_favicon" rel="shortcut icon"
href="resources/images/appgini-icon.png">

<link rel="stylesheet"
href="resources/initializr/css/bootstrap.css">

<!--[if gt IE 8]><!-->

<link rel="stylesheet"
href="resources/initializr/css/bootstrap-theme.css">

<!--<![endif]-->

<link rel="stylesheet"
href="resources/lightbox/css/lightbox.css" media="screen">

<link rel="stylesheet"
href="resources/select2/select2.css" media="screen">

<link rel="stylesheet"
href="resources/timepicker/bootstrap-timepicker.min.css"
media="screen">

<link rel="stylesheet"
href="resources/date picker/css/date picker.css"
media="screen">

<link rel="stylesheet" href="dynamic.css.php">

<!--[if lt IE 9]>

```

    <script src="resources/initializr/js/vendor/modernizr-
2.6.2-respond-1.1.0.min.js"></script>

    <![endif]-->

    <script src="resources/jquery/js/jquery-
1.12.4.min.js"></script>

    <script>var $j = jQuery.noConflict();</script>

    <script
src="resources/jquery/js/jquery.mark.min.js"></script>

    <script
src="resources/initializr/js/vendor/bootstrap.min.js"></scrip
t>

    <script src="resources/lightbox/js/prototype.js"></script>

    <script
src="resources/lightbox/js/scriptaculous.js?load=effects"></
script>

    <script src="resources/select2/select2.min.js"></script>

    <script src="resources/timepicker/bootstrap-
timepicker.min.js"></script>

    <script src="resources/jscookie/js.cookie.js"></script>

    <script
src="resources/date picker/js/date picker.packed.js"></script
>

    <script src="common.js.php"></script>

</head>

<body>

```

```

<!--widgets here-->

<div class="row">

    <div class="col-lg-3 col-xs-6">

        <!-- small box -->

        <div class="small-box bg-aqua">

            <div class="inner">

                <h3>5</h3>

                <p>Students</p>

            </div>

            <div class="icon">

                <i class="fa fa-users"></i>

            </div>

            <a href="students_view.php" class="small-box-
footer">More info <i class="fa fa-arrow-circle-
right"></i></a>

        </div>

    </div>

    <!-- ./col -->

    <div class="col-lg-3 col-xs-6">

        <!-- small box -->

```

```

<div class="small-box bg-green">

  <div class="inner">

    <h3>4</h3>


    <p>Units</p>

  </div>

  <div class="icon">

    <i class="fa fa-book"></i>

  </div>

  <a href="units_view.php" class="small-box-
footer">More info <i class="fa fa-arrow-circle-
right"></i></a>

  </div>

</div>

<!-- ./col -->

<div class="col-lg-3 col-xs-6">

  <!-- small box -->

  <div class="small-box bg-yellow">

    <div class="inner">

      <h3>5</h3>

```

```

        <p>Courses</p>

    </div>

    <div class="icon">

        <i class="fa fa-graduation-cap"></i>

    </div>

    <a href="courses_view.php" class="small-box-
footer">More info <i class="fa fa-arrow-circle-
right"></i></a>

    </div>

</div>

<!-- ./col -->

<div class="col-lg-3 col-xs-6">

    <!-- small box -->

    <div class="small-box bg-red">

        <div class="inner">

            <h3>2</h3>

            <p>Marks</p>

        </div>

        <div class="icon">

            <i class="fa fa-bar-chart"></i>

```

</div>

More info <i class="fa fa-arrow-circle-right"></i>

</div>

</div>

<!-- ./col -->

</div>

<!--calender events-->

<div class="box box-solid bg-green">

<div class="box-header">

<i class="fa fa-calendar"></i>

<h3 class="box-title">Calendar</h3>

<!-- tools box -->

<div class="pull-right box-tools">

<!-- button with a dropdown -->

<div class="btn-group">

<button type="button" class="btn btn-success btn-sm dropdown-toggle" data-toggle="dropdown">

<i class="fa fa-bars"></i></button>

```

        <ul class="dropdown-menu pull-right"
role="menu">

            <li><a href="#">Add new event</a></li>

            <li><a href="#">Clear events</a></li>

            <li class="divider"></li>

            <li><a href="#">View calendar</a></li>

        </ul>

    </div>

    <button type="button" class="btn btn-success btn-
sm" data-widget="collapse"><i class="fa fa-minus"></i>

    </button>

    <button type="button" class="btn btn-success btn-
sm" data-widget="remove"><i class="fa fa-times"></i>

    </button>

</div>

<!-- /. tools -->

</div>

<!-- /.box-header -->

<div class="box-body no-padding">

    <!--The calendar -->

    <div id="calendar" style="width: 100%"></div>

</div>

```

```

<!-- /.box-body -->

    <!-- /.col -->

</div>

<ul class="timeline">

    <!-- timeline time label -->

    <li class="time-label">

        <span class="bg-red">

            10 Feb. 2018

        </span>

    </li>

    <!-- /.timeline-label -->

    <!-- timeline item -->

    <li>

        <!-- timeline icon -->

        <i class="fa fa-envelope bg-blue"></i>

        <div class="timeline-item">

            <span class="time"><i class="fa fa-clock-o"></i>

12:05</span>

```

```
    <h3 class="timeline-header"><a href="#">Support
Team</a> ...</h3>
```

```
    <div class="timeline-body">
```

```
        ...
```

```
        Content goes here
```

```
    </div>
```

```
    <div class="timeline-footer">
```

```
        <a class="btn btn-primary btn-xs">...</a>
```

```
    </div>
```

```
</div>
```

```
</li>
```

```
<!-- END timeline item -->
```

```
</ul>
```

```
<!--next content-->
```

```
    <!-- /.row -->
```

```
    </div>
```

```
</div>
```

```
</div>
```

```
<!-- ./wrapper -->
```

```
<!-- jQuery 3 -->
```

```
<script  
src="../../bower_components/jquery/dist/jquery.min.js"></scri  
pt>
```

```
<!-- Bootstrap 3.3.7 -->
```

```
<script  
src="../../bower_components/bootstrap/dist/js/bootstrap.min.js  
></script>
```

```
<!-- jQuery UI 1.11.4 -->
```

```
<script src="../../bower_components/jquery-ui/jquery-  
ui.min.js"></script>
```

```
<!-- Slimscroll -->
```

```
<script src="../../bower_components/jquery-  
slimscroll/jquery.slimscroll.min.js"></script>
```

```
<!-- FastClick -->
```

```
<script  
src="../../bower_components/fastclick/lib/fastclick.js"></scrip  
t>
```

```
<!-- AdminLTE App -->
```

```
<script src="../../dist/js/adminlte.min.js"></script>
```

```
<!-- AdminLTE for demo purposes -->
```

```

<script src="../dist/js/demo.js"></script>

<!-- fullCalendar -->

<script
src="../bower_components/moment/moment.js"></script>

<script
src="../bower_components/fullcalendar/dist/fullcalendar.min.js"></script>

<script
src="bower_components/jquery/dist/jquery.min.js"></script>
>

<!-- jQuery UI 1.11.4 -->

<script src="bower_components/jquery-ui/jquery-ui.min.js"></script>

<!-- Resolve conflict in jQuery UI tooltip with Bootstrap tooltip -->

<script>

    $.widget.bridge('uibutton', $.ui.button);

</script>

<!-- Bootstrap 3.3.7 -->

<script
src="bower_components/bootstrap/dist/js/bootstrap.min.js"
></script>

<!-- Morris.js charts -->

<script
src="bower_components/raphael/raphael.min.js"></script>

```

```

<script
src="bower_components/morris.js/morris.min.js"></script>

<!-- Sparkline -->

<script src="bower_components/jquery-
sparkline/dist/jquery.sparkline.min.js"></script>

<!-- jvectormap -->

<script src="plugins/jvectormap/jquery-jvectormap-
1.2.2.min.js"></script>

<script src="plugins/jvectormap/jquery-jvectormap-world-
mill-en.js"></script>

<!-- jQuery Knob Chart -->

<script src="bower_components/jquery-
knob/dist/jquery.knob.min.js"></script>

<!-- daterangepicker -->

<script
src="bower_components/moment/min/moment.min.js"></s
cript>

<script src="bower_components/bootstrap-
daterangepicker/daterangepicker.js"></script>

<!-- datepicker -->

<script src="bower_components/bootstrap-
datepicker/dist/js/bootstrap-datepicker.min.js"></script>

<!-- Bootstrap WYSIHTML5 -->

<script src="plugins/bootstrap-wysihtml5/bootstrap3-
wysihtml5.all.min.js"></script>

```

```
<!-- Slimscroll -->

<script src="bower_components/jquery-
slimscroll/jquery.slimscroll.min.js"></script>

<!-- FastClick -->

<script
src="bower_components/fastclick/lib/fastclick.js"></script>

<!-- AdminLTE App -->

<script src="dist/js/adminlte.min.js"></script>

<!-- AdminLTE dashboard demo (This is only for demo
purposes) -->

<script src="dist/js/pages/dashboard.js"></script>

<!-- AdminLTE for demo purposes -->

<script src="dist/js/demo.js"></script>

<!-- Page specific script -->

</body>

</html>
```

Conclusion

This project can highly increase the productivity of students, faculties, and teachers. Its advanced security and precise information can be of great use. This can highly reduce the incurred expenditure of an institution. It can store a lot of information precisely on the database. Edition, updation and deletion of the data are not tedious anymore. Further, advancements like displaying the information in the form of graphics and charts can also be implemented.