

PROFESSIONAL TRAINING REPORT

at

**Sathyabama Institute of Science and Technology
(Deemed to be University)**

Submitted in partial fulfillment of the requirements for the award of
Bachelor of Technology degree in

Information Technology

by

ARTHEESWARI P

38120012



**DEPARTMENT OF INFORMATION
TECHNOLOGY
SCHOOL OF COMPUTNG**

**SATHYABAMA INSTITUTE OF SCIENCE AND
TECHNOLOGY
(DEEMED TO BE UNIVERSITY)
Accredited with Grade "A" by NAAC
JEPPIAAR NAGAR, RAJIV GANDHI SALAI,
CHENNAI- 600 119**

JANUARY 2021



**SATHYABAMA
INSTITUTE OF SCIENCE AND TECHNOLOGY
(DEEMED TO BE UNIVERSITY)
Accredited with Grade “A” by NAAC
(Established under Section 3 of UGC Act, 1956)
JEPPIAAR NAGAR, RAJIV GANDHI SALAI,
CHENNAI– 600119
www.sathyabamauniversity.ac.in**



DEPARTMENT OF INFORMATION TECHNOLOGY

BONAFIDE CERTIFICATE

This is to certify that this **Professional** Training Report is the bonafide work of **Artheeswari P(Reg. No. 38120012)** who underwent the professional training in **“FLAVOURSOME - RESTAURANT WEBSITE”** under our supervision from August 2020 to January 2021

Internal Guide

Dr.V.MARIA ANU.,M.E.,Ph.D.,

Head of the Department

Dr. R.Subhashini, M.E., Ph.D.,

Submitted for Viva voce Examination held on _____

Internal Examiner

External Examiner

DECLARATION

I **Artheeswari P(Reg. No. 38120012)** hereby declare that the Professional Training Report on “**FLAVOURSOME - RESTAURANT WEBSITE**” done by me under the guidance of **Dr.V.Maria Anu.,M.E.,Ph.D**,at Sathyabama Institute of Science and Technology is submitted in partial fulfillment of the requirements for the award of Bachelor of Technology degree in Information And Technology.

DATE:22/01/2021

PLACE:

SIGNATURE OF THECANDIDATE

ACKNOWLEDGEMENT

I am pleased to acknowledge my sincere thanks to **Board of Management of SATHYABAMA INSTITUTE OF SCIENCE AND TECHNOLOGY** for their kind encouragement in doing this project and for completing it successfully. I am grateful to them.

I convey my thanks to **Dr. T.Sasikala M.E., Ph.D.**, Dean, School of Computing , **Dr.SUBHASHINI, M.E., Ph.D.**, Head of the Department of Information and Technology for providing me necessary support and details at the right time during the progressive reviews.

I would like to express my sincere and deep sense of gratitude to my Project Guide **Dr. V.Maria Anu, M.E.,Ph.D.**, for her valuable guidance, suggestions and constant encouragement paved way for the successful completion of my project work.

I wish to express my thanks to all Teaching and Non-teaching staff members of the **Department of Information Technology** who were helpful in many ways for the completion of the project.

TRAINING CERTIFICATE:


**RETECH**
SOLUTIONS PVT. LTD.
An ISO 9001:2015 certified company

INT: RE20S060

TO WHOMSOEVER IT MAY CONCERN

This is to certify that **ARTHEESWARI P** student of **SATHYABAMA INSTITUTE OF SCIENCE AND TECHNOLOGY, BTECH/IT** has undergone the Internship Training through online in our concern entitled **PHP&SQL** from **3rd Aug 2020 to 14th Aug 2020** in relevant departments related to their academic studies.

During the above period, the performance was good & we wish great success in all your future endeavours.



Technology drives the world. We are the people who are behind the technology.

Authorised Signature



No-31, 1st Floor, Alagesan Street, Tambaram West, Chennai-45.



05/10/2020

Artheeswari P

has successfully completed

Introduction to HTML5

an online non-credit course authorized by University of Michigan and offered through
Coursera

Colleen van Lent

Colleen van Lent, Ph.D.
Lecturer
School of Information, University of Michigan

Charles Severance

Charles Severance
Clinical Professor, School of Information
University of Michigan

**COURSE
CERTIFICATE**



Verify at coursera.org/verify/ZyHVTX43jMRW
Coursera has confirmed the identity of this individual and
their participation in the course.

ABSTRACT

Having a website promoting the restaurant business is a must nowadays for showcasing your business as customers want to check out the business before going to the actual place. People goes out to have lunch/dinner or celebrate parties in restaurant, cafes or food corners a lot.

Flavoursome - restaurant website is fully creative and responsive this website was desingned using HTML 5, CSS 3, BOOTSTRAP 4, PHP. Its dynamic one. This website having more features I.e Home page, menu, booking, Footer etc. Flavorsome is easy to customize and gives impressive display effects on devices off all screen sizes.

Technology used : HTML 5, CSS 3, BOOTSTRAP 4, PHP

TABLE OF CONTENTS

CHAPTER No.	TITLE	PAGE NO.
	ABSTRACT	vi
	LIST OF FIGURES	viii
	LIST OF SYMBOLS AND ABBREVIATIONS	ix
1	INTRODUCTION	
	1.1 OUTLINE OF THE PROJECT	10
2	AIM & SCOPE	
	2.1 AIM	11
	2.2 PROBLEM STATEMENT	11
	2.3 LITERATURE REVIEW	11
	2.4 SCOPE	13
3	ALGORITHMS AND METHODS	
	3.1 GENERAL	14
	3.2 OVERVIEW	14
	3.3 PROJECT DESCRIPTION	14
	3.4 SUMMARY	15
4	SYSTEM IMPLEMENTATION	
	4.1 REQUIREMENTS	16
	4.2 ROLE OF HTML	16
	4.3 RESULTS AND DISCUSSION	17
5	CONCLUSION AND FUTURE WORK	
	5.1 CONCLUSION	24
	5.2 FUTURE WORK	24
	REFERENCES	24
	APPENDIX	25

LIST OF FIGURES

Figure No.	Figure Name	Page No.
4.1	Home Page	19
4.2	Category	19
4.3	Specials	20
4.4	Meals	20
4.5	Chef	21
4.6	Subscribe	21
4.7	Booking	22
4.8	Blog	22
4.9	Contact	22
4.10	php	23

LIST OF SYMBOLS AND ABBREVIATIONS

ABBREVIATION

EXPANSION

HTML 5	-	Hyper Text Markup Language
CSS 3	-	Cascading Style Sheet
BOOTSTRAP 4	-	Bootstrap
PHP	-	HyperText Preprocessor

CHAPTER 1

INTRODUCTION

1.1 OUTLINE OF THE PROJECT:

This project is to create a restaurant website that will be used for hotel, food center, cafe to promote their business. This project contains home page, menu, specials, chef, contact, booking, footer. This website is developed using the HTML5, CSS3, BOOTSTRAP4, PHP. The main objective of this project is to create responsive website for restaurant business. It is much useful for the food or restaurant.

This website Programming contains a google map, fontawesome, and hover style. If the user clicks any category it goes to the specific section. In this website project used a bootstrap framework for elegant effects. Also used a fontawesome for fonts.

If the user wants to make a reservation, then go to the booking section and give their details. In this case the back-end used is called as PHP, mysql.

The process was the same to the contact section. There also used PHP.

User wants to give their name, email, phone, and message, and it will be stored in the database.

CHAPTER 2

AIM & SCOPE

2.1 AIM :

The main objective of this project is to create a website for restaurant and cafe centers. This website is developed for the user to check nearby and good restaurant to make reservation. It is especially designed for customers and restaurant owners to make and eat good food. Their reservation and contact details taken from the database.

2.2 PROBLEM STATEMENT:

For sending email and contact details for number of applications available in the database. our job is to design a responsive website which is having stylish site and responsive. Where the user need to give details in the booking section to make reservation. If the user wants to give details then they just want to press the make reservation button. Then the details goes to stored in database.

2.3 LITERATURE REVIEW:

Hyper Text Markup Language :

HTML stands for Hypertext Markup Language. It allows the user to create and structure sections, paragraphs, headings, links, and blockquotes for web pages and applications. HTML is not a programming language, meaning it doesn't have the ability to create dynamic functionality. Instead, it makes it possible to organize and format documents, similarly to Microsoft Word.

When working with HTML, we use simple code structures (tags and attributes) to mark up a website page. For example, we can create a paragraph by placing the enclosed text within a starting <p> and closing </p> tag. Overall, HTML

is a markup language that is really straightforward and easy to learn even for complete beginners in website building.

Hypertext means a text that contains references (links) to other viewers can access immediately. He published the first version of HTML in 1991, consisting of 18 HTML tags. Since then, each new version of the HTML language came with new tags and attributes (tag modifiers) to the markup. According to Mozilla Developer Network's HTML Element Reference, currently, there are 140 HTML tags, although some of them are already obsolete (not supported by modern browsers).

Due to a quick rise in popularity, HTML is now considered an official web standard. The HTML specifications are maintained and developed by the World Wide Web Consortium (W3C). You can check out the latest state of the language anytime on W3C's website. The biggest upgrade of the language was the introduction of HTML5 in 2014. It added several new semantic tags to the markup, that reveal the meaning of their own content, such as <article>, <header>, and <footer>.

CSS3 :

CSS3 is the latest evolution of the Cascading Style Sheets language and aims at extending CSS2. 1. It brings a lot of long-awaited novelties, like rounded corners, shadows, gradients, transitions or animations, as well as new layouts like multi-columns, flexible box or grid layouts.

CSS3 is used with HTML to create and format content structure. It is responsible for colors, font properties, text alignments, background images, graphics, tables, etc. It provides the positioning of various elements with the values being fixed, absolute and relative.

The main difference between CSS and CSS3 is that CSS3 has modules. CSS is the basic version and it does not support responsive design. CSS3, on the other hand, is the latest version and supports responsive design.

CSS3 is the latest evolution of the Cascading Style Sheets language and aims at extending CSS2. 1. It brings a lot of new features and additions, like rounded corners, shadows, gradients, transitions or animations, as well as new layouts like multi-columns, flexible box or grid layouts.

Bootstrap 4:

Bootstrap 4 is the newest version of Bootstrap; with new components, faster stylesheet and more responsiveness. Bootstrap 4 supports the latest, stable releases of all major browsers and platforms. However, Internet Explorer 9 and down is not supported. If you require IE8-9 support, use Bootstrap.

PHP:

Rasmus Lerdorf unleashed the first version of PHP way back in 1994. PHP is a recursive acronym for "PHP: Hypertext Preprocessor". PHP is a server side scripting language that is embedded in HTML. It is used to manage dynamic content, databases, session tracking, even build entire e-commerce sites.

2.4 SCOPE:

Web designing is the planning and creation of user interface. It deals with the process of developing a website. By using images, HTML5, CSS3, colors, fonts and other interactive elements the scope of the project will be increased. As this application is having the user's mail address and password is in backend, there won't be any loss of data from the database. By using the latest developing languages, the scope as well as the security of the project can be increased.

CHAPTER 3

ALGORITHMS AND METHODS

3.1 GENERAL :

This project is to create a restaurant website that will be used for hotel, food center, cafe to promote their business. This project contains home page, menu, specials, chef, contact, booking, footer. This website is developed using the HTML5, CSS3, BOOTSTRAP4, PHP. The main objective of this project is to create responsive website for restaurant business. It is much useful for the food or restaurant.

This website Programming contains a google map, fontawesome, and hover style. If the user clicks any category it goes to the specific section. In this website project used a bootstrap framework for elegant effects. Also used a fontawesome for fonts.

3.2 OVERVIEW :

The main objective of this project is to create a website for restaurant and cafe centers. This website is developed for the user to check nearby and good restaurant to make reservation. It is especially designed for customers and restaurant owners to make and eat good food. Their reservation and contact details taken from the database.

3.3 PROJECT DESCRIPTION :

HTML is used for front end developing. Php is used for back end developing. When the user enters the contact details, booking in background it is being validated by the program.

CSS is used for styling document for the html file.

Bootstrap is used for framework stuff.

3.4 SUMMARY :

This website is developed using the HTML5, CSS3, BOOTSTRAP4, PHP.

The main objective of this project is to create responsive website for restaurant business. It is much useful for the food or restaurant.

This website Programming contains a google map, fontawesome, and hover style. If the user clicks any category its goes to the specific section. In this website project used a bootstrap framework foe elegant effects. Also used a fontawesome for fonts.

CHAPTER 4

SYSTEM IMPLEMENTATION

4.1 REQUIREMENTS :

I. HARDWARE REQUIREMENTS

- ❖ Any operating system with minimum 2GB of RAM.
- ❖ Keyboard
- ❖ Mouse
- ❖ Monitor

II. SOFTWARE REQUIREMENTS

- ❖ Any one browser installed in the OS
- ❖ Visual Studio code (Or Other code editors)
- ❖ Xampp

BROWSER REQUIREMENTS :

HTML is supported in all modern browsers. In addition, all browsers, old and new, automatically handle unrecognized elements as inline elements. Because of this, you can "teach" older browsers to handle "unknown" HTML elements. Few supported browsers are GOOGLE CHROME, MOZILA FIREFOX, INTERNET EXPLORER, MICROSOFT EDGE, etc.

4.2 ROLE OF HTML :

Block-level elements take up the full available space and always start a new line in the document. Headings and paragraphs are a great example of block tags. Inline elements only take up as much space as they need and don't start a new line on the page. They usually serve to format the inner contents of block-level elements. Links and emphasized strings are good examples of inline tags.

4.3 RESULTS AND DISCUSSION :

The main objective of this project is to create a website for restaurant and cafe centers. This website is developed for the user to check nearby and good restaurant to make reservation. It is especially designed for customers and restaurant owners to make and eat good food. Their reservation and contact details taken from the database.

FIGURES




Fig 4.1 Home Page




Fig 4.2 Category




Fig 4.3 Specials




Fig 4.4 Meals




Fig 4.5 Chef




Fig 4.6 Subscribe




Fig 4.7 Booking




Fig 4.8 blog




Fig 4.9 Contact





Fig 4.10 php

CHAPTER 5

CONCLUSION AND FUTURE WORK

5.1 CONCLUSION :

Our restaurant website is very simple, responsive. It is easily understood by the users who have little knowledge on web development. This project will be useful for restaurant business.

5.2 FUTURE WORK :

This project can be further implemented by using java script plugins and bootstrap framework.

REFERENCES :

- HTML : <https://www.w3schools.com/html/>
- CSS:IISS (<https://www.iiss.org>)
- BOOTSTRAP - <https://mdbootstrap.com/education/bootstrap/>
- PHP - <https://phptherightway.com/>
- PEXEL - <https://www.pexels.com/>

APPENDICES

“Index.html” :

```
<!doctype html>
<html lang="en">
<head>
<title>RES WEBSITE</title>
<!-- Required meta tags -->
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
<link rel="stylesheet" href="style.css">
<script src="https://kit.fontawesome.com/cf11f96a71.js" crossorigin="anonymous"></script>
<link
href="https://fonts.googleapis.com/css2?family=Oleo+Script:wght@400;700&display=swap"
rel="stylesheet">
<!-- Bootstrap CSS -->
<link                                                                    rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/css/bootstrap.min.css"
integrity="sha384-
ggOyR0iXCbMQv3Xipma34MD+dH/1fQ784/j6cY/iJTQUOhcWr7x9JvoRxT2MZw1T"
crossorigin="anonymous">
</head>

<body>
<section>
<div class="cover">
<div class="container">
<div class="row">
<div class="col-md-6 d-flex align-items-center">
<p class="mb-0 phone pl-md-2">
<a href="#" class="mr-2">
<i class="fas fa-phone mr-1"></i>
+54 76 4667 564
</a>
<a href="#"><i class="fas fa-paper-plane mr-1"></i>
urown@gmail.com
</a>
</p>
</div>
<div class="col-md-6 d-flex justify-content-md-end">
<div class="social-icon mr-4">
<p class="mb-0 d-flex">
<a href="#" class="d-flex align-items-center justify-content-center">
<i class="fab fa-facebook"></i></a>
<a href="#" class="d-flex align-items-center justify-content-center">
<i class="fab fa-instagram"></i></a>
<a href="#" class="d-flex align-items-center justify-content-center">
<i class="fab fa-twitter"></i></a>
```

```

</p>
</div>
<div class="reg">
<a href="#" class="mr-2 mb-0">Signup</a>
<a href="#">Login</a>
</div>
</div>
</div>
</div>
</div>
<!-------Nav----->

```

```

<nav class="navbar navbar-expand-lg main-navbar bg-color main-navbar-color" id="main-
navbar">
<div class="container">
<a class="navbar-brand" href="#">Flavoursome</a>
<div class="order-lg-last btn-group">
<i class="fas fa-shopping-bag fa-2x"></i>
</div>
<button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#myNav"
aria-controls="nav" aria-expanded="false" aria-label="Toggle navigation">
<i class="fas fa-bars"></i>
</button>
<div class="collapse navbar-collapse" id="myNav">
<ul class="navbar-nav ml-auto">
<li class="nav-item">
<a href="#hero" class="nav-link">Home</a>
</li>
<li class="nav-item">
<a href="#category" class="nav-link">category</a>
</li>
<li class="nav-item">
<a href="#specials" class="nav-link">specials</a>
</li>
<li class="nav-item">
<a href="#product" class="nav-link">Meals</a>
</li>
<li class="nav-item">
<a href="#chef" class="nav-link">Chef</a>
</li>
<li class="nav-item">
<a href="#subscribe" class="nav-link">Subscribe</a>
</li>
<li class="nav-item">
<a href="#booking" class="nav-link">Booking</a>
</li>
<li class="nav-item">
<a href="#blog" class="nav-link">Blog</a>
</li>
<li class="nav-item">
<a href="#contact" class="nav-link">Contact</a>
</li>

```

```

</ul>
</div>
</div>
</nav>
</section>
<!--End of Nav-->

<!--Hero section-->
<section id="hero">
<div class="hero-container">
<div class="hero-logo">
<h1 class="font-weight-bold">Flavoursome</h1>
</div>
<h2 class="font-weight-bold">Healthy Food! Happy Mood!</h2>
<div class="actions">
<a href="#" class="btn-get-started bg-warning">Order Now</a>
</div>
</div>
</section>
<!--End of Hero section-->

<!-- Specials Section -->
<section id="specials" class="specials">
<div class="container">

<div class="section-title">
<h2 class="text text-center font-weight-bold">Check our <span>Specials</span></h2>
<p class="text text-center font-weight-bold">Ut possimus qui ut temporibus culpa velit eveniet  
modi omnis est adipisci expedita at voluptas atque vitae autem.<hr style="border-color:  
coral;"><br></p>
</div>
<div class="row">
<div class="col-lg-3">
<ul class="nav nav-tabs flex-column">
<li class="nav-item">
<a class="nav-link active show" data-toggle="tab" href="#tab-1">Modi sit est</a>
</li>
<li class="nav-item">
<a class="nav-link" data-toggle="tab" href="#tab-2">Unde praesentium sed</a>
</li>
<li class="nav-item">
<a class="nav-link" data-toggle="tab" href="#tab-3">Pariatur explicabo vel</a>
</li>
<li class="nav-item">
<a class="nav-link" data-toggle="tab" href="#tab-4">Nostrum qui quasi</a>
</li>
<li class="nav-item">
<a class="nav-link" data-toggle="tab" href="#tab-5">Iusto ut expedita aut</a>
</li>
</ul>
</div>

```

```

<div class="tab-pane" id="tab-5">
<div class="row">
<div class="col-lg-8 details order-2 order-lg-1">
<h3>Est eveniet ipsam sindera pad rone matrelat sando reda</h3>
<p class="font-italic">Omnis blanditiis saepe eos autem qui sunt debitis porro quia.</p>
<p>Exercitationem nostrum omnis. Ut reiciendis repudiandae minus. Omnis recusandae ut non
quam ut quod eius qui. Ipsum quia odit vero atque qui quibusdam amet. Occaecati sed est sint
aut vitae molestiae voluptate vel</p>
</div>
<div class="col-lg-4 text-center order-1 order-lg-2">

</div>
</div>
<!-->
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</section><hr><br><br>
<!--> End Specials Section <!-->

```

```

<!--> Product section <!-->
<section id="product">
<section class="product-section bg-img py-3">
<div class="container">
<div class="row justify-content-center pb-5">
<div class="col-md-7 heading-section text-center">
<h2 class="font-weight-bold text-color glow">
Flavoursome
</h2>
</div>
</div>
</div>
<!--End of title-->
<!-->
<div class="col-md-3 d-flex">
<div class="product glow">
<div class="img d-flex align-items-center justify-content-center"
style="background-image: url(image/product6.jpeg);">
<div class="icons">
<p class="icon-block d-flex">
<a href="#" class="d-flex align-items-center justify-content-center">
<i class="fas fa-shopping-cart"></i>
</a>
<a href="#" class="d-flex align-items-center justify-content-center">
<i class="fas fa-heart"></i>
</a>
<a href="#" class="d-flex align-items-center justify-content-center">
<i class="fas fa-eye"></i>
</a>

```

```

</p>
</div>
</div>
<div class="text text-center">
  <span class="category font-weight-bold">lorem ipsum</span>
  <h2 class="text-white">Specification</h2>
  <span class="price">$30.00</span>
</div>
</div>
</div>
<!-->
<!------- End of Product section ----->

```

```

<!------- Subscribe section ----->
<section id="subscribe" class="py-5">
  <div class="container">
    <div class="row align-items-center my-5">
      <div class="col-sm-10 mx-auto-text-center mb-5">
        <h4 class="display-3 mb-5 text-uppercase text-white text-center">
          Subscribe for More Offers
        </h4>
        <form class="form-inline d-flex justify-content-center">
          <input type="email" class="form-control w-35" placeholder="Email"required>
          <button class="btn form-btn m-1">Subscribe</button>
        </form>
      </div>
    </div>
  </div>
</section>
<!------- End of Subscribe section ----->

```

```

<!-- Optional JavaScript -->
<!-- jQuery first, then Popper.js, then Bootstrap JS -->
<script src="https://code.jquery.com/jquery-3.3.1.slim.min.js"
integrity="sha384-
q8i/X+965DzO0rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE1Pi6jizo"
crossorigin="anonymous">
</script>
<script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.14.7/umd/popper.min.js"
integrity="sha384-
UO2eT0CpHqdSjQ6hJty5KVphtPhzWj9WO1clHTMGa3JDZwrnQq4sF86dIHNDz0W1"
crossorigin="anonymous">
</script>
<script src="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/js/bootstrap.min.js"
integrity="sha384-
JjSmVgyd0p3pXB1rRibZUAYoIlly6OrQ6VrjIEaFf/nJGzlxFDsf4x0xIM+B07jRM"
crossorigin="anonymous">

```

```
</script>
</body>

</html>
```

Style.css

```
body {
font-family: 'Oleo Script', cursive;
}
```

```
.cover {
position: relative;
z-index: 0;
width: 100%;
background: #ffb03b;
}
```

```
.phone {
z-index: 1;
font-weight: 200;
}
```

```
.phone i {
color: #fff;
}
```

```
.phone a {
color: #fff;
font-size: 13px;
font-weight: bold;
}
```

```
.reg {
width: 50%;
text-align: right;
}
```

```
.reg a {
color: #fff;
text-transform: uppercase;
font-size: 13px;
font-weight: bold;
}
```

```
.social-icon {
```

```
display: inline-block;
width: 50%;
}
```

```
.social-icon p {
display: block;
width: 100%;
}
```

```
.social-icon p a {
height: 30px;
margin-right: 10px;
}
```

```
.social-icon p a i {
font-size: 13px;
color: #fff;
}
```

```
.social-icon p a: hover {
background: #ffc56e;
border-color: #ffb03b;
}
```

```
.social-icon p a: hover {
color: #fff;
}
```

```
/*==Nav==*/
.bg-color {
background: #0f0f0ffb;
}
```

```
.navbar-brand {
color: #ffb03b;
font-weight: bold;
font-size: 35px !important;
}
```

```
.nav-link {
font-weight: bold;
color: #ffb03b;
font-size: 20px;
}
```

```
.btn-group {
color: #ffb03b;
}
```

```
.navbar-toggler i {
color: #ffb03b;
```

```

}

/*==End of Nav==*/
/*==Hero section==*/
#hero {
display: table;
width: 100%;
height: 100vh;
background: url(/image/back.jpeg) top center;
background-size: cover;
}

@media (min-width: 1024px) {
#hero {
background-attachment: fixed;
}
}

#hero .hero-logo {
margin: 20px;
max-width: 100%;
}

#hero .hero-container {
background: rgba(0, 0, 0, 0.2);
display: table-cell;
margin: 0;
padding-block: 0;
text-align: center;
vertical-align: middle;
}

#hero h1 {
color: #fff;
margin: 30px 0 10px 0;
font-weight: bold;
line-height: 48px;
text-transform: uppercase;
}

@media (max-width: 768px) {
#hero h1 {
font-size: 28px;
line-height: 36px;
}
}

#hero h2 {
color: #fff;
margin-bottom: 50px;
font-style: italic;

```

```

}

@media (max-width: 768px) {
#hero h2 {
font-size: 24px;
line-height: 26px;
margin-bottom: 30px;
}
}

#hero .actions a {
text-transform: uppercase;
font-weight: bold;
font-size: 16px;
letter-spacing: 1px;
display: inline-block;
padding: 8px 20px;
border-radius: 2px;
transition: 0.5s;
margin: 10px;
}

#hero .btn-get-started {
background: #ffb03b;
border: 2px solid #e68a00;
color: #fff;
}

#hero .btn-get-started:hover {
background: none;
border: 2px solid #fff;
color: #fff;
text-decoration: none;
font-style: italic;
}

/*==End of Hero section==*/
.bg-img {
background: #000;
}

.text-color {
color: #ffb03b;
}

.product-section h2 {
font-style: italic;
font-size: 40px;
}

.product {

```

```
width: 100%;  
display: block;  
margin-bottom: 40px;  
transition: all 0.3s ease;  
}
```

```
.product .img {  
display: block;  
border-radius: 4px;  
height: 350px;  
position: relative;  
transition: all 0.3s ease;  
z-index: 0;  
}
```

```
.product .img:after {  
z-index: -1;  
position: absolute;  
top: 0;  
left: 0;  
right: 0;  
bottom: 0;  
content: "";  
background: #000;  
opacity: 0;  
border-radius: 4px;  
transition: all 0.6s ease;  
}
```

```
.product .img .icons {  
transition: all 0.3s ease;  
opacity: 0;  
}
```

```
/*==End of Product section==*/  
/*==Team section==*/
```

```
.chef h2 {  
text-align: center;  
color: #ffb03b;  
}
```

```
.chef .col-sm-3 {  
padding: 0;  
}
```

```
.chef .card>a {  
display: block;  
}
```

```
.chef .card img {
```

```

width: 100%;
}

.chef .card h4 {
color: #fff;
text-transform: uppercase;
}

.chef .card p {
font-size: 11px;
color: #fff;
opacity: .75;
margin: 0;
padding: 0 35px;
}

.chef .card .social-nav {
margin-bottom: 45px;
}

.chef .card .social-nav a {
color: #fff;
font-size: 16px;
margin: 0 4px;
}

.chef .card .social-nav a:hover {
opacity: .75;
}

.chef .card:hover .chef-over {
opacity: 1;
visibility: visible;
}

.chef .card:hover .card-title-wrap {
background-color: #ffb03b;
}

.chef .card:hover .card-title-wrap .card-title,
.chef .card:
/*-----
# Footer
-----*/
#footer {
background: black;
color: #fff;
font-size: 14px;
text-align: center;
padding: 30px 0;
}

```

```
#footer h3 {  
font-size: 36px;  
font-weight: 700;  
color: #ffb03b;  
position: relative;  
padding: 0;  
margin: 0 0 15px 0;  
}
```

```
#footer p {  
font-size: 15;  
font-style: italic;  
padding: 0;  
margin: 0 0 40px 0;  
}
```

```
#footer .social-links {  
margin: 0 0 40px 0;  
}
```

```
#footer .social-links a {  
font-size: 18px;  
display: inline-block;  
background: #ffb03b;  
color: #fff;  
line-height: 1;  
padding: 8px 0;  
margin-right: 4px;  
border-radius: 50%;  
text-align: center;  
width: 36px;  
height: 36px;  
transition: 0.3s;  
}
```

```
#footer .social-links a:hover {  
background: #ffb03b;  
}
```

```
#footer .copyright {  
margin: 0 0 5px 0;  
}
```

```
#footer .credits {  
font-size: 13px;  
}
```

“Update.php”

```

<!DOCTYPE HTML>
<html>
<head>
<meta charset="UTF-8" />
<meta name="viewport" content="width=device-width, initial-scale=1.0" />
<meta http-equiv="X-UA-Compatible" content="ie=edge" />
<link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.1.3/css/bootstrap.min.css"
integrity="sha384-
MCw98/SFnGE8fJT3GXwEOngsV7Zt27NXFoaoApmYm81iuXoPkFOJwJ8ERdknLPMO"
crossorigin="anonymous">
<link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.3.1/css/all.css"
integrity="sha384-
mzrmE5qonljUremFsqc01SB46JvROS7bZs3IO2EmfFsd15uHvIt+Y8vEf7N7fWAU"
crossorigin="anonymous">
<style>
.jumbotron{
width:70%;
margin: 10% auto;
display: flex;
justify-content: center;
border: 0.08em solid black;
}
</style>
</head>

<?php

require_once 'connect.php';

if($_POST) {
$name = $_POST['name'];
$email = $_POST['email'];
$phoneno = $_POST['phoneno'];
$teamsize = $_POST['team_size'];

$sql = "INSERT INTO booking (name, email, phoneno, teamsize) VALUES ('$name', '$email',
'$phoneno', '$teamsize')";
if($connect->query($sql) === TRUE) {
?>
<div class="jumbotron">
<h1 class="display-4">Successfully Details is Added!</h1>
<div class="col-md-4">

<a href='index.html'><button class = 'btn btn-warning ' type='button'>Home</button></a>
</div>
<?php
} else {
echo "Error " ;
}

```

```
?>
</div>
<?php
$connect->close();
}

?>
</html>
```

Update1.php

```
<!DOCTYPE HTML>
<html>
<head>
<meta charset="UTF-8" />
<meta name="viewport" content="width=device-width, initial-scale=1.0" />
<meta http-equiv="X-UA-Compatible" content="ie=edge" />
<link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.1.3/css/bootstrap.min.css"
integrity="sha384-
MCw98/SFnGE8fJT3GXwEOngsV7Zt27NXFoaoApmYm81iuXoPkFOJwJ8ERdknLPMO"
crossorigin="anonymous">
<link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.3.1/css/all.css"
integrity="sha384-
mzrmE5qonljUremFsqc01SB46JvROS7bZs3IO2EmfFsd15uHvlt+Y8vEf7N7fWAU"
crossorigin="anonymous">
<style>
.jumbotron{
width:70%;
margin: 10% auto;
display: flex;
justify-content: center;
border: 0.08em solid black;
}
</style>
</head>

<?php

require_once 'connect.php';

if($_POST) {
$name = $_POST['name'];
$email = $_POST['email'];
$phone = $_POST['phone'];
$msg = $_POST['msg'];

$sql = "INSERT INTO contact (name, email, phone, msg) VALUES ('$name', '$email', '$phone',
'$msg')";
```

```

if($connect->query($sql) === TRUE) {
    ?>
    <div class="jumbotron">
    <h1 class="display-4">Successfully Details is Added!</h1>
    <div class="col-md-4">

    <a href='index.html'><button class = 'btn btn-warning ' type='button'>Home</button></a>
    </div>
    <?php
    } else {
    echo "Error " ;
    }

    ?>
    </div>
    <?php
    $connect->close();
    }

    ?>
    </html>

```