

PROFESSIONAL TRAINING REPORT
at
Sathyabama Institute of Science and Technology
(Deemed to b University)

Submitted in partial fulfillment of the requirements for the award
of Bachelor of Technology Degree in

Information Technology

By

VINITHA S

(Reg. No.38120092)



DEPARTMENT OF INFORMATION TECHNOLOGY
SCHOOL OF COMPUTING

SATHYABAMA
INSTITUTE OF SCIENCE AND TECHNOLOGY
(DEEMED TO BE UNIVERSITY)
Accredited with Grade "A" by NAAC
JEPPIAAR NAGAR, RAJIV GANDHI SALAI, CHENNAI - 600 119

JANUARY 2021



**SATHYABAMA INSTITUTE OF SCIENCE AND
TECHNOLOGY**

(Established under Section 3 of UGC Act, 1956)
Jeppiaar Nagar, Rajiv Gandhi Salai, Chennai -
600119



SCHOOL OF COMPUTING

BONAFIDE CERTIFICATE

This is to certify that this Project Report is the bonafide work of **VINITHA S(Reg No. 38120092)** who carried out the project entitled “**ONLINE VOTING SYSTEM**” under our supervision from Jan 2019 to April 2019.

Internal Guide

Dr. R.M.GOMATHI.,M.Tech.,Ph.D.,

Head of the Department

Dr. R. SUBHASHINI M.E., Ph.D.,

Submitted for Viva voce Examination held on _____

Internal Examiner

External Examiner

DECLARATION

I VINITHAS (**Reg No:38120092**) hereby declare that the Project Report entitled “**ONLINE VOTING SYSTEM**” done by me under the guidance of **Dr. R.M.GOMATHI.,M.Tech., Ph.D.,** is submitted in partial fulfillment of the requirements for the award of Bachelor of Technology degree in Information Technology._____

DATE:

PLACE:

SIGNATURE OF THE CANDIDATE

ACKNOWLEDGEMENT

I am pleased to acknowledge my sincere thanks to Board of Management of **SATHYABAMA** for their kind encouragement in doing this project and for completing it successfully. I am grateful to them.

I convey my thanks to **Dr. T. SASIKALA M.E., Ph.D.**, Dean, School of Computing and **Dr. R. SUBHASHINI M.E.**, Head of the Department, Department of Computer Science and Engineering for providing us the necessary support and details at the right time during the progressive reviews.

I would like to express my sincere and deep sense of gratitude to my Project Guide **Dr. R.M.GOMATHI.,M.Tech.,Ph.D** for her valuable guidance, suggestions and constant encouragement paved way for the successful completion of my project work.

I wish to express my thanks to all Teaching and Non-teaching staff members of the Department of **INFORMATION TECHNOLOGY** who were helpful in many ways for the completion of the project.

Training certificate



RETECH
SOLUTIONS PVT. LTD.
An ISO 9001:2015 certified company

INT: RE20S051

TO WHOMSOEVER IT MAY CONCERN

This is to certify that **VINITHA S** student of **SATHYABAMA INSTITUTE OF SCIENCE AND TECHNOLOGY, BTECH/IT** has undergone the Internship Training through online in our concern entitled **PYTHON** from **12th Aug 2020** to **26th Aug 2020** in relevant departments related to their academic studies.

During the above period, the performance was good & we wish great success in all your future endeavours.

J. meru

Technology drives the world. We are the people who are behind the technology.

Authorised Signature



No-31, 1st Floor, Alagesan Street, Tambaram West, Chennai-45.

Office : 044-42077204 | +91-8122266653

www.retechsolutions.in



TABLE OF CONTENTS

CHAPTER NO.	TITLE NAME	. PG.NO
	ABSTRACT	1
1.	INTRODUCTION	2
	1.1 GENERAL	2
2.	AIM & SCOPE	3
	2.1 AIM	3

	2.2 SCOPE	3
	2.3 DESIGN ALGORITHM.	3
	2.4 METHODOLOGY	4
3	. SYSTEM REQUIREMENTS.	5
	3.1 REQUIREMENTS	5
4	RESULTS	6
5.	LANGUAGES	
11		
6.	SYSTEM FLOWCHART.	11
7.	INSTALLATION	
13		
	7.1 Install phpMyAdmin to set up and manage database.	13
8.	CONCLUSION AND FUTURE WORK	
16		
	8.1CONCLUSION	16
	8.2 FUTURE WORK	
16		
	8.3 REFERENCES	
16		
	APPENDIX	18

ABSTRACT

Our paper deals with online voting system that facilitates user(voter), candidate and administrator (who will be in charge and will verify all the user and information) to participate in online voting. Our online voting system is highly secured, and it has a simple and interactive user interface. The proposed online portal is secured and have unique security feature such as unique id generation that adds another layer of security (except login id and password) and gives admin the ability to verify the user information and to decide whether he is eligible to vote or not. It also creates and manages voting and an election detail as all the users must login by user name and password and click on candidates to register vote. Our system is also equipped with a chat bot that works as a support or guide to the voters, this helps the users in the voting process.

CHAPTER 1

2

INTRODUCTION

GENERAL

Online voting systems are software platforms used to securely conduct votes and elections. As a digital platform, they eliminate the need to cast your votes using paper or having to gather in person.

They also protect the integrity of your vote by preventing voters from being able to vote multiple times.

Many secure voting platform vendors provide supportive vote management consulting services that help organizations design and implement their voting procedures.

CHAPTER 2

P

AIM & SCOPE

2.1 AIM

This applied research aims to design, develop and implement online voting system.

2.2 SCOPE

Generally, the scope of the VVSG Version 2.0 will continue to cover the ability to perform pre-voting, voting, and post-voting operations. The primary difference, however, is that instead of creating guidelines based on the system or device, the VVSG will describe all of the functions that are incorporated in a device or devices that make up a system.

2.3 DESIGN ALGORITHM

An algorithm is a procedure consisting of a finite set of unambiguous rules which specify a finite sequence of operations that provides the solution to a problem, or to a specific class of problems for any allowable set of input quantity. Pseudo code is used below to present the design algorithm for the project .

LOGIN

If login is successful

Check if the user is admin or voter

If Admin then display the moderators panel

- Select to check new registration form to verify their user's details
- Select users that are qualified and move them to the eligible voters group

- Select notification to notify the qualified voters and the disqualified users
- Select vote/poll
- Select to create poll with deferent candidates
- Select to determine voting duration
- Select preview to preview all candidates
- End

4

2.4 METHODOLOGY:

Internet elections have the prospective of being cheaper and less time consuming. Voting requires principles like directness, freedom; equality which is difficult to attain by using traditional voting methods but possible with internet based voting.

CHAPTER 3

SYSTEM REQUIREMENTS.

This is what is required to run this software. The system requirements are separated into three phase which are hardware, software and personal requirement of the system.

3.1 REQUIREMENTS

1. HARDWARE REQUIREMENTS

- **Language used: PHP**
- **Database: MYSQL**
- **Web Server: Xampp**
- **Operating system: Windows 10**

2. SOFTWARE REQUIREMENTS


Pentium IV computer




CD ROM/DVD ROM



UPS if Desktop Computer

CHAPTER 4

RESULTS







Online Voting System In PHP Wit...localhost / 127.0.0.1 / db_voting...Nomination Panel

localhost/Online-Voting-System/nomination.html

AppsGmailYouTubeMaps

eVotingAdmin Panel



Narendra Modi
Modi, a leader of the Bharatiya Janata Party, was the Chief Minister of Gujarat from 2001 to 2014 and is the Member of Parliament from Varanasi.

- Born: September 17, 1950 (age 64), Vadnagar
- Spouse: Jashodaben Modi
- Education: Gujarat University (1983), University of Delhi (1978)
- Parents: Heeraben Modi, Damodardas Mulchand Modi
- Awards: CNN-IBN Indian of the Year



Rahul Gandhi
Rahul Gandhi, is the Vice-President of the Indian National Congress party and the Chairperson of the Indian Youth Congress and the National Students Union of India.

- Born: June 19, 1970 (age 44), New Delhi
- Full name: Rahul Gandhi
- Parents: Sonia Gandhi, Rajiv Gandhi
- Siblings: Priyanka Gandhi
- Education: Trinity College, Cambridge (1994–1995)
- Awards: CNN-IBN Indian of the Year in Politics



YS Jagan Mohan Reddy
Ys Jagan Mohan Reddy is an Telugu politician, who is the Second and current CM of Andhra Pradesh.

- Born: August 16, 1968 (age 46), Siwani




Pavan Kalyan
Pavan Kalyan is an Indian politician.

- Born: Sept 22, 1965 (age 50),
- Full name: Pavan Kalyan

Type here to search



11:47
22-01-2021

Online Voting System In PHP Wit...localhost / 127.0.0.1 / db_voting...Bootstrap 101 Template

localhost/Online-Voting-System/changePassword.php

AppsGmailYouTubeMaps

eVotingAdmin Panel

Admin's Password

Old Password

Enter Old Password

New Password

Enter New Password

Retype Password



Enter New Password Again

Change Password

Type here to search



11:48
22-01-2021



CHAPTER 5

LANGUAGES

PHP


PHP is over-side scripting language designed for web development and is an acronym for Hypertext Preprocessor. PHP is a widely-used open source general purpose scripting language that is especially suited for web development and can be embedded into html. PHP can be installed on most web servers, many operating systems and platforms, and can be used with many relational database management systems (RDBMS). It is available free of charge that's why it is called open source, and the PHP Group source code for users to build, customize and extend for their own use.

MYSQL

MySQL is the world's most widely used open source relational database management system. It is name after the co-founder Michael Widenius's daughter My. The SQL phrase stands for structured Query Language. MySQL stores all the information of the designed system in a database in the form of related tables. MySQL databases are typically used for web application like this project design and accessed using PHP

CHAPTER 6

SYSTEM FLOWCHART



CHAPTER 7

INSTALLATION

Export the project folder to c:/wamp/www/ (for WAMP SERVER) OR c:xampp/htdocs/ (for XAMPP SERVER)

Launch Wamp or Xampp Server (for xampp Server turn on the Apache and MySQL interface)

Import all project databases in phpmyadmin interface or in cmd command on windows

Launch the website from your browser e.g. Localhost/vote/index.php

7.1 Install phpMyAdmin to set up and manage database

Set up MySQL

For this project, MySQL is installed and set up on a Mac with OSX 10.9.3. Go to [Dev.mysql.com/downloads/mysql](http://dev.mysql.com/downloads/mysql) and download version "Mac OS X ver 10.6, DMG Archive". Next, install all three of the components in the package. They are MySQL Software packages that allow MySQL to stop/start and also allow MySQL to start when Booted.

An administrator can start MySQL using the following command:

```
Sudo /usr/local/mysql/support-files/mysql.server start
```

Set up phpMyAdmin on a Mac

First of all, fix socket errors with these commands:

```
Sudo mkdir /var/mysql
```

```
Sudo ln -s /tmp/mysql.sock /var/mysql/mysql.sock
```

Next, download phpMyAdmin (<http://www.phpmyadmin.net/> home_page/

Downloads.php), unzip the file, and move it into your Sites folder. Make the config

Folder


```
Mkdir ~/Sites/phpMyAdmin/config
```

Then change the permissions


Chmod o+w ~/Sites/phpMyAdmin/config

Finally, go to the phpMyAdmin localhost URL in the browser and run the phpMyAdmin

Set up: localhost/~username/phpMyAdmin/setup/



To create a database server, click “New Server”, a new page will load and click
 On the “Authentication” Tab to set up MySQL root user and password, and save them.
 Make sure MySQL is running by using the following command:
Sudo /usr/local/mysql/support-files/mysql.server start
 Now, an administrator can go to his/her phpMyAdmin url (localhost/~test/phpMyAdmin)
 On the browser to manage his/her database.



CHAPTER 8

CONCLUSION AND FUTURE WORK

8.1 CONCLUSION

Online voting offers convenience to the voter and considerable ease to election administrators as they can get election results out more quickly than conventional methods of manual voting and to sum up the discussion above, this paper clarifies the requirements and key elements of online voting system, and the implementation.

In this study, I have shown how online voting system offers a number of advantages over the conventional manual paper-based voting system and this project portal is still open for further studies and modifications to increase its security and

8.2 FUTURE WORK

FUTURE WORK

Having outlined the voting protocol and the basis for its operations, it is important to outline the direction this protocol can take. The Ethereum protocol (Wood, 2014), has been established early in the work as a potential candidate to become the platform for our voting protocol. One of the reasons for this is that Ethereum supports creation of contracts, which are accounts which are operated by the EVM. These contracts can be used to implement a voting scheme.

However, voters' anonymity and privacy are important pieces of any voting protocol and are not yet handled by EVM transactions.

8.3 REFERENCES

- . <https://www.w3schools.com/html/default.asp>
- . https://www.w3schools.com/html/html_css.asp.
- . <https://jupyter.org/try>

APPENDICES

SOURCE CODE

```

<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <!--The above 3 meta tags *must* come first in the head; any other head
content must come *after* these tags →
    <title>Bootstrap 101 Template</title>

    <!--Bootstrap →
    <link href="css/bootstrap.min.css" rel="stylesheet">

    <link href='http://fonts.googleapis.com/css?family=Ubuntu' rel='stylesheet'
type='text/css'>
    <link href='http://fonts.googleapis.com/css?family=Raleway' rel='stylesheet'
type='text/css'>
    <link href='http://fonts.googleapis.com/css?family=Oswald' rel='stylesheet'
type='text/css'>
    <link href='http://fonts.googleapis.com/css?family=Roboto+Condensed'
rel='stylesheet' type='text/css'>

    <style>
      .headerFont{
        Font-family: 'Ubuntu', sans-serif;
        Font-size: 24px;
      }

      .subFont{
        Font-family: 'Raleway', sans-serif;
        Font-size: 14px;

      }

      .specialHead{
        Font-family: 'Oswald', sans-serif;
      }

```

```
.normalFont{
  Font-family: 'Roboto Condensed', sans-serif;
}
</style>
```

<!--HTML5 shim and Respond.js for IE8 support of HTML5 elements and media queries →

<!--WARNING: Respond.js doesn't work if you view the page via file:// →

<!--[if lt IE 9]>

<script

src=<https://oss.maxcdn.com/html5shiv/3.7.2/html5shiv.min.js>></script>

<script src=<https://oss.maxcdn.com/respond/1.4.2/respond.min.js>></script>

<![endif]>

</head>

<body>

<div class="container">

<nav class="navbar navbar-default navbar-fixed-top navbar-inverse

“ role="navigation">

<div class="container">

<button type="button" class="navbar-toggle" data-toggle="collapse" data-target="#example-nav-collapse">

</button>

<div class="navbar-header">

<a href="cpanel.php" class="navbar-brand headerFont text-
lg">eVoting

</div>

<div class="collapse navbar-collapse" id="example-nav-collapse">

<ul class="nav navbar-nav">

<!--

<span
class="subFont">Features

<span
class="subFont">Feedback

<span
class="subFont">About

→

<button type="submit" class="btn btn-success navbar-right navbar-
btn">Admin

```
Panel</strong></span></button>
</div>
```

```
</div> <!--end of container →
20
```

```
</nav>
```

```
<div class="container" style="padding-top:150px;">
<div class="row">
<div class="col-sm-4"></div>
<div class="col-sm-4 text-center" style="border:2px solid
gray;padding:50px;">
<?php
```

```
// Credentials
$hostname= "localhost";
$username= "root";
$password= "";
$database= "db_evoting";
```

```
// UserInput Test
Function test_input($data) {
    $data = trim($data);
    $data = stripslashes($data);
    $data = htmlspecialchars($data);

    Return $data;
}
```

```
if(empty($_POST['adminUserName']) ||
empty($_POST['adminPassword']))
{
    $error= "UserName or Password is Recquired.";
}
Else
{
    $admin_username= test_input($_POST['adminUserName']);
    $admin_password= test_input($_POST['adminPassword']);

    //Establish Connection
    $conn= mysqli_connect($hostname, $username, $password,
$database);

    //Check
```

```

        If(!$conn)
        {
            Die("Connection Failed : ".mysqli_connect_error());
        }

        $sql= "SELECT * FROM db_evoting.tbl_admin WHERE
admin_username='".$admin_username.'" AND
admin_password='".$admin_password.'";
21

$query= mysqli_query($conn, $sql);

If(mysqli_num_rows($query)==1)
{
    Header("location:cpanel.php");
}
Else
{
    $error="Sorry !! Authentication Failed";

    Echo "<p class='alert alert-
danger'><strong>$error</strong></p>";

    Echo "<p class='normalFont text-primary'><strong>Your
Combination of UserName and Password is In-correct. Better, You contact to
the developer of system.</strong> </p>";
    Echo "<br><a href='admin.html' class='btn btn-primary'><span
class='glyphicon glyphicon-refresh'></span> <strong>Try Again</strong></a>";
}

Mysqli_close($conn);

}

?>

</div>
<div class="col-sm-4"></div>
</div>
</div>

<!--jQuery (necessary for Bootstrap's JavaScript plugins) →
<script
src=https://ajax.googleapis.com/ajax/libs/jquery/1.11.2/jquery.min.js></script>

```

```
<!--Include all compiled plugins (below), or include individual files as needed
→
<script src="js/bootstrap.min.js"></script>
</body>
</html>
```

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8">
22
```

```
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1">
<!--The above 3 meta tags *must* come first in the head; any other head
content must come *after* these tags →
<title>Bootstrap 101 Template</title>
```

```
<!--Bootstrap →
<link href="css/bootstrap.min.css" rel="stylesheet">
```

```
<link href='http://fonts.googleapis.com/css?family=Ubuntu' rel='stylesheet'
type='text/css'>
<link href='http://fonts.googleapis.com/css?family=Raleway' rel='stylesheet'
type='text/css'>
<link href='http://fonts.googleapis.com/css?family=Oswald' rel='stylesheet'
type='text/css'>
<link href='http://fonts.googleapis.com/css?family=Roboto+Condensed'
rel='stylesheet' type='text/css'>
```

```
<style>
.headerFont{
  Font-family: 'Ubuntu', sans-serif;
  Font-size: 24px;
}

.subFont{
  Font-family: 'Raleway', sans-serif;
  Font-size: 14px;
}

.specialHead{
  Font-family: 'Oswald', sans-serif;
}
```

```
.normalFont{
  Font-family: 'Roboto Condensed', sans-serif;
}
</style>
```

<!--HTML5 shim and Respond.js for IE8 support of HTML5 elements and media queries →

<!--WARNING: Respond.js doesn't work if you view the page via file:// →

<!--[if lt IE 9]>

<script

src=<https://oss.maxcdn.com/html5shiv/3.7.2/html5shiv.min.js>></script>

23

<script src=<https://oss.maxcdn.com/respond/1.4.2/respond.min.js>></script>

<![endif]→

</head>

<body>

<div class="container">

<nav class="navbar navbar-default navbar-

fixed-top navbar-inverse

" role="navigation">

<div class="container">

<button type="button" class="navbar-toggle" data-toggle="collapse" data-target="#example-nav-collapse">

</button>

<div class="navbar-header">

<a href="cpanel.php" class="navbar-brand headerFont text-
lg">eVoting

</div>

<div class="collapse navbar-collapse" id="example-nav-collapse">

<ul class="nav navbar-nav">

<!--

<span
class="subFont">Features

<span
class="subFont">Feedback

<span
class="subFont">About

→


```
<button type="submit" class="btn btn-success navbar-right navbar-  
btn"><span class="normalFont"><strong>Admin  
Panel</strong></span></button>  
</div>
```

```
</div> <!--end of container ->  
</nav>
```

```
<div class="container" style="padding-top:100px;">  
    <div class="row">  
        <div class="col-sm-4"></div>
```

24

```
<div class="col-sm-4" style="border:2px  
solid gray;padding:50px;">
```

```
    <div class="page-header">  
        <h2  
class="specialHead">Admin's Password</h2>  
    </div>
```

```
    <form action="updatePwd.php" method="POST">  
        <div class="form-group">  
            <label for="">Old  
Password</label><br>  
            <input type="text"  
name="existingPassword" placeholder="Enter Old Password" class="form-  
control"><br>
```

```
            <label for="">New  
Password</label><br>  
            <input type="password"  
name="newPassword" class="form-control" placeholder="Enter New  
Password"><br>
```

```
            <label for="">Retype Password</label><br>  
            <input type="password" name="retypePassword" class="form-control"  
placeholder="Enter New Password Again"><br>
```

```
            <button type="submit"  
class="btn btn-block span btn-primary "> <span class="glyphicon glyphicon-  
ok"></span> Change Password</button>
```

```

        </div>
    </form>
</div>
</div>
<!--jQuery (necessary for Bootstrap's JavaScript plugins) -->
<script
src=https://ajax.googleapis.com/ajax/libs/jquery/1.11.2/jquery.min.js></script>
<!--Include all compiled plugins (below), or include individual files as needed
-->
<script src="js/bootstrap.min.js"></script>
</body>
</html>

```

25

```
<?php
```

```

        $hostname="localhost";
        $username= "root";
        $password= "";
        $database="db_evoting";

        // UserInput Test
        Function
        test_input($data) {

            $data = trim($data);
            $data =
            $data =

            Return $data;
        }

```

```
?>
```

```
<!DOCTYPE html>
```

```

<html lang="en">
<head>
  <meta charset="utf-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <!--The above 3 meta tags *must* come first in the head; any other head
content must come *after* these tags →
  <title>Control Panel</title>

  <!--Bootstrap →
  <link href="css/bootstrap.min.css" rel="stylesheet">

  <link href='http://fonts.googleapis.com/css?family=Ubuntu' rel='stylesheet'
type='text/css'>
  <link href='http://fonts.googleapis.com/css?family=Raleway' rel='stylesheet'
type='text/css'>
  <link href='http://fonts.googleapis.com/css?family=Oswald' rel='stylesheet'
type='text/css'>
  <link href='http://fonts.googleapis.com/css?family=Roboto+Condensed'
rel='stylesheet' type='text/css'>

```

26

```

<style>
  .headerFont{
    Font-family: 'Ubuntu', sans-serif;
    Font-size: 24px;
  }

  .subFont{
    Font-family: 'Raleway', sans-serif;
    Font-size: 14px;
  }

  .specialHead{
    Font-family: 'Oswald', sans-serif;
  }

  .normalFont{
    Font-family: 'Roboto Condensed', sans-serif;
  }
</style>

<!--HTML5 shim and Respond.js for IE8 support of HTML5 elements and
media queries →
<!--WARNING: Respond.js doesn't work if you view the page via file:// →

```

```

<!--[if lt IE 9]>
<script
src=https://oss.maxcdn.com/html5shiv/3.7.2/html5shiv.min.js></script>
<script src=https://oss.maxcdn.com/respond/1.4.2/respond.min.js></script>
<![endif]>
</head>
<body>

<div class="container">
<nav class="navbar navbar-default navbar-fixed-top navbar-inverse
" role="navigation">
<div class="container">
<button type="button" class="navbar-toggle" data-toggle="collapse" data-
target="#example-nav-collapse">
<span class="icon-bar"></span>
<span class="icon-bar"></span>
<span class="icon-bar"></span>
</button>
<div class="navbar-header">
<a href="cpanel.php" class="navbar-brand headerFont text-
lg"><strong>eVoting</strong></a>
</div>

```

27

```

<div class="collapse navbar-collapse" id="example-nav-collapse">
<ul class="nav navbar-nav">

<li><a href="nomination.html"><span
class="subFont"><strong>Nomination's List</strong></span></a></li>
<li><a href="changePassword.php"><span
class="subFont"><strong>Admin's Password</strong></span></a></li>
<li><a href=""><span class=""><strong>Feedback
Report</strong></span></a></li>

</ul>

<span class="normalFont"><a href="index.html" class="btn btn-success
navbar-right navbar-btn"><strong>Sign Out</strong></a></span></button>
</div>

</div> <!--end of container ->
</nav>

<div class="container" style="padding:100px;">
<div class="row">

```

```

<div class="col-sm-12" style="border:2px solid gray;">

    <div class="page-header">
        <h2 class="specialHead">CONTROL PANEL</h2>
        <p class="normalFont">This is Administration Panel.</p>
    </div>

```

```

<div class="col-sm-12">
    <?php
        Require 'config.php';

        $BJP=0;
        $INC=0;
        $AAP=0;
        $TMC=0;

        $conn = mysqli_connect($hostname, $username, $password,
$database);
        If(!$conn)
        {
            Echo "Error While Connecting.";
        }
        Else
        {

```

28

```

//BJP
    $sql ="SELECT * FROM tbl_users WHERE voted_for='BJP'";
    $result= mysqli_query($conn, $sql);

    If(mysqli_num_rows($result)>0)
    {
        While($row= mysqli_fetch_assoc($result))
        {
            If($row['voted_for'])
                $BJP++;
        }

        $bjp_value= $BJP*10;

        Echo "<strong>BJP</strong><br>";
        Echo "
        <div class='progress'>
            <div class='progress-bar progress-bar-success' role='progressbar'
aria-valuenow=\"'$bjp_value'\" aria-valuemin=\"'0'\" aria-valuemax=\"'100'\"

```

```

style='width: ".$bjp_value."%'>
    <span class='sr-only'>BJP</span>
</div>
</div>
“;
}

// CONGRESS
$sql = "SELECT * FROM tbl_users WHERE voted_for='INC'";
$result= mysqli_query($conn, $sql);

If(mysqli_num_rows($result)>0)
{
    While($row= mysqli_fetch_assoc($result))
    {
        If($row['voted_for'])
            $INC++;
    }

    $inc_value= $INC*10;

    Echo "<strong>Congress</strong><br>";
    Echo "
    <div class='progress'>

```

29

```

    <div class='progress-bar progress-bar-primary' role='progressbar'
    aria-valuenow='".$inc_value.'" aria-valuemin='0' aria-valuemax='100' style='width:
    ".$inc_value."%'>
        <span class='sr-only'>BJP</span>
    </div>
</div>
“;
}

// AAP
$sql = "SELECT * FROM tbl_users WHERE voted_for='AAP'";
$result= mysqli_query($conn, $sql);

If(mysqli_num_rows($result)>0)
{
    While($row= mysqli_fetch_assoc($result))
    {
        If($row['voted_for'])
            $AAP++;
    }
}

```

```

$AAP_value= $AAP*10;

Echo "<strong>Aam Aadmi Party</strong><br>";
Echo "
<div class='progress'>
    <div class='progress-bar progress-bar-info' role='progressbar' aria-
valuenow='70' aria-valuemin='0' aria-valuemax='100' style='width:
".$AAP_value."%>
        <span class='sr-only'>BJP</span>
    </div>
</div>
";
}

// TMC
$sql ="SELECT * FROM tbl_users WHERE voted_for='TMC'";
$result= mysqli_query($conn, $sql);

If(mysqli_num_rows($result)>0)
{
    While($row= mysqli_fetch_assoc($result))
    {
        If($row['voted_for'])
            $TMC++;
    }
}

```

30

```

$TMC_value= $TMC*10;

Echo "<strong>Trinamool Congress</strong><br>";
Echo "
<div class='progress'>
    <div class='progress-bar progress-bar-warning' role='progressbar'
aria-valuenow='70' aria-valuemin='0' aria-valuemax='100' style='width:
".$TMC_value."%>
        <span class='sr-only'>TMC</span>
    </div>
</div>
";
}

Echo "<hr>";

$total=0;

// Total

```

```
$sql ="SELECT * FROM tbl_users";  
$result= mysqli_query($conn, $sql);
```

```
if(mysqli_num_rows($result)>0)  
{  
    While($row= mysqli_fetch_assoc($result))  
    {  
        if($row['voted_for'])  
            $total++;  
    }  
}
```

```
$tptal= $total*10;
```

```
Echo "<strong>Total Number of Votes</strong><br>";
```

```
Echo "
```

```
<div class='text-primary'>
```

```
<h3 class='normalFont'>VOTES : $total </h3>
```

```
</div>
```

```
“;
```

```
}
```

```
}
```

```
?>
```

```
</div>
```

```
</div>
```

```
</div>
```

31

```
</div>
```

```
</div>
```

```
<!--jQuery (necessary for Bootstrap's JavaScript plugins) →
```

```
<script
```

```
src=https://ajax.googleapis.com/ajax/libs/jquery/1.11.2/jquery.min.js></script>
```

```
<!--Include all compiled plugins (below), or include individual files as needed
```

```
→
```

```
<script src="js/bootstrap.min.js"></script>
```

```
</body>
```

```
</html>
```