

Conservative Dentistry and Endodontics day 2020

Cons and Endo day - Day 1 (2/3/2020)

Students and staff visited Sri Chaitanya school in Perumbakkam to talk about dental first aid in case of trauma and possible treatment options. Posters on dental first aid were handed out to the school



Cons and Endo day - Day 2 (3/3/2020)

- A similar program was conducted in Sri Shankara primary school, Injambakkam. An animated video was presented for the benefit of the children in order to better understand the management of dental trauma.



Cons and Endo day - Day 3 (5/3/2020)

- An awareness drive was conducted in Semmenchery government higher secondary school. Staff, students and the Dean visited the school to advise students regarding dental first aid Videos simulating real life scenarios were played and interactive sessions were held. Posters in both Tamil and English were handed to the school principal by Dr.Thayumanavan, Dean, Sathyabama Dental college and hospital.





Cons and Endo day - Day 4 (6/3/2020)

- PG students and staff visited Government middle school in Neelankarai, Chennai. A short presentation was delivered on dental first aid and posters in both Tamil and English were handed to the school heads.



Poster designed by post graduate students for circulation

FIRST AID IN DENTAL INJURIES



Most common dental injuries in children are seen in front teeth

CAUSES



SPORTS



FALL/ACCIDENT



FIGHTS

**T
Y
P
E
S

O
F


I
N
J
U
R
I
E
S**




AVULSION



DISPLACEMENT



FRACTURE



KNOCKED OUT TOOTH?

- 1  Don't panic!!!
- 2  Search for tooth
- 3  Hold the tooth by the crown
- 4  Wash gently under running water (Don't rub)
- 5  Store tooth in milk/saline
- 6  Visit dentist as soon as possible (minimum of 20 mins; maximum of 1 hour)
- 7  If visiting dentist takes more than an hour try to insert the tooth in socket by holding crown
- 8  If insertion is difficult keep the teeth in your cheek or MILK

FRACTURED TOOTH?

- 1  Examine your tooth for visible damage. Look for swelling or inflammation around the cracked tooth.
- 2  Save the broken piece of tooth if you have it.
- 3  Rinse your mouth with salt water. Swish the mixture around your mouth for 1 minute.
- 4  Be careful when eating until you see your dentist.
- 5  Visit the dentist as early as possible.