

PROFESSIONAL TRAINING REPORT
at
Sathyabama Institute of Science and Technology
(Deemed to Be University)

Submitted in partial fulfillment of the requirements for the award of
Bachelor of Technology Degree in
Information Technology

By

MURUGADOSS R
(Reg. No. 37120049)



DEPARTMENT OF INFORMATION TECHNOLOGY
SCHOOL OF COMPUTING
SATHYABAMA INSTITUTE OF SCIENCE AND TECHNOLOGY
JEPPIAAR NAGAR, RAJIV GANDHI SALAI,
CHENNAI 600119. TAMIL NADU



SATHYABAMA

INSTITUTE OF SCIENCE AND TECHNOLOGY

(DEEMED TO BE UNIVERSITY)

Accredited with "A" Grade by NAAC

Jeppiaar Nagar, Rajiv Gandhi Salai, Chennai - 600 119.

Phone: 044 - 2450 3150 / 51 / 52 / 54 / 55 Fax: 044 - 2450 2344

www.sathyabama.ac.in



January 2021

SCHOOL OF COMPUTING

BONAFIDE CERTIFICATE

This is to certify that this Professional online certification Training Report is the bonafide work of **MURUGADOSS R (Reg. No. 37120049)** who underwent the professional training in **“Fundamentals of Digital Marketing and Google analytics”** under our supervision from SEPTEMBER 2020 to OCTOBER 2020.

Internal Guide

VIMALI J. S, M.Tech.,(Ph.D).,

Head of the Department

Dr. R. SUBHASHINI, M.E., Ph.D.,

Submitted for Viva voce Examination held

on_____

Internal Examiner

External Examiner

DECLARATION

I, MURUGADOSS R (Reg. No. 37120049) hereby declare that the Professional online Training Report on “**Fundamentals of Digital Marketing and Google analytics**” done by me under the guidance of VIMALI J.S, M.Tech., (Ph.D)., at Sathyabama Institute of Science And Technology is submitted in partial fulfillment of the requirements for the award of Bachelor of technology degree in Information Technology.

DATE: 20-01-2021

PLACE: CHENNAI



SIGNATURE OF THE CANDIDATE

ACKNOWLEDGEMENT

I am pleased to acknowledge my sincere thanks to **Board of Management of SATHYABAMA INSTITUTE OF SCIENCE AND TECHNOLOGY** for their kind encouragement in doing this project and for completing it successfully. I am grateful to them.

I convey my thanks to **Dr. T.Sasikala M.E., Ph.D, Dean,** School of Computing , **Dr.SUBHASHINI M.E., Ph.D. ,** Head of the Department of Information and Technology for providing me necessary support and details at the right time during the progressive reviews.

I would like to express my sincere and deep sense of gratitude to my Project Guide Dr. Jeberson Retna Raj M.E., Ph.D., for his valuable guidance, suggestions and constant encouragement paved way for the successful completion of my project work.

I wish to express my thanks to all Teaching and Non-teaching staff members of the **Department of Information Technology** who were helpful in many ways for the completion of the project.

Google Digital Unlocked

Murugadoss R

is hereby awarded this certificate of achievement for the successful
completion of **The Fundamentals of Digital Marketing** certification exam
on 05/07/2020

Martijn Buitte

President – Google EMEA



Townsend Pamela Feham

CEO – IAB Europe

Certificate ID : NYK PCL XWV

Verify the authenticity of this certificate at : [HTTPS://LEARN.DIGITAL.WITHGOOGLE.COM/DIGITALUNLOCKED](https://learn.digital.withgoogle.com/digitalunlocked)

Google Analytics Academy

Google Analytics for Beginners
Certificate of Completion

Murugadoss R

Awarded for successfully completing
the course "Google Analytics for
Beginners"



Certificate expires January 12, 2024

CHAPTERS	TITLE	PAGE NO
	LIST OF FIGURES	vii
	ABSTRACT	viii
1.	INTRODUCTION	9
2.	SYSTEM ANALYSIS	10
	2.1 Existing system	10
	2.1.1 Drawbacks of existing system	11
	2.2 Proposed system	11
3.	SYSTEM DESIGN	12
4.	4.1 System architecture	13
	4.1.1 Methodology	14
	4.2 Camera settings	14
	4.3 Capturing frames	14
	4.4 Masking frames	14
	4.5 Display the frame	15
	4.6 Mouse Movement	15
	4.7 Clicking event	15
	4.8 Drag event	16
	4.9 DnD frame	16
5.	5.1 Result and Evaluation	17
6.	Conclusions	19
7.	References	20

LIST OF FIGURES

FIGURES	TITLE	PAGES
FIGURE 1	SYSTEM ARCHITECTURE	13
FIGURE 2	MOUSE MOVEMENT	18
FIGURE 3	DRAG AND DROP EVENT	18

ABSTRACT

Hand Gesture Based Virtual Mouse

This paper proposes a virtual mouse system based on HCI using computer vision and hand gestures. Gestures captured with a built-in camera or webcam and processed with color segmentation & detection technique. The user will be allowed to control some of the computer cursor functions with their hands which bear colored caps on fingertips. Primarily, a user can perform left clicks, right clicks, and double clicks, scrolling up or down using their hand in different gestures. This system captures frames using a webcam or built-in cam and processes the frames to make them trackable and after that recognizes different gestures made by users and perform the mouse function. So, the proposed mouse system eliminates device dependency in order to use a mouse. Therefore, it can be proved beneficial in order to develop HCI technology.

CHAPTER 1

1.1 INTRODUCTION

The most efficient and expressive way of human communication is through hand gesture, which is a universally accepted language. It is pretty much expressive such that the dumb and deaf people could understand it. In this work, real-time hand gesture system is proposed. Experimental setup of the system uses fixed position low-cost web camera high definition recording feature mounted on the top of monitor of computer or a fixed camera on a laptop, which captures snapshot using Red Green Blue [RGB] color space from fixed distance. This work is divided into four stages such as image preprocessing, region extraction, feature extraction, feature matching. Recognition and the interpretation of sign language is one of the major issues for the communication with dumb and deaf people.

In this project an effective hand gesture segmentation technique has been proposed based on the preprocessing, background subtraction and edge detection techniques. Pre-processing is defined as procedure of formulating data for another process. The main objective of the preprocessing process is to transform the data into a form that can be more effectively and effortlessly processed. In the proposed work, the pre-processing techniques are created on the basis of different types of combinations from the subsequent hand gesture image processing operations such as capturing image, removing noise, background subtraction, and edge detection and these image processing methods are discussed as follows.

CHAPTER 2

SYSTEM ANALYSIS

System analysis is the overall analysis of the system before implementation and for arriving at a precise solution. Careful analysis of a system before implementation prevents post implementation problems that might arise due to bad analysis of the problem statement.

Thus, the necessity for systems analysis is justified. Analysis is the first crucial step, detailed study of the various operations performed by a system and their relationships within and outside of the system. Analysis is defining the boundaries of the system that will be followed by design and implementation.

2.1 EXISTING SYSTEM

The existing system consists of the generic mouse and trackpad system of monitor controlling and the non-availability of a hand gesture system. The remote accessing of monitor screen using the hand gesture is unavailable. Even-though it is largely trying to implement the scope is simply restricted in the field of virtual mouse. The existing virtual mouse control system consists of the simple mouse operations using the hand recognition system, where we could perform the basic mouse operation like mouse pointer control, left click, right click, drag etc. The further use of the hand recognition is not been made use of. Even-though there are a number of systems which are used for hand recognition, the system they made used is the static hand recognition which is simply recognition of the shape made by hand and by defining an action for each shape made, which is limited to a number of defined actions and a large amount of confusion..

2.1.1 DRAWBACKS OF EXISTING SYSTEM

The further use of the hand recognition is not been made use of. Even-though there are a number of systems which are used for hand recognition, the system they made used is the static hand recognition which is simply recognition of the shape made by hand and by defining an action for each shape made, which is limited to a number of defined actions and a large amount of confusion..

2.2 PROPOSED SYSTEM

Using the current system even-though there are a number of quick access methods available for the hand and mouse gesture for the laptops, using our project we could make use of the laptop or web-cam and by recognizing the hand gesture we could control mouse and perform basic operations like mouse pointer controlling, select and deselect using left click, and a quick access feature for file transfer between the systems connected via network LAN cable. The project done is a “Zero Cost” hand recognition system for laptops, which uses simple algorithms to determine the hand, hand movements and by assigning an action for each movement[2]. But we have mainly concentrated on the mouse pointing and clicking actions along with an action for the file transfer between connected systems by hand action and the movements. The system we are implementing which is been written in python code be much more responsive and is easily implemented since python is a simple language and is platform independent with a flexibility and is portable which is desirable in creating a program which is focused in such an aim for creating a Virtual Mouse and Hand Recognition system. The system be much more extendable by defining actions for the hand movement for doing a specific action. It could be further modified to any further extent by implementing such actions for the set of hand gestures, the scope is restricted by your imagination.

Chapter 3

System Design

Initially, the hand gesture images are captured from the vision based camera, The hand gestures can be observed with the different kind of interfaces like “data gloves” that accurately records every abduction angles and digit's and position sensors for wrists and optical orientation or electromagnetic, requiring the user to wear trackers or gloves. Habitually, the glove based interfaces even need the user to be hitched to the computer, all minimizing time to user comfort and interface, conversely, vision based interfaces offer unencumbered interaction with human.

By this project we are aiming in creating a cost free hand recognition software for laptops and PCs with a web-cam support. The project covers as a hand recognition tool which could be used to move the mouse pointer, perform simple operations like clicking and other hand gesture operations like moving file from computer to computer through delicate socket programming and performing simple but fascinating operations that could be covered with the hand recognition.

CHAPTER 4

4.1 SYSTEM ARCHITECTURE




Fig -1 System Architecture

4.1.1 METHODOLOGY

In the Methodology, the method used in each component of the system will be explained separately. They are following subsections,

4.2 CAMERA SETTINGS

The runtime operations are managed by the webcam of the connected laptop or desktop. To capture a video, we need to create a Video Capture object. Its argument can be either the device index or the name of a video file. Device index is just the number to specify which camera. Since we only use a single camera we pass it as '0'. We can add additional camera to the system and pass it as 1,2 and so on. After that, you can capture frame-by-frame. But at the end, don't forget to release the capture. We could also apply color detection techniques to any image by doing simple modifications in the code.

4.3 CAPTURING FRAMES

The infinite loop is used so that the web camera captures the frames in every instance and is open during the entire course of the program. We capture the live feed stream, frame by frame. Then we process each captured frame which is in RGB (default) color space to HSV color space. There are more than 150 color-space conversion methods available in OpenCV. But we will look into only two which are most widely used ones, BGR to Gray and BGR to HSV.

4.4 MASKING TECHNIQUE

The mask is basically creating some specific region of the image following certain rules. Here we are creating a mask that comprises of an object in red color. After that we perform a bitwise AND operation on the Input image and the Threshold image, which result in only the red colored objects are highlighted. This result of the

AND operation is stored in res. We then display the frame, res and mask on 3 separate windows using imshow() function.

4.5 DISPLAY THE FRAME

The imshow() is a function of HighGui and it is required to call the waitKey regularly. The processing of the event loop of the imshow() function is done by calling waitKey. The function waitKey() waits for key event for a “delay” (here, 5 milliseconds). Windows events like redraw, resizing, input event etc. are processed by HighGui. So we call the waitKey function, even with a 1ms delay.

4.6 MOUSE MOVEMENT

We have to first calculate the center of both detected red object which we can easily do by taking the average of the bounding boxes maximum and minimum points. now we got 2 co-ordinate from the center of the 2 objects we will find the average of that and we will get the red point shown in the image. We are converting the detected coordinate from camera resolution to the actual screen resolution. After that we set the location as the mouse_position. but to move the mouse pointer it will take time. So we have to wait till the mouse pointer reaches that point. So we started a loop and we are not doing anything there we are just waiting will the current mouse location is same as assigned mouse location. That is for the open gesture.

4.7 CLICKING EVENT

The next step is to implement the close gesture. The operation is performed by clicking the object and dragging it. It is similar to the open gesture, but the difference is we only have one object here so we only need to calculate the center of it. And that will be placed on the location where we will position our mouse pointer. Instead of mouse release operation we will be performing a mouse press operation.

4.8 DRAG EVENT

In order to implement the dragging we introduce a variable 'pinchflag'. It will be set to 1 if it was clicked earlier. So after clicking whenever we find the open gesture we check if the pinchflag is set to 1. If it is set to one then Drag operation is performed otherwise the mouse move operation is performed.

4.9 DnD FRAME

First we create the MyFileDropTarget class. Inside that we have one overridden method, OnDropFiles. This method accepts the x/y position of the mouse along with the file paths that are dropped

CHAPTER 5

5.1 RESULT AND EVALUATION

In this project, we tried to focus on help patients who don't have control of their limbs and also improvise the interaction between the machine and humans. Our motive was to create this technology in the cheapest possible way and also to create it under a standardized operating system.

The proposed system controls the functions of mouse pointer by detecting red, and perform the mouse functions such as left click, dragging, cursor movement, and the file transfer between two systems in a same network. This method detect the red colour objects for the mouse control. The user uses the red colour objects on their finger tip for the better performance. When the number of contours are two, then it perform the simple mouse movement action. Otherwise, when the number of contour is one then it perform the left click. This system also supports the simple file transfer between two or more systems in the same network connection. The left side of the computer's screen act as a communication channel between the systems. ie, the file which is to be copy should drag and drop on the left side of the computer's screen. Then the dropped file will be copied to the destination or the reciever system.

This system is mainly aimed to reduce the use of hardware components attached with the computer. Although the application can be run in a ordinary computer having a web camera. but ideally it requires having at least 2MP frontal camera with at least Pentium processor and at least 256 MB RAM. We can see these all operations on the following images:




Fig -2 Mouse Movement




Fig -3 Drag & Drop Event

The major extension to this work can be done to make system able to work at much complex background and compatible with different light conditions. It can be made as an effective user interface and which can include all mouse functionalities. And also, it would be ideal to research into advanced mathematical materials for image processing and investigate on different hardware solutions that would result in more accurate hand detections. Not only did this project show the different gesture operations that could be done by the users but it also demonstrated the potential in simplifying user interactions with personal computers and hardware systems.

6. CONCLUSIONS

Gesture recognition gives the best interaction between human and machine. Gesture recognition is also important for developing alternative human computer interaction modalities. It enables human to interface with machine in a more natural way. Gesture recognition can be used for many applications like sign language recognition for deaf and dumb people, robot control etc.

This technology has wide applications in the fields of augmented reality, computer graphics, computer gaming, prosthetics, and biomedical instrumentation. Digital Canvas is an extension of our system which is gaining popularity among artists, by which the artist could create 2D or 3D images using the Virtual Mouse technology using the hand as brush and a Virtual Reality kit or a monitor as display set. This technology can be used to help patients who don't have control of their limbs. In case of computer graphics and gaming this technology has been applied in modern gaming consoles to create interactive games where a person's motions are tracked and interpreted as commands.

7. REFERENCES

[1] Abhik Banerjee, Abhirup Ghosh, Koustuvmoni Bharadwaj," Mouse Control using a Web Camera based on Color Detection",IJCTT,vol.9, Mar 2014.

[2] Angel, Neethu.P.S,"Real Time Static & Dynamic Hand Gesture Recognition", International Journal of Scientific & Engineering Research Volume 4, Issue3, March-2013.

[3] Q. Y. Zhang, F. Chen and X. W. Liu, "Hand Gesture Detection and Segmentation Based on Difference Back-ground Image with Complex Background," Proceedings of the 2008 International Conference on Embedded Soft-ware and Systems, Sichuan, 29-31 July 2008, pp. 338-343.